

Analysis date:

Analysis by:

Lat: Long:

C:\Files\Mycale Project\Photoquadrats\Quadrat 9\Removal Summary.xls:Data summary

[illegible]

Pavona varians	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pocillopora damicornis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pocillopora meandrina	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Porites compressa	74.42	69.86	65.82	77.46	53.93	56.98	66.41	9.42
Porites lobata	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Unknown coral	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MYCALE ARMATA								
Mycale armata	16.28	6.85	3.80	2.82	10.11	6.98	7.81	4.89
OTHER INVERTEBRATES								
Echinometra mathaei	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Echinothrix diadema	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Ophiodesoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Porifera	0.00	0.00	0.00	0.00	0.00	2.33	0.39	0.95
Palythoa caesia	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sabellastarte	4.65	2.74	7.59	0.00	1.12	0.00	2.68	2.99
Sarcothelia edmondsoni	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tunicates	0.00	1.37	0.00	0.00	0.00	0.00	0.23	0.56
Zoanthus sp.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DEAD CORAL, RUBBLE								
Coral Rubble	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Dead Coral	3.49	19.18	22.78	19.72	5.62	32.56	17.22	10.95
SUBSTRATUM								
Limestone Pavement	0.00	0.00	0.00	0.00	24.72	0.00	4.12	10.09
Sand	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Silt	1.16	0.00	0.00	0.00	0.00	1.16	0.39	0.60
TAPE, WAND, SHADOW								
Frame	9.30	15.07	10.13	8.45	11.24	11.63	10.97	2.33
Unidentifiable	6.98	21.92	16.46	32.39	1.12	4.65	13.92	11.91
NOTES (% of transect)							MEAN	STD. DEV.
Coral Growth Anomaly	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NOTES (% of coral)								
Coral Growth Anomaly	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MAJOR CATEGORY (occurring in transect)								
MACROALGAE	0	0	0	0	0	0	0	0.00
CORALLINE ALGAE	0	0	0	0	3	0	3	0.50

STD. ERROR	
	0.00
	0.56
	3.73
	2.00
	1.12
	4.47
	4.05
	3.06
STD. ERROR	
	0.00
	0.00
	0.00
	0.00
	0.00
	0.56
	0.00
	0.00
	0.00
	0.00
	0.19
	0.00
	0.00

0.00
0.00
0.00
3.84
0.00
0.00
2.00
0.00
0.00
0.00
0.39
0.00
1.22
0.00
0.23
0.00
0.00
4.47
4.12
0.00
0.25
0.95
4.86
STD. ERROR
0.00
0.00
STD. ERROR
SW INDEX
0.00
0.00
0.50
0.00

2.32	0.02
1.80	0.00
0.88	0.60
3.71	0.00
3.61	0.29
3.06	0.69

STD. ERROR SW INDEX

0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.50
0.02
0.00
0.00
0.00
0.00
0.17
0.00
0.00
0.00
0.00
0.00
0.00
2.39
0.00
0.00
0.00
1.80
0.60
0.00
0.00
0.00

0.33	0.26
0.00	0.00
0.98	0.17
0.00	0.00
0.17	0.17
0.00	0.00
	0.00
0.00	0.00
3.71	0.00
	0.29
3.67	0.08
0.00	0.00
0.21	0.21
	0.69
0.75	0.36
3.39	0.33
STD. ERROR	
0.00	
0.00	