

Daily growth data of the *Karlodinium veneficum* growth experiment conducted in the Horn Point Laboratory between June 2021- January 2022.

Website: <https://www.bco-dmo.org/dataset/907393>

Data Type: experimental

Version: 1

Version Date: 2023-09-01

Project

» [Ecology and Oceanography of Harmful Algal Blooms](#) (EcoHAB)

Contributors	Affiliation	Role
Glibert, Patricia A.	University of Maryland Center for Environmental Science (UMCES/HPL)	Principal Investigator
Vidyarathna, Nayani	University of Maryland Center for Environmental Science (UMCES/HPL)	Scientist, Contact
Ahn, So Hyun	University of Maryland Center for Environmental Science (UMCES/HPL)	Student
Soenen, Karen	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

Using a multifactorial design, we studied the interactive effects of temperature (15, 20, 25, 28 and 30 °C), salinity (5, 10, 15, 20 and 30) and light (low-100 and high-300 $\mu\text{mol photons m}^{-2} \text{s}^{-1}$) on growth, thermal niche properties and cellular carbon (C) and nitrogen (N) of the toxic dinoflagellate, *Karlodinium veneficum*, originated from the Chesapeake Bay. Here we report the daily growth data measured as raw fluorescence at each experimental combination in quadruplicates and the C and N cell quota data measured in the final samples for each experimental combination in duplicates.

Table of Contents

- [Dataset Description](#)
 - [Methods & Sampling](#)
 - [Data Processing Description](#)
- [Data Files](#)
- [Related Publications](#)
- [Related Datasets](#)
- [Parameters](#)
- [Instruments](#)
- [Project Information](#)
- [Funding](#)

Coverage

Temporal Extent: 2021-06-11 - 2021-11-12

Dataset Description

These data (after processing) were published in Vidyarathna et al (2023) as Figure 1, Figure 3 and supplementary table 1 and 3.

Methods & Sampling

Laboratory experiments were conducted in the Horn Point Laboratory, University of Maryland Center for Environmental Science during June 2021- January 2022.

Algal growth data was collected by measuring *in vivo* chlorophyll *a* (chl *a*) fluorescence (TD 700; Turner Designs, USA) of the whole cultures daily until they reach the late exponential phase (4-7 days).

Data Processing Description

No data processing, these are the raw data.

[[table of contents](#) | [back to top](#)]

Data Files

File
907393_v1_growth.csv (Comma Separated Values (.csv), 27.73 KB) MD5:8afe07a9e98ded320d56c6be1b5a700
Primary data file for dataset 907393

[[table of contents](#) | [back to top](#)]

Related Publications

Vidyarathna, N. K., Ahn, S. H. (Sophia), & Glibert, P. M. (2023). Thermal niche of the dinoflagellate *Karlodinium veneticum* across different salinity and light levels. *Journal of Plankton Research*, 45(4), 604–613.

<https://doi.org/10.1093/plankt/fbad019>
Results

[[table of contents](#) | [back to top](#)]

Related Datasets

IsRelatedTo

Vidyarathna, N., Glibert, P. A., Ahn, S. (2023) **Cellular carbon (C) and nitrogen (N) data of the *Karlodinium veneticum* growth experiment conducted in the Horn Point Laboratory between June 2021- January 2022.** Biological and Chemical Oceanography Data Management Office (BCO-DMO). (Version 1) Version Date 2023-09-01 <http://lod.bco-dmo.org/id/dataset/907463> [[view at BCO-DMO](#)]

Relationship Description: Data are part of same experiment.

[[table of contents](#) | [back to top](#)]

Parameters

Parameter	Description	Units
Light	Average light intensity at which the cultures were grown	$\mu\text{mol photons m}^{-2}\text{s}^{-1}$
Salinity	Salinity of the culture media	unitless
Temperature	Temperature at which cultures were acclimated and grown	degrees Celsius ($^{\circ}\text{C}$)
Date	Date in ISO format %Y-%m-%d	unitless
Replicate	Sampling replicate (1,2,3 or 4)	unitless
Fluorescence	Fluorescence (relative)	unitless

[[table of contents](#) | [back to top](#)]

Instruments

Dataset-specific Instrument Name	Fluorometer TD 700; Turner Designs, USA.
Generic Instrument Name	Turner Designs 700 Laboratory Fluorometer
Generic Instrument Description	The TD-700 Laboratory Fluorometer is a benchtop fluorometer designed to detect fluorescence over the UV to red range. The instrument can measure concentrations of a variety of compounds, including chlorophyll-a and fluorescent dyes, and is thus suitable for a range of applications, including chlorophyll, water quality monitoring and fluorescent tracer studies. Data can be output as concentrations or raw fluorescence measurements.

[[table of contents](#) | [back to top](#)]

Project Information

Ecology and Oceanography of Harmful Algal Blooms (EcoHAB)

Website: <https://coastalscience.noaa.gov/science-areas/habs/ecohab/>

[[table of contents](#) | [back to top](#)]

Funding

Funding Source	Award
National Oceanic and Atmospheric Administration (NOAA)	NA17NOS4780180

[[table of contents](#) | [back to top](#)]