

Properties

DateCreated:	12/13/2012 4:54:54 PM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
HideNewField:	False	LastUpdated:	12/13/2012 4:54:54 PM
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	936
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
Flt_No	Integer	2
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	750	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	Flt_No	
SourceTable:	FlightInfo	
TextAlign:	General	
Team_Lead	Text	30
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1275	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Team_Lead	
SourceTable:	FlightInfo	
TextAlign:	General	
UnicodeCompression:	True	
Data_Rec	Text	30
AggregateType:	-1	
AllowZeroLength:	False	

Table: FlightInfo

Page: 2

AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1830
DataUpdatable:	False
Description:	As of 2008 this field is stored in the Output table. This was done to facilitate switching out observers/recorders mid-flight.
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
SourceField:	Data_Rec
SourceTable:	FlightInfo
TextAlign:	General
UnicodeCompression:	True

Observer1	Text	30
-----------	------	----

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1830
DataUpdatable:	False
Description:	As of 2008 this field is stored in the Output table. This was done to facilitate switching out observers/recorders mid-flight.
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	3
Required:	False
SourceField:	Observer1
SourceTable:	FlightInfo
TextAlign:	General
UnicodeCompression:	True

Observer2	Text	30
-----------	------	----

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1830
DataUpdatable:	False
Description:	As of 2008 this field is stored in the Output table. This was done to facilitate switching out observers/recorders mid-flight.
DisplayControl:	Text Box
IMEMode:	0

Table: FlightInfo

Page: 3

IMESentenceMode: 3
OrdinalPosition: 4
Required: False
SourceField: Observer2
SourceTable: FlightInfo
TextAlign: General
UnicodeCompression: True

ObsFourth

Text

255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Field added in 2012.
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: False
SourceField: ObsFourth
SourceTable: FlightInfo
TextAlign: General
UnicodeCompression: True

Pilot

Text

30

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1680
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6
Required: False
SourceField: Pilot
SourceTable: FlightInfo
TextAlign: General
UnicodeCompression: True

Co_Pilot

Text

30

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False

Table: FlightInfo

Page: 4

ColumnOrder: Default
ColumnWidth: 1680
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 7
Required: False
SourceField: Co_Pilot
SourceTable: FlightInfo
TextAlign: General
UnicodeCompression: True

AircraftID

Text

6

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1035
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 8
Required: False
SourceField: AircraftID
SourceTable: FlightInfo
TextAlign: General
UnicodeCompression: True

Season

Integer

2

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 855
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 9
Required: False
SourceField: Season
SourceTable: FlightInfo
TextAlign: General

Aerial_Survey

Text

30

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length

Table: FlightInfo

Page: 5

CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 10
Required: False
SourceField: Aerial_Survey
SourceTable: FlightInfo
TextAlign: General
UnicodeCompression: True

GMT_Minus8_DateTime

Date/Time

8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 11
Required: False
ShowDatePicker: For dates
SourceField: GMT_Minus8_DateTime
SourceTable: FlightInfo
TextAlign: General

BackupDrive

Text

10

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 12
Required: False
SourceField: BackupDrive
SourceTable: FlightInfo
TextAlign: General
UnicodeCompression: True

Table: FlightInfo

Page: 6

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
Flight_Season	2
Clustered:	False
DistinctCount:	936
Foreign:	False
IgnoreNulls:	False
Name:	Flight_Season
Primary:	False
Required:	False
Unique:	False
Fields:	
Season	Ascending
Flt_No	Ascending

Properties

DateCreated:	2/8/2010 1:57:58 PM	DefaultView:	2
LastUpdated:	2/8/2010 1:57:58 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	18	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	lut_Behavior_1	
Behavior	Text	255
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	7050	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Behavior	
SourceTable:	lut_Behavior_1	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
Behavior	1
Clustered:	False
DistinctCount:	18
Foreign:	False
IgnoreNulls:	False
Name:	Behavior
Primary:	False

Table: lut Behavior 1

Page: 8

Required:	False
Unique:	False
Fields:	
Behavior	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	18
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

Properties

DateCreated:	2/8/2010 1:58:47 PM	DefaultView:	2
LastUpdated:	2/8/2010 1:58:47 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	6	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	lut_Behavior_2	
Behavior	Text	255
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	7050	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Behavior	
SourceTable:	lut_Behavior_2	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
Behavior	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	Behavior
Primary:	False

Table: lut Behavior 2

Page: 10

Required:	False
Unique:	False
Fields:	
Behavior	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

Properties

DateCreated:	2/8/2010 1:59:24 PM	DefaultView:	2
LastUpdated:	2/8/2010 1:59:24 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	7	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	lut_Behavior_3	
Behavior	Text	255
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	7050	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Behavior	
SourceTable:	lut_Behavior_3	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
Behavior	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	Behavior
Primary:	False

Table: lut Behavior 3

Page: 12

Required:	False
Unique:	False
Fields:	
Behavior	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

Properties

DateCreated:	2/8/2010 1:59:57 PM	DefaultView:	2
LastUpdated:	2/8/2010 1:59:57 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	5	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	lut_Behavior_4	
Behavior	Text	255
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	7050	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Behavior	
SourceTable:	lut_Behavior_4	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
Behavior	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	Behavior
Primary:	False

Table: lut Behavior 4

Page: 14

Required:	False
Unique:	False
Fields:	
Behavior	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

Properties

DateCreated:	2/8/2010 2:00:07 PM	DefaultView:	2
LastUpdated:	2/8/2010 2:00:07 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	3	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	lut_Behavior_5	
Behavior	Text	255
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	7050	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Behavior	
SourceTable:	lut_Behavior_5	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
Behavior	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	Behavior
Primary:	False

Table: lut Behavior 5

Page: 16

Required:	False
Unique:	False
Fields:	
Behavior	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

Properties

DateCreated:	8/17/2006 4:33:55 PM	DefaultView:	2
LastUpdated:	8/17/2006 4:36:27 PM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	3
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False OrdinalPosition: 0 Required: False SourceField: ID SourceTable: lut_Certainty		
code	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box OrdinalPosition: 1 Required: False SourceField: code SourceTable: lut_Certainty		
groupclass	Text	75
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 6270 DataUpdatable: False DisplayControl: Text Box IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 2		

Table: lut_Certainty

Page: 18

Required:	False
SourceField:	groupclass
SourceTable:	lut_Certainty
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
code	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	code
Primary:	False
Required:	False
Unique:	False
Fields:	
code	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

Properties

DateCreated:	2/8/2010 2:00:38 PM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
HideNewField:	False	LastUpdated:	2/8/2010 2:00:38 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	5	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	lut_EntTag	
TextAlign:	General	
code	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	code	
SourceTable:	lut_EntTag	
TextAlign:	General	
EntTag	Text	20
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	

Table: lut_EntTag

Page: 20

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
SourceField:	EntTag
SourceTable:	lut_EntTag
TextAlign:	General
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
code	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	code
Primary:	False
Required:	False
Unique:	False
Fields:	
code	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

Properties

DateCreated:	9/6/2006 1:01:15 PM	LastUpdated:	9/6/2006 1:01:30 PM
RecordCount:	5	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	Neutral	
ColumnOrder:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	lut_Family	
code	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	code	
SourceTable:	lut_Family	
Family	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	False	
SourceField:	Family	
SourceTable:	lut_Family	

Table Indexes

Name	Number of Fields
code	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	code
Primary:	False

Table: lut Familv

Page: 22

Required:	False
Unique:	False
Fields:	
code	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

Properties

DateCreated:	2/9/2010 8:14:28 AM	DefaultView:	2
DisplayViewsOnSharePointSite	1	FilterOnLoad:	False
GUID:	{guid {995CF32B-AF3C-4DAD-985A-7AC35FDE85A5}}	HideNewField:	False
LastUpdated:	8/6/2013 3:06:11 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	6	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	lut_FlightType	
TextAlign:	General	
code	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	code	
SourceTable:	lut_FlightType	
TextAlign:	General	
FltType	Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	

Table: lut_FlightType

Page: 24

CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2445
DataUpdatable:	False
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
SourceField:	FltType
SourceTable:	lut_FlightType
TextAlign:	General
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	False
Fields:	
ID	Ascending

Properties

DateCreated:	9/6/2006 9:03:56 AM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
GUID:	{guid {5694EB0A-890D-4490-8705-FEA16EE383D5}}	HideNewField:	False
LastUpdated:	6/25/2010 1:33:04 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	60	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	Neutral	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	lut_GroupClassification	
TextAlign:	General	
code	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	2	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	code	
SourceTable:	lut_GroupClassification	
TextAlign:	General	
codeFamily	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	

Table: lut_GroupClassification

Page: 26

CollatingOrder: General
ColumnHidden: False
ColumnOrder: 3
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 2
Required: False
SourceField: codeFamily
SourceTable: lut_GroupClassification
TextAlign: General

GroupClass		Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	4		
ColumnWidth:	4860		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	GroupClass		
SourceTable:	lut_GroupClassification		
TextAlign:	General		
UnicodeCompression:	False		

Table Indexes

Name	Number of Fields
code	1
Clustered:	False
DistinctCount:	60
Foreign:	False
IgnoreNulls:	False
Name:	code
Primary:	False
Required:	False
Unique:	False
Fields:	
code	Ascending
codeFamily	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	codeFamily
Primary:	False

Table: lut GroupClassification

Page: 27

Required:	False
Unique:	False
Fields:	
codeFamily	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	60
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

Properties

DateCreated:	2/8/2010 2:04:26 PM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
HideNewField:	False	LastUpdated:	2/8/2010 2:04:27 PM
NameMap:	Long binary data	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	22	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	lut_Observer	
TextAlign:	General	
Name	Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1710	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Name	
SourceTable:	lut_Observer	
TextAlign:	General	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
------	------------------

Table: lut Observer

Page: 29

ID	1
Clustered:	False
DistinctCount:	22
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	False
Fields:	
ID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	22
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

Properties

DateCreated:	2/8/2010 2:04:25 PM	DefaultView:	2
LastUpdated:	2/8/2010 2:04:25 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	14	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	lut_Pilot	
Name	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3285	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Name	
SourceTable:	lut_Pilot	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	14
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False

Table: lut Pilot

Page: 31

Required:	False
Unique:	False
Fields:	
ID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	14
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

Properties

DateCreated:	2/8/2010 2:04:26 PM	DefaultView:	2
LastUpdated:	2/8/2010 2:04:26 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	6	Updatable:	True

Columns

Name		Type	Size
ID		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size, Auto-Increment	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	OrdinalPosition:	0	
	Required:	False	
	SourceField:	ID	
	SourceTable:	lut_ReasonForEntry	
key		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	OrdinalPosition:	1	
	Required:	False	
	SourceField:	key	
	SourceTable:	lut_ReasonForEntry	
item		Text	50
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1800	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	

Table: lut ReasonForEntry

Page: 33

Required: False
SourceField: item
SourceTable: lut_ReasonForEntry
UnicodeCompression: True

Table Indexes

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	False
Fields:	
ID	Ascending
key	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	key
Primary:	False
Required:	False
Unique:	False
Fields:	
key	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

Properties

DateCreated:	9/6/2006 1:09:42 PM	DefaultView:	2
LastUpdated:	9/6/2006 1:10:01 PM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	2
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False OrdinalPosition: 0 Required: False SourceField: ID SourceTable: lut_Saved		
code	Integer	2
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box OrdinalPosition: 1 Required: False SourceField: code SourceTable: lut_Saved		
saved	Text	20
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 2		

Table: lut_Saved

Page: 35

Required: False
SourceField: saved
SourceTable: lut_Saved
UnicodeCompression: True

Table Indexes

Name	Number of Fields
code	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	code
Primary:	False
Required:	False
Unique:	False
Fields:	
code	Ascending
ID	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	False
Fields:	
ID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

Properties

DateCreated:	12/13/2012 4:54:55 PM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
GUID:	{guid {5F6372EB-BF8A-46F0-BB66-A2843DEC3106}}	HideNewField:	False
LastUpdated:	10/30/2013 3:00:41 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	240403	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Unique whole number to identify each record. This field should not be used to sort data.	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	Output	
TextAlign:	General	
Event	Integer	2
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Sequential number representing data entry event. Three fields should be used to sort data: Event, Flt_No, and GMT_Minus8_DateTime. We advise ordering by flight number first, date/time second, and event number third.	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	Event	
SourceTable:	Output	
TextAlign:	General	

Table: Output
Flt_No

Page: 37
2

Integer

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Flight number used to identify a survey. Surveys conducted in the same year have unique flight numbers. Three fields should be used to sort data: Event, Flt_No, and GMT_Minus8_DateTime.
DisplayControl: Text Box
OrdinalPosition: 2
Required: False
SourceField: Flt_No
SourceTable: Output
TextAlign: General

GMT_Minus8_DateTime

Date/Time

8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date and time in Alaska Standard Time, 8 hours behind Greenwich Mean Time. Three fields should be used to sort data: Event, Flt_No, and GMT_Minus8_DateTime.
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 3
Required: False
ShowDatePicker: For dates
SourceField: GMT_Minus8_DateTime
SourceTable: Output
TextAlign: General

Lat

Single

4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False

Table: Outout

Page: 38

	DecimalPlaces:	2		
	Description:	Latitude of aircraft in degrees decimal minutes. Used from 1979-2006.		
	DisplayControl:	Text Box		
	Format:	Fixed		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	Lat		
	SourceTable:	Output		
	TextAlign:	General		
Long			Single	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	2		
	Description:	Longitude of aircraft in degrees decimal minutes. Used from 1979-2006.		
	DisplayControl:	Text Box		
	Format:	Fixed		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	Long		
	SourceTable:	Output		
	TextAlign:	General		
ArcLat			Single	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	5		
	Description:	Latitude of aircraft in decimal degrees WGS84.		
	DisplayControl:	Text Box		
	Format:	Fixed		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	ArcLat		
	SourceTable:	Output		
	TextAlign:	General		
ArcLong			Single	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		

Table: Output

Page: 39

	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	4	
	Description:	Longitude of aircraft in decimal degrees WGS84.	
	DisplayControl:	Text Box	
	Format:	Fixed	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	ArcLong	
	SourceTable:	Output	
	TextAlign:	General	
Alt		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Altitude of aircraft in feet above sea level.	
	DisplayControl:	Text Box	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	Alt	
	SourceTable:	Output	
	TextAlign:	General	
Air_Head		Single	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Direction of aircraft heading in degrees. Used starting in 1998.	
	DisplayControl:	Text Box	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	Air_Head	
	SourceTable:	Output	
	TextAlign:	General	
Entry		Text	50
	AggregateType:	-1	

Table: Outout

Page: 40

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	3060
DataUpdatable:	False
Description:	Indicates whether the event was a flight type change, position update, or sighting.
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	10
Required:	False
SourceField:	Entry
SourceTable:	Output
TextAlign:	General
UnicodeCompression:	True

Species

Text

30

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Common name of the animal, track or vessel sighted. "Kill site no bear" and "track-" values were not used after 2008. "unid"=unidentified, "cet"=cetacean, "pin"=pinniped, "lg. rec."=large recreational, "sm. rec."=small recreational
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	11
Required:	False
SourceField:	Species
SourceTable:	Output
TextAlign:	General
UnicodeCompression:	False

Sightcue

Text

20

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default

Table: Output

Page: 41

DataUpdatable: False
Description: Visual cue that caused the observer to first notice the sighting.
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 12
Required: False
SourceField: Sightcue
SourceTable: Output
TextAlign: General
UnicodeCompression: False

Habitat Text 75

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Environment where the sighting was made. "lrg"=large, "med"=medium, "sm"=small
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
SourceField: Habitat
SourceTable: Output
TextAlign: General
UnicodeCompression: False

Behavior Text 75

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Behavior exhibited by the sighting.
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 14
Required: False
SourceField: Behavior
SourceTable: Output
TextAlign: General
UnicodeCompression: False

Table: Outout Page: 42
Size 15

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Indicates the subjective age class and/or group composition of the sighting. May not be inclusive of all animals in the sighting. Used from 1979-2008.
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 15
Required: False
SourceField: Size
SourceTable: Output
TextAlign: General
UnicodeCompression: False

Totalno Integer 2

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Total number of animals or vessels counted in a sighting. Starting in 2008, total number of animals or vessels initially counted, prior to diverting to circle. Note: Prior to 2007, numbers equaling exactly 100 may be minimum estimates. Check notes field.
DisplayControl: Text Box
OrdinalPosition: 16
Required: False
SourceField: Totalno
SourceTable: Output
TextAlign: General

Final_group Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False

Table: Output

Page: 43

ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Final count of animals or vessels in a sighting; usually determined during circling initiated after initial sighting was made on transect or search. If different from Totalno, Final_group takes precedence. Used starting in 2009.
DisplayControl:	Text Box
Format:	@
OrdinalPosition:	17
Required:	False
SourceField:	Final_group
SourceTable:	Output
TextAlign:	General

Low_estimate Long Integer 4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Minimum estimate of animals or vessels in a sighting. Used starting in 2009.
DisplayControl:	Text Box
Format:	@
OrdinalPosition:	18
Required:	False
SourceField:	Low_estimate
SourceTable:	Output
TextAlign:	General

High_estimate Long Integer 4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Maximum estimate of animals or vessels in a sighting. Used starting in 2009.
DisplayControl:	Text Box
Format:	@
OrdinalPosition:	19

Table: Outout

Page: 44

	Required:	False		
	SourceField:	High_estimate		
	SourceTable:	Output		
	TextAlign:	General		
Calfno			Integer	2
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Total number of calves counted in a sighting. If Final_group is NULL and Calfno>0, then Calfno is included in Totalno. If Final_group>0 and Calfno>0, then Calfno is included in Final_group.		
	DisplayControl:	Text Box		
	OrdinalPosition:	20		
	Required:	False		
	SourceField:	Calfno		
	SourceTable:	Output		
	TextAlign:	General		
Calf_on_circle			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Total number of calves counted in a sighting after diverting from search or transect effort to circle. Totals are included in Calfno. Used starting in 2009.		
	DisplayControl:	Text Box		
	Format:	@		
	OrdinalPosition:	21		
	Required:	False		
	SourceField:	Calf_on_circle		
	SourceTable:	Output		
	TextAlign:	General		
Clinometer			Integer	2
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		

Table: Output

Page: 45

CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Angle from the horizon to a sighting, when the sighting was abeam of the aircraft, measured in degrees. Angles range from 0 to 90 with 0 at the horizon and 90 directly under the aircraft.
DisplayControl:	Text Box
OrdinalPosition:	22
Required:	False
SourceField:	Clinometer
SourceTable:	Output
TextAlign:	General

Sop

Text

2

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Side of plane from which a sighting was made. Used starting in 1989.
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	23
Required:	False
SourceField:	Sop
SourceTable:	Output
TextAlign:	General
UnicodeCompression:	False

Swimdir

Text

15

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Predominant swim direction or heading of sighting, not corrected for magnetic variation. From 1979-2006, this number was obtained from the aircraft's compass. Starting in 2007, this number was recorded in clock directions relative to the aircraft.
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	24

Table: Output

Page: 46

Required:	False		
SourceField:	Swimdir		
SourceTable:	Output		
TextAlign:	General		
UnicodeCompression:	False		
Swimspeed		Text	15
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Subjective estimate of animal's swimming speed or vessel's traveling speed.		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	25		
Required:	False		
SourceField:	Swimspeed		
SourceTable:	Output		
TextAlign:	General		
UnicodeCompression:	False		
Response		Text	20
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Indicates whether an animal responded to the aircraft's presence.		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	26		
Required:	False		
SourceField:	Response		
SourceTable:	Output		
TextAlign:	General		
UnicodeCompression:	False		
NoReacted		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		

Table: Output

Page: 47

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Total number of animals that responded to the survey aircraft. Used starting in 2013.
DisplayControl:	Text Box
OrdinalPosition:	27
Required:	False
SourceField:	NoReacted
SourceTable:	Output
TextAlign:	General

Repeat

Text

10

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Indicates whether the sighting was considered a repeat within the same day.
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	28
Required:	False
SourceField:	Repeat
SourceTable:	Output
TextAlign:	General
UnicodeCompression:	False

Observer

Text

30

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Not recorded prior to 1989. From 1989-2006, initials or identification number of the observer who first observed a sighting. Starting in 2007, the full name of the observer was entered. In 2011, initials were replaced with full names where known.
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	29
Required:	False

Table: Output

Page: 48

	SourceField:	Observer	
	SourceTable:	Output	
	TextAlign:	General	
	UnicodeCompression:	False	
PrimObs		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Numeric code to indicate whether a sighting was made by a primary observer or a secondary observer. Used starting in 2013. In 2013, retroactively added values for 1989-2012.	
	DisplayControl:	Text Box	
	OrdinalPosition:	30	
	Required:	False	
	SourceField:	PrimObs	
	SourceTable:	Output	
	TextAlign:	General	
Skycon		Text	20
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Subjective description of the sky conditions.	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	31	
	Required:	False	
	SourceField:	Skycon	
	SourceTable:	Output	
	TextAlign:	General	
	UnicodeCompression:	False	
VisImpLeft		Text	20
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	

Table: Output

Page: 49

ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Subjective description of the predominant impediment to an observer's field of view on the left side of the aircraft.
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	32
Required:	False
SourceField:	VisImpLeft
SourceTable:	Output
TextAlign:	General
UnicodeCompression:	False

VisImpRight

Text

20

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Subjective description of the predominant impediment to an observer's field of view on the right side of the aircraft.
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	33
Required:	False
SourceField:	VisImpRight
SourceTable:	Output
TextAlign:	General
UnicodeCompression:	False

Vis_left

Text

20

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Estimate in kilometers of visibility on the left side of the aircraft.
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	34
Required:	False
SourceField:	Vis_left

Table: Outout

Page: 50

	SourceTable:	Output		
	TextAlign:	General		
	UnicodeCompression:	False		
Vis_right			Text	20
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Estimate in kilometers of visibility on the right side of the aircraft.		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	35		
	Required:	False		
	SourceField:	Vis_right		
	SourceTable:	Output		
	TextAlign:	General		
	UnicodeCompression:	False		
Icepercent			Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Estimate of the percent of ocean surface within the visual range of the observer (1979-1991, 2008-2013) or within 1 km of the aircraft (1992-2007) covered by sea ice. Frazil was not included in the estimate.		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	36		
	Required:	False		
	SourceField:	Icepercent		
	SourceTable:	Output		
	TextAlign:	General		
	UnicodeCompression:	False		
Icetype			Text	20
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		

Table: Outout

Page: 51

CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Predominant type of sea ice within the visual range of the observer (1979-1991, 2008-2013) or within 1 km of the aircraft (1992-2007).
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	37
Required:	False
SourceField:	Icetype
SourceTable:	Output
TextAlign:	General
UnicodeCompression:	False

Seastate	Text	30
----------	------	----

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Observed sea state using the Beaufort Wind Force classification system.
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	38
Required:	False
SourceField:	Seastate
SourceTable:	Output
TextAlign:	General
UnicodeCompression:	False

Block	Long Integer	4
-------	--------------	---

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Survey block in which an event occurred. For sighting events, a value of 0 indicates that the sighting fell outside of survey block boundaries.
DisplayControl:	Text Box
OrdinalPosition:	39
Required:	False

Table: Output

Page: 52

	SourceField:	Block		
	SourceTable:	Output		
	TextAlign:	General		
Depth_m			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Water depth in meters. A value of 99999 indicates no data were recorded.		
	DisplayControl:	Text Box		
	OrdinalPosition:	40		
	Required:	False		
	SourceField:	Depth_m		
	SourceTable:	Output		
	TextAlign:	General		
UTMZ6X			Single	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	X-axis position of the aircraft in Universal Transverse Mercator Zone 6 North. Used from 1979-2006.		
	DisplayControl:	Text Box		
	OrdinalPosition:	41		
	Required:	False		
	SourceField:	UTMZ6X		
	SourceTable:	Output		
	TextAlign:	General		
UTMZ6Y			Single	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		

Table: Output

Page: 53

DecimalPlaces:	Auto
Description:	Y-axis position of the aircraft in Universal Transverse Mercator Zone 6 North. Used from 1979-2006.
DisplayControl:	Text Box
OrdinalPosition:	42
Required:	False
SourceField:	UTMZ6Y
SourceTable:	Output
TextAlign:	General

Aerial_Survey	Text	10
---------------	------	----

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Primary agency responsible for the survey and the platform used. The data acquisition program initially populates this field with "COMIDA" or "BWASP"; these are converted to the agency_platform convention during post-field processing.
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	43
Required:	False
SourceField:	Aerial_Survey
SourceTable:	Output
TextAlign:	General
UnicodeCompression:	False

Swimdir_True	Long Integer	4
--------------	--------------	---

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Predominant swim direction or heading of a sighting in true north compass degrees (i.e., corrected for magnetic variation). Prior to 2007, Swimdir degrees corrected for magnetic variation. Starting in 2007, Swimdir clock directions converted to degrees.
DisplayControl:	Text Box
OrdinalPosition:	44
Required:	False
SourceField:	Swimdir_True
SourceTable:	Output

Table: Output

Page: 54

	TextAlign:	General		
magvar_gps			Single	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Magnetic declination as reported by the GPS unit. Used starting in 2007.		
	DisplayControl:	Text Box		
	OrdinalPosition:	45		
	Required:	False		
	SourceField:	magvar_gps		
	SourceTable:	Output		
	TextAlign:	General		
magvar_dir			Text	2
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Direction of magnetic declination as reported by the GPS unit. Used starting in 2007.		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	46		
	Required:	False		
	SourceField:	magvar_dir		
	SourceTable:	Output		
	TextAlign:	General		
	UnicodeCompression:	False		
airhead_gps			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		

Table: Output

Page: 55

	DecimalPlaces:	Auto	
	Description:	Aircraft heading, or direction of travel, as reported by the GPS unit. Used starting in 2007.	
	DisplayControl:	Text Box	
	OrdinalPosition:	47	
	Required:	False	
	SourceField:	airhead_gps	
	SourceTable:	Output	
	TextAlign:	General	
alt_gps		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Aircraft altitude derived from GPS satellite triangulation, as reported by the GPS unit. Units are in feet. Used starting in 2013.	
	DisplayControl:	Text Box	
	OrdinalPosition:	48	
	Required:	False	
	SourceField:	alt_gps	
	SourceTable:	Output	
	TextAlign:	General	
Calf_Detect_Cert		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Rating of level of certainty of the presence or absence of a calf in a sighting. Used starting in 2007. In previous versions of the database from 2007-2010, this field was named "Certainty".	
	DisplayControl:	Text Box	
	OrdinalPosition:	49	
	Required:	False	
	SourceField:	Calf_Detect_Cert	
	SourceTable:	Output	
	TextAlign:	General	
Group		Long Integer	4
	AggregateType:	-1	

Table: Outout

Page: 56

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Numeric code that corresponds with a category describing the group size and/or composition of a sighting. Used from 2007-2012.
DisplayControl:	Text Box
OrdinalPosition:	50
Required:	False
SourceField:	Group
SourceTable:	Output
TextAlign:	General

saved

Integer

2

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Indicates whether the entry was saved or deleted. Deleted entries are kept solely for a complete record of logged events, and should not be used in any analyses.
DisplayControl:	Text Box
OrdinalPosition:	51
Required:	False
SourceField:	saved
SourceTable:	Output
TextAlign:	General

notes

Text

255

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Any pertinent information that was not recorded elsewhere.
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	52

Table: Output

Page: 57

Required:	False		
SourceField:	notes		
SourceTable:	Output		
TextAlign:	General		
UnicodeCompression:	False		
FltType		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Numeric code that corresponds with the flight type, or survey mode. See abstract and methodology for discussion of different flight types.		
DisplayControl:	Text Box		
OrdinalPosition:	53		
Required:	False		
SourceField:	FltType		
SourceTable:	Output		
TextAlign:	General		
Transect_id		Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Number or letter used to identify a transect line in the northeastern Chukchi Sea study area. Transect numbers and their locations vary each year. Used starting in 2009.		
DisplayControl:	Text Box		
Format:	@		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	54		
Required:	False		
SourceField:	Transect_id		
SourceTable:	Output		
TextAlign:	General		
UnicodeCompression:	False		
Family		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		

Table: Outout

Page: 58

Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Numeric code to indicate species groupings. This field was created solely for programming purposes for the data collection software, but can be used for analyses if desired. Used starting in 2007.
DisplayControl:	Text Box
OrdinalPosition:	55
Required:	False
SourceField:	Family
SourceTable:	Output
TextAlign:	General

enttag Long Integer 4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Numeric code to indicate entry type. This field was created solely for programming purposes for the data collection software, but is useful for data QA/QC. Used starting in 2007.
DisplayControl:	Text Box
OrdinalPosition:	56
Required:	False
SourceField:	enttag
SourceTable:	Output
TextAlign:	General

XofWhale Double 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Actual longitude, in decimal degrees, of a sighting calculated from aircraft altitude (Alt field 2009-2012; alt_gps field starting in 2013), clinometer angle and side of plane. Used starting in 2009. In 2011, values for 1998-2008 were retroactively added.
DisplayControl:	Text Box

Table: Output

Page: 59

	Format:	@		
	OrdinalPosition:	57		
	Required:	False		
	SourceField:	XofWhale		
	SourceTable:	Output		
	TextAlign:	General		
YofWhale			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Actual latitude, in decimal degrees, of a sighting calculated from aircraft altitude (Alt field 2009-2012; alt_gps field starting in 2013), clinometer angle and side of plane. Used starting in 2009. In 2011, values for 1998-2008 were retroactively added.		
	DisplayControl:	Text Box		
	Format:	@		
	OrdinalPosition:	58		
	Required:	False		
	SourceField:	YofWhale		
	SourceTable:	Output		
	TextAlign:	General		
DIST_FROM_SHORE			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	2		
	Description:	Distance between a sighting and closest point to shore, expressed in kilometers.		
	DisplayControl:	Text Box		
	Format:	General Number		
	OrdinalPosition:	59		
	Required:	False		
	SourceField:	DIST_FROM_SHORE		
	SourceTable:	Output		
	TextAlign:	General		
DataRecorder			Text	30
	AggregateType:	-1		

Table: Output

Page: 60

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Full name of individual filling the data recorder position. Used starting in 2008. Prior to 2008, this information was stored in the FlightInfo table.
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	60
Required:	False
SourceField:	DataRecorder
SourceTable:	Output
TextAlign:	General
UnicodeCompression:	False

ObsLeft

Text

30

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Full name of individual filling the left observer position. Used starting in 2008. Prior to 2008, this information was stored in the FlightInfo table.
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	61
Required:	False
SourceField:	ObsLeft
SourceTable:	Output
TextAlign:	General
UnicodeCompression:	False

ObsRight

Text

30

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default

Table: Output

Page: 61

DataUpdatable:	False
Description:	Full name of individual filling the right observer position. Used starting in 2008. Prior to 2008, this information was stored in the FlightInfo table.
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	62
Required:	False
SourceField:	ObsRight
SourceTable:	Output
TextAlign:	General
UnicodeCompression:	False

ObsFourth	Text	255
-----------	------	-----

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Full name of individual filling the fourth observer position. Used starting in 2009.
DisplayControl:	Text Box
Format:	@
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	63
Required:	False
SourceField:	ObsFourth
SourceTable:	Output
TextAlign:	General
UnicodeCompression:	False

Pilot	Text	255
-------	------	-----

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Full name of survey aircraft pilot. Used starting in 2012.
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	64
Required:	False
SourceField:	Pilot

Table: Output

Page: 62

	SourceTable:	Output		
	TextAlign:	General		
	UnicodeCompression:	True		
Co_Pilot			Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Full name of survey aircraft copilot. Used starting in 2012.		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	65		
	Required:	False		
	SourceField:	Co_Pilot		
	SourceTable:	Output		
	TextAlign:	General		
	UnicodeCompression:	True		
PhotoTaken			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Numeric code indicating whether photographs were taken of an event. Used starting in 2009.		
	DisplayControl:	Text Box		
	Format:	General Number		
	OrdinalPosition:	66		
	Required:	False		
	SourceField:	PhotoTaken		
	SourceTable:	Output		
	TextAlign:	General		
LatTemp			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		

Table: Outout

Page: 63

DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Latitude, in decimal degrees, used for real-time mapping during the survey. Used starting in 2009. In 2013, retroactively added values for 1979-2008. It is YofWhale when available; otherwise, it is ArcLat.
DisplayControl:	Text Box
Format:	@
OrdinalPosition:	67
Required:	False
SourceField:	LatTemp
SourceTable:	Output
TextAlign:	General

LongTemp	Double	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Longitude, in decimal degrees, used for real-time mapping during the survey. Used starting in 2009. In 2013, retroactively added values for 1979-2008. It is XofWhale when available; otherwise, it is ArcLong.	
DisplayControl:	Text Box	
Format:	@	
OrdinalPosition:	68	
Required:	False	
SourceField:	LongTemp	
SourceTable:	Output	
TextAlign:	General	

Table Indexes

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	240403
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	True
Fields:	
ID	Ascending

Properties

DateCreated:	12/13/2012 4:55:16 PM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
HideNewField:	False	LastUpdated:	12/13/2012 4:55:17 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	936	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
Flt_No	Integer	2
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	750	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	Flt_No	
SourceTable:	SummaryInfo	
TextAlign:	General	
Total_Bowhead	Integer	2
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1635	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	Total_Bowhead	
SourceTable:	SummaryInfo	
TextAlign:	General	
Bowhead_Sighting	Integer	2
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	

Table: SummaryInfo

Page: 65

Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1950
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
OrdinalPosition:	2
Required:	False
SourceField:	Bowhead_Sighting
SourceTable:	SummaryInfo
TextAlign:	General

Bowheads_On_Transect	Long Integer	4
----------------------	--------------	---

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
OrdinalPosition:	3
Required:	False
SourceField:	Bowheads_On_Transect
SourceTable:	SummaryInfo
TextAlign:	General

Bowhead_Cow-calf_Pairs	Long Integer	4
------------------------	--------------	---

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
OrdinalPosition:	4
Required:	False
SourceField:	Bowhead_Cow-calf_Pairs
SourceTable:	SummaryInfo
TextAlign:	General

Bowhead_Cow-calf_Pairs_on_transect	Long Integer	4
------------------------------------	--------------	---

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General

Table: SummaryInfo

Page: 66

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
OrdinalPosition:	5
Required:	False
SourceField:	Bowhead_Cow-calf_Pairs_on_transect
SourceTable:	SummaryInfo
TextAlign:	General

Bowhead_Calves	Long Integer	4
----------------	--------------	---

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
OrdinalPosition:	6
Required:	False
SourceField:	Bowhead_Calves
SourceTable:	SummaryInfo
TextAlign:	General

Bowhead_Calves_On_Transect	Long Integer	4
----------------------------	--------------	---

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
OrdinalPosition:	7
Required:	False
SourceField:	Bowhead_Calves_On_Transect
SourceTable:	SummaryInfo
TextAlign:	General

Bowhead_Repeat_Sighting	Integer	2
-------------------------	---------	---

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default

Table: SummaryInfo

Page: 67

ColumnWidth: 2730
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 8
Required: False
SourceField: Bowhead_Repeat_Sighting
SourceTable: SummaryInfo
TextAlign: General

Possible_Bowhead_Repeats Integer 2

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2820
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 9
Required: False
SourceField: Possible_Bowhead_Repeats
SourceTable: SummaryInfo
TextAlign: General

Total_Gray Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 10
Required: False
SourceField: Total_Gray
SourceTable: SummaryInfo
TextAlign: General

Total_Beluga Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False

Table: SummaryInfo

Page: 68

DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 11
Required: False
SourceField: Total_Beluga
SourceTable: SummaryInfo
TextAlign: General

Other_Whale Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 12
Required: False
SourceField: Other_Whale
SourceTable: SummaryInfo
TextAlign: General

Total_Bear Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 13
Required: False
SourceField: Total_Bear
SourceTable: SummaryInfo
TextAlign: General

Total_Walrus Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box

Table: SummaryInfo

Page: 69

OrdinalPosition:	14		
Required:	False		
SourceField:	Total_Walrus		
SourceTable:	SummaryInfo		
TextAlign:	General		
Total_Other_Animals		Integer	2
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	15		
Required:	False		
SourceField:	Total_Other_Animals		
SourceTable:	SummaryInfo		
TextAlign:	General		
Other_Animal_Sighting		Integer	2
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	16		
Required:	False		
SourceField:	Other_Animal_Sighting		
SourceTable:	SummaryInfo		
TextAlign:	General		
SearchBlocks		Text	255
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1440		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	17		

Table: SummaryInfo

Page: 70

Required:	False		
SourceField:	SearchBlocks		
SourceTable:	SummaryInfo		
TextAlign:	General		
UnicodeCompression:	True		
TransectBlocks		Text	255
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1575		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	18		
Required:	False		
SourceField:	TransectBlocks		
SourceTable:	SummaryInfo		
TextAlign:	General		
UnicodeCompression:	True		
StartTime		Date/Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1965		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	19		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	StartTime		
SourceTable:	SummaryInfo		
TextAlign:	General		
EndTime		Date/Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1965		
DataUpdatable:	False		
IMEMode:	0		

Table: SummaryInfo

Page: 71

IMESentenceMode: 3
OrdinalPosition: 20
Required: False
ShowDatePicker: For dates
SourceField: EndTime
SourceTable: SummaryInfo
TextAlign: General

TransectMin

Single

4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1305
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 21
Required: False
SourceField: TransectMin
SourceTable: SummaryInfo
TextAlign: General

TransectKilo

Single

4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1335
DataUpdatable: False
DecimalPlaces: 1
DisplayControl: Text Box
Format: Fixed
OrdinalPosition: 22
Required: False
SourceField: TransectKilo
SourceTable: SummaryInfo
TextAlign: General

CirclingMin

Single

4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto

Table: SummaryInfo

Page: 72

DisplayControl:	Text Box		
OrdinalPosition:	23		
Required:	False		
SourceField:	CirclingMin		
SourceTable:	SummaryInfo		
TextAlign:	General		
CirclingKilo		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	1		
DisplayControl:	Text Box		
Format:	Fixed		
OrdinalPosition:	24		
Required:	False		
SourceField:	CirclingKilo		
SourceTable:	SummaryInfo		
TextAlign:	General		
ConnectMin		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1275		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	25		
Required:	False		
SourceField:	ConnectMin		
SourceTable:	SummaryInfo		
TextAlign:	General		
ConnectKilo		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1305		
DataUpdatable:	False		
DecimalPlaces:	1		
DisplayControl:	Text Box		

Table: SummaryInfo

Page: 73

Format:	Fixed		
OrdinalPosition:	26		
Required:	False		
SourceField:	ConnectKilo		
SourceTable:	SummaryInfo		
TextAlign:	General		
Trans&CircMin		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	27		
Required:	False		
SourceField:	Trans&CircMin		
SourceTable:	SummaryInfo		
TextAlign:	General		
Trans&CircKilo		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	1		
DisplayControl:	Text Box		
Format:	Fixed		
OrdinalPosition:	28		
Required:	False		
SourceField:	Trans&CircKilo		
SourceTable:	SummaryInfo		
TextAlign:	General		
Trans&ConMin		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1530		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		

Table: SummaryInfo

Page: 74

OrdinalPosition:	29		
Required:	False		
SourceField:	Trans&ConMin		
SourceTable:	SummaryInfo		
TextAlign:	General		
Trans&ConKilo		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1560		
DataUpdatable:	False		
DecimalPlaces:	1		
DisplayControl:	Text Box		
Format:	Fixed		
OrdinalPosition:	30		
Required:	False		
SourceField:	Trans&ConKilo		
SourceTable:	SummaryInfo		
TextAlign:	General		
SearchMin		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1170		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	31		
Required:	False		
SourceField:	SearchMin		
SourceTable:	SummaryInfo		
TextAlign:	General		
SearchKilo		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1200		
DataUpdatable:	False		
DecimalPlaces:	1		
DisplayControl:	Text Box		
Format:	Fixed		

Table: SummaryInfo

Page: 75

OrdinalPosition:	32		
Required:	False		
SourceField:	SearchKilo		
SourceTable:	SummaryInfo		
TextAlign:	General		
TotalMin		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	975		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
Format:	General Number		
OrdinalPosition:	33		
Required:	False		
SourceField:	TotalMin		
SourceTable:	SummaryInfo		
TextAlign:	General		
TotalKilo		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1005		
DataUpdatable:	False		
DecimalPlaces:	1		
DisplayControl:	Text Box		
Format:	Fixed		
OrdinalPosition:	34		
Required:	False		
SourceField:	TotalKilo		
SourceTable:	SummaryInfo		
TextAlign:	General		
DeadheadMin		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1470		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		

Table: SummaryInfo

Page: 76

OrdinalPosition:	35		
Required:	False		
SourceField:	DeadheadMin		
SourceTable:	SummaryInfo		
TextAlign:	General		
DeadheadKilo		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1500		
DataUpdatable:	False		
DecimalPlaces:	1		
DisplayControl:	Text Box		
Format:	Fixed		
OrdinalPosition:	36		
Required:	False		
SourceField:	DeadheadKilo		
SourceTable:	SummaryInfo		
TextAlign:	General		
RefuelMin		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	37		
Required:	False		
SourceField:	RefuelMin		
SourceTable:	SummaryInfo		
TextAlign:	General		
RefuelSubtFromTotal&DeadMin		Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		

Table: SummaryInfo

Page: 77

OrdinalPosition:	38		
Required:	False		
SourceField:	RefuelSubtFromTotal&DeadMin		
SourceTable:	SummaryInfo		
TextAlign:	General		
UnicodeCompression:	True		
OBJECTID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size, Auto-Increment		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
OrdinalPosition:	39		
Required:	True		
SourceField:	OBJECTID		
SourceTable:	SummaryInfo		
TextAlign:	General		

Table Indexes

Name	Number of Fields
OBJECTID	1
Clustered:	False
DistinctCount:	798
Foreign:	False
IgnoreNulls:	False
Name:	OBJECTID
Primary:	False
Required:	False
Unique:	False
Fields:	
OBJECTID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	936
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
StartTime	Ascending