

165

Приложение У

Список координат океанографических станций

№ станции	Координаты		Глубина (м)	Последний горизонт наблюдений (м)	Тип станции
	широта	долгота			
I	2	3	4	5	6
I этап Полигон I 05.07.78-15.07.78					
2825	71°46' с.ш.	7°02' в.д.	2850	2313	Б2
2826	71 59 "	6 15 "	2900	1975	Б2
2827	72 13 "	5 22 "	2730	2075	Б2
2828	7227 "	4 53 "	2500	2285	Б2
2829	72 42 "	3 59 "	3120	2040	Б2
2830	72 56 "	3 12 "	2550	2084	Б2
2831	73 10 "	2 18 "	2680	2066	Б2
2832	72 48 "	1 10 "	2830	2035	Б2
2833	72 38 "	1 32 "	2570	2119	Б2
2834	72 20 "	2 40 "	2050	1970	БД
2835/11	72 08 "	3 30 "	2800	2271	Б2/ЗБ
2836/12	71 54 "	4 14 "	2800	2270	Б2/ЗБ
2837/13	71 41 "	4 57 "	2900	2034	Б2/ЗБ
2838/14	71 29 "	5 37 "	2350	1894	Б2/ЗБ
2839/15	71 04 "	4 45 "	3030	1938	Б2/ЗБ
2840/16	71 18 "	3 47 "	3140	2368	Б2/ЗБ
2841/17	71 35 "	2 55 "	3050	2162	Б2/ЗБ
2842/18	71 44 "	2 26 "	2860	2073	Б2/ЗБ
2843/19	71 50 "	1 40 "	2380	2029	Б2/ЗБ
2844/20	72 13 "	0 52 "	1700	1587	БД/ЗБ
2845/21	72 27 "	0 02 в.д.	2300	2065	Б2/ЗБ
2846/22	72 41 "	0 55 "	3300	2204	Б2/ЗБ
2847/23	72 19 "	1 55 "	3350	2109	Б2/ЗБ
2848/24	72 05 с.ш.	1 03 в.д.	2000	1933	БД/ЗБ
2849/25	71 52 "	0 10 "	2130	2027	БД/ЗБ
2850/26	71 39 "	0 41 в.д.	2130	2018	БД/ЗБ
2851/27	71 26 "	1 32 "	2350	2006	Б2/ЗБ
2852/28	71 13 "	2 19 "	3100	2009	Б2/ЗБ
2853/29	70 59 "	3 02 "	3200	1982	Б2/ЗБ
2854/30	70 36 "	3 40 "	3200	2081	Б2/ЗБ
2855/31	70 13 "	2 42 "	3250	2035	Б2/ЗБ
2856/32	70 25 "	2 01 "	3250	2064	Б2/ЗБ

166

I	2	3	4	5	6
2857/33	70°37'	" 1°22'	" 3240	2063	Б2/3Б
2858/34	70 59	" 0 10	" 2400	2050	Б2/3Б
2859/35	71 12	" 0 30 з.д.	3300	2070	Б2/3Б
2860/36	71 26	" 1 16	" 1700	1578	БД/3Б
2861/37	71 40	" 2 00	" 2100	2067	БД/3Б
2862/38	71 53	" 2 44	" 800	795	БД/3Б
2863/39	72 08	" 3 28	" 1650	1668	БД/3Б
2864/40	72 22	" 4 10	" 2500	2035	Б2/3Б
2865/41	72 00	" 5 30	" 2720	2035	Б2/3Б
2866/42	71 46	" 4 38	" 2200	1363	БД/3Б
2867/43	71 29	" 3 58	" 2890	2310	Б2/3Б
2868/44	71 17	" 3 06	" 1950	1871	БД/3Б
2869/45	71 07	" 2 14	" 2550	2221	Б2/3Б
2870/46	70 56	" 1 26	" 2840	2129	Б2/3Б
2871/47	70 46	" 0 36	" 3250	2082	Б2/3Б
2872/48	70 28	" 0 03	" 3150	2257	Б2/3Б
2873/49	70 10	" 0 35 в.д.	3140	2420	Б2/3Б
2874/50	70 00	" 1 29	" 3150	2449	Б2/3Б
2875/51	69 35	" 0 34	" 3200	2262	Б2/3Б
2876/52	69 47	" 0 12 з.д.	3100	2137	Б2/3Б
2877/53	69 58	" 0 59	" 3100	2084	Б2/3Б
2878/54	70 10	" 1 40	" 2980	2253	Б2/3Б
2879/55	70 23	" 2 26	" 2700	2209	Б2/3Б
2880/56	70 38	" 3 14	" 2300	2097	Б2/3Б
2881/57	70 50	" 3 59	" 2700	2195	Б2/3Б
2882/58	71 01 с.ш.	4 40 з.д.	1430	1332	БД/3Б
2883/59	71 17	" 5 40	" 650	646	БД/3Б
2884/60	71 30	" 6 27	" 1700	1699	БД/3Б

Полигон 2 20.07.78-26.07.78

2885	65°45'	" 1°24' в.д.	2800	2107	Б2
2886	66 16	" 1 22	" 2600	2043	Б2
2887	66 17	" 2 36	" 1450	1235	БД
2888	65 44	" 2 42	" 1600	1615	БД
2889	65 17	" 2 35	" 2550	2385	Б2
2890	65 17	" 1 22	" 3010	2161	Б2
2891	65 16	" 0 17	" 2900	2163	Б2

167

I	2	3	4	5	6
2892	65°43' с.ш.	0°14' в.д.	3020	2258	Б2
2893	66 10 "	0 12 "	3100	2159	Б2
2894	66 45 "	0 11 "	3400	2100	Б2
2895	66 45 "	1 28 "	1300	1799	БД
2896	66 46 "	2 38 "	1470	1396	БД
2897	66 44 "	3 45 "	1300	1269	БД
2898	66 15 "	3 47 "	1350	1301	БД
2899	65 44 "	3 45 "	1330	1270	БД
2900	65 15 "	3 43 "	1150	1081	БД
2901	64 46 "	3 48 "	1300	1272	БД
2902	64 46 "	2 41 "	2380	1970	Б2
2903	64 45 "	1 33 "	2850	2106	Б2
2904	64 45 "	0 10 "	2700	1797	Б2
2905	64 45 "	1 00 в.д.	2800	2130	Б2
2906	65 15 "	1 00 "	2950	2542	Б2
2907	65 45 "	0 58 "	3200	1917	Б2
2908	66 15 "	0 57 "	3300	2146	Б2
2909	66 48 "	0 56 "	3500	2007	Б2
2910	67 18 "	0 55 "	3520	2167	Б2
2911	67 15 "	0 11 в.д.	3300	2027	Б2
2912	67 14 "	1 28 "	1350	1308	БД
2913	67 15 "	2 36 "	1340	1240	БД
2914	67 15 "	3 43 "	1250	1196	БД
2915	67 15 "	5 02 "	1400	1321	БД
2916	66 45 "	5 00 "	1180	1096	БД
2917	66 16 "	5 00 "	1000	946	БД
2918	65 44 "	5 00 "	850	775	БД
2919	65 14 "	5 00 "	780	735	БД
2920	64 44 "	4 58 "	800	707	БД

II этап

Полигон 2 02.08.78-08.08.78

2921	65°45' с.ш.	1 24 в.д.	3030	2127	Б2
2922	66 14 "	1 26 "	2650	2075	Б2
2923	66 14 "	2 39 "	1500	1454	БД
2924	65 44 "	2 36 "	1720	1601	БД
2925	65 18 "	2 43 "	1720	1549	БД
2926	65 14 "	1 22 "	2950	1864	Б2

168

1	2	3	4	5	6
2927	65 ⁰ 16' с.ш.	0 ⁰ 14' в.д.	2910	2130	Б2
2928	65 44 "	0 14 "	3070	2227	Б2
2929	66 18 "	0 03 "	3100	2068	Б2
2930	66 49 "	0 05 з.д.	3470	2171	Б2
2931	66 43 "	1 24 в.д.	1870	1654	БД
2932	66 46 "	2 33 "	1400	1261	БД
2933	66 46 "	3 47 "	1370	1326	БД
2934	66 15 "	3 48 "	1400	1343	БД
2935	65 45 "	3 50 "	1300	1246	БД
2936	65 15 "	3 50 "	1190	1064	БД
2937	64 45 "	3 49 "	1220	1178	БД
2938	64 45 "	2 38 "	2320	1393	Б2
2939	64 46 "	1 22 "	2900	2227	Б2
2940	64 46 "	0 08 "	2700	2062	Б2
2941	64 46 "	1 01 з.д.	2750	2257	Б2
2942	65 17 "	1 03 "	3060	2251	Б2
2943	65 48 "	1 06 "	3000	2206	Б2
2944	66 18 "	1 08 "	3250	2211	Б2
2945	66 50 "	1 13 "	3510	1910	Б2
2946	67 15 "	1 00 "	3650	2264	Б2
2947	67 14 "	0 13 в.д.	3050	2154	Б2
2948	67 15 "	1 26 "	1900	1799	БД
2949	67 15 "	2 37 "	1330	1230	БД
2950	67 15 "	3 48 "	1220	1122	БД
2951	67 15 "	5 04 "	1350	1339	БД
2952	66 45 "	5 01 "	1170	1147	БД
2953	66 15 "	5 01 "	1015	981	БД
2954	65 46 "	5 02 "	900	809	БД
2955	65 15 "	4 59 "	700	648	БД
2956	64 45 "	5 00 "	750	680	БД

Разрез 9 09.08.78 - 12.08.78

2957	64 00 с.ш.	14 00 з.д.	102	102	БД
2958	63 14 "	12 22 "	400	403	БД
2959	62 26 "	10 44 "	620	592	БД
2960	61 44 "	9 06 "	700	674	БД
2961	60 55 "	7 35 "	900	880	БД
2962	60 09 "	6 06 "	1160	1054	БД

169

I	2	3	4	5	6
2963	59°23' с.ш.	4°37' з.д.	32	86	БД
2964	60 09 "	6 06 "	1195	1053	БД
2965	60 55 "	7 34 "	890	879	БД
2966	61 43 "	9 08 "	760	726	БД
2967	62 32 "	10 40 "	550	563	БД
2968	63 20 "	12 21 "	420	425	БД
2969	63 59 "	13 50 "	105	105	БД

Полигон I 15.08.78 - 24.08.78

2970/61	71 44 "	7 00 в.д.	2820	2436	Б2/ЗБ
2971/62	71 58 "	6 18 "	2800	2185	Б2/ЗБ
2972/63	72 10 "	5 30 "	2800	2335	Б2/ЗБ
2973/64	72 27 "	4 42 "	2650	2310	Б2/ЗБ
2974/65	72 41 "	3 54 "	2740	2298	Б2/ЗБ
2975/66	72 55 "	3 06 "	2400	2270	БД/ЗБ
2976/67	73 09 "	2 18 "	2900	2222	БД/ЗБ
2977	73 22 "	1 29 "	3200	2236	Б2
2978	73 35 "	0 43 "	3200	2263	Б2
2979/68	73 12 "	0 37 з.д.	3400	2144	Б2/ЗБ
2980	73 08 "	0 16 в.д.	2950	2234	Б2
2981/69	72 50 "	1 02 "	3100	2494	Б2/ЗБ
2982	72 36 "	1 51 "	1750	1607	БД
2983/70	72 22 "	2 40 "	2400	2243	БД/ЗБ
2984/71	72 09 "	3 26 "	2700	2596	БД/ЗБ
2985	71 52 "	4 24 "	2920	2451	Б2
2986/72	71 40 "	5 00 "	3100	2224	Б2/ЗБ
2987/73	71 24 "	5 50 "	3100	2301	Б2/ЗБ
2988/74	71 04 "	4 42 "	3170	2273	Б2/ЗБ
2989	71 18 "	3 52 "	3125	2250	Б2
2990/75	71 32 "	3 04 "	3160	2261	Б2/ЗБ
2991/76	71 46 "	2 16 "	2870	2222	Б2/ЗБ
2992/77	72 00 "	1 26 "	2400	2263	БД/ЗБ
2993/78	72 14 "	0 35 "	3000	2196	Б2/ЗБ
2994/79	72 28 "	0 15 з.д.	2250	2212	БД/ЗБ
2995	72 39 "	0 48 "	3400	2275	Б2/ЗБТ
2996/80	72 53 "	1 40 "	3100	2264	Б2/ЗБ

1	2	3	4	5	6
2997/81	72°44' с.ш.	3°40' з.д.	3000	2241	Б2/3Б
2998	72 31 "	2 53 "	3060	2098	Б2
2999/82	72 17 "	2 06 "	2850	2238	Б2/3Б
3000/83	72 04 "	1 19 "	2000	1994	БД/3Б
3001/84	71 50 "	0 33 "	1920	1854	БД/3Б
3002/85	71 37 "	0 12 в.д.	2400	2216	БД/3Б
3003/86	71 24 "	0 58 "	2570	2104	Б2/3Б
3004	71 10 "	1 44 "	3000	2317	Б2
3005	70 56 "	2 28 "	3200	2323	Б2
3006/87	70 43 "	3 09 "	3150	2154	Б2/3Б
3007/88	70 21 "	2 08 "	3100	2284	Б2/3Б
3008	70 33 "	1 20 "	3100	2405	Б2/3БТ
3009	70 47 "	0 31 "	3150	2285	Б2/3БТ
3010/89	71 00 "	0 17 з.д.	3100	2328	Б2/3Б
3011/90	71 13 "	1 08 "	3100	1903	Б2/3Б
3012/91	71 26 "	1 57 "	2120	2022	БД/3Б
3013/92	71 39 "	2 44 з.д.	2470	2300	БД/3Б
3014/93	71 52 "	3 34 "	2070	1896	БД/3Б
3015	72 05 "	4 29 "	2100	2069	БД/3БТ
3016/94	72 18 "	5 20 "	3000	2264	Б2/3Б
3017/95	71 56 "	6 28 "	2550	2242	Б2/3Б
3018/96	71 43 "	4 58 "	1800	1734	БД/3Б
3019/97	71 30 "	4 04 "	2910	2250	Б2/3Б
3020/98	71 16 "	3 16 "	2230	2135	Б2/3Б
3021/99	71 04 "	2 32 "	2700	2229	Б2/3Б
3022/100	70 49 "	1 39 "	3090	2270	Б2/3Б
3023/101	70 35 "	0 54 "	3210	2254	Б2/3Б
3024/102	70 21 "	0 08 в.д.	3300	2301	Б2/3Б
3025	70 14 "	0 40 "	3000	2230	Б2
3026/103	70 02 "	1 26 "	3240	2216	Б2/3Б
3027/104	69 39 "	0 31 "	3270	2240	Б2/3Б
3028	69 52 "	0 14 "	3300	2192	Б2
3029	70 05 "	1 00 з.д.	3300	2222	Б2
3030	70 19 "	1 40 "	3240	2466	Б2/3Б
3031/106	70 28 "	2 30 "	2800	2202	Б2/3Б
3032/107	70 40 "	3 14 "	2860	2409	Б2/3Б
3033/108	70 53 "	3 58 "	2300	2218	БД/3Б
3034/109	71 06 "	4 47 "	1720	1640	БД/3Б

171

1	2	3	4	5	6
8085/II0	71 18 с.ш.	5 32 з.д.	1100	1013	БД/ЗБ
8086/III	71 32 "	6 33 "	1650	1635	БД/ЗБ

III этап

Полегон I 06.09.78 - 15.09.78

3037	71 04 с.ш.	6 58 в.д.	2910	2228	Б2
3038	72 01 "	6 12 "	2860	2191	Б2
3039	72 10 "	5 40 "	2700	2190	Б2
3040	72 27 "	4 42 "	1850	1735	БД
3041	72 40 "	3 58 "	2550	2068	Б2
3042	72 54 "	3 14 "	2450	2111	Б2
3043	73 07 "	2 27 "	2300	2199	БД
3044	73 20 "	1 40 "	2940	2285	Б2
3045	73 34 "	0 59 "	3150	2149	Б2
3046	73 12 "	0 18 з.д.	3100	2204	Б2
3047	72 57 "	0 34 в.д.	3100	2295	Б2
3048	72 49 "	1 05 "	2700	2267	Б2
3049	72 34 "	1 53 "	2100	2030	БД
3050	72 22 "	2 44 "	2500	2213	Б2
3051	72 07 "	3 29 "	2940	2261	Б2
3052	71 53 "	4 16 "	3000	2188	Б2
3053	71 39 "	5 02 "	3000	2216	Б2
3054	71 26 "	5 54 "	3000	2245	Б2
3055	71 03 "	4 43 "	3200	2245	Б2
3056	71 18 "	3 58 "	3100	2299	Б2
3057	71 31 "	3 13 "	2800	2330	Б2
3058	71 43 "	2 26 "	2650	2286	Б2
3059	71 57 "	1 40 "	2380	2098	Б2
3060	72 10 "	0 54 "	2180	1950	БД
3061	72 24 "	0 01 "	2750	2478	Б2
3062	72 39 "	0 50 з.д.	3000	2389	Б2
3063	72 52 "	1 39 "	2700	2 41	Б2
3064	72 43 "	3 43 "	2820	2400	Б2
3065	72 28 "	2 54 "	2460	2193	Б2
3066	72 15 "	2 08 "	2400	2410	БД
3067	72 01 "	1 20 "	1950	1521	БД
3068	71 52 "	0 19 "	1900	1806	БД
3069	71 39 "	0 25 в.д.	2700	2721	БД

1	2	3	4	5	6
3070	71 027 с.ш.	1 012 в.д.	2700	2372	Б2
3071	71 12 "	2 00 "	3180	2203	Б2
3072	70 55 "	2 37 "	3200	2199	Б2
3073	70 42 "	3 16 "	3200	2413	Б2
3074	70 18 "	2 23 "	3200	2516	Б2
3075	70 29 "	1 27 "	3240	2080	Б2
3076	70 45 "	0 58 "	3150	2164	Б2
3077	70 59 "	0 14 "	2750	2349	Б2
3078	71 11 "	0 33 в.д.	2800	2339	Б2
3079 / 3079	71 25 "	1 22 "	2800	2160	Б2 / ЗБТ
3080 / 3080	71 34 "	2 13 "	2400	1995	Б2 / ЗБТ
3081 / 3081	71 54 "	2 55 "	1700	1476	БД / ЗБТ
3082	72 06 "	3 44 "	2550	2438	БД
3083	72 18 "	4 32 "	2500	2201	Б2
3084	71 52 "	5 36 "	2500	2367	БД
3085	71 41 "	4 44 "	2050	1895	БД
3086	71 27 "	3 56 "	2100	1995	БД
3087 / 3087	71 19 "	3 12 "	1700	1602	БД / ЗБТ
3088 / 3088	71 06 "	2 24 "	2500	2264	Б2 / ЗБТ
3089	70 55 "	1 42 "	3000	2230	Б2
3090	70 45 "	0 59 "	3200	2301	Б2
3091	70 25 "	0 12 "	3200	2287	Б2
3092	70 11 "	0 25 в.д.	3080	2076	Б2
3093	69 58 "	1 04 "	3200	1796	Б2
3094 / 3094	69 42 "	0 35 "	3250	2131	Б2 / ЗБТ
3095 / 3095	69 50 "	0 15 в.д.	3250	2446	Б2 / ЗБТ
3096	70 05 "	1 03 "	3200	2227	Б2
3097	70 17 "	1 48 "	3100	2361	Б2
3098	70 30 "	2 33 "	2800	2243	Б2
3099	70 42 "	3 20 "	2800	2425	Б2
3100	70 56 "	4 06 "	900	959	БД
3101	71 09 "	4 57 "	1400	1319	БД
3102	71 31 "	4 02 "	1900	1837	БД
3103	71 19 "	5 43 "	680	595	БД
3104	71 33 "	6 35 "	1650	1490	БД
Станция в районе ПБС					
3105	71 54 "	3 29 в.д.	2800	2257	Б2

173

I	2	3	4	5	6
Микрополигон 16.09.78 - 20.09.78					
II2	71 ⁰ 57' с.ш.	4 ⁰ 06' в.д.	2800	750	ЗБ
II3	71 38 "	3 36 "	3100	"	"
II4	71 43 "	2 23 "	2950	"	"
II5	71 27 "	2 38 "	3100	"	"
II6	71 26 "	1 31 "	3100	"	"
II7	71 49 "	1 09 "	2200	"	"
II8	71 36 "	0 32 "	3000	"	"
II9	71 54 "	0 04 в.д.	2500	"	"
I20	72 11 "	0 49 в.д.	2500	"	"
I21	72 15 "	0 05 в.д.	1800	"	"
I22	72 34 "	0 29 в.д.	2000	"	"
I23	72 28 "	1 42 "	2700	"	"
I24	72 44 "	1 26 "	1150	"	"
I25	72 46 "	2 33 "	3000	"	"
I26	72 22 "	2 54 "	2200	"	"
I27	72 34 "	3 30 "	2500	"	"
I28	72 17 "	4 08 "	2700	"	"
I29	72 00 "	3 14 "	3000	"	"
I30	72 06 "	2 03 "	2500	"	"
I31	71 55 "	4 06 "	2700	"	"
I32	71 38 "	3 34 "	3200	"	"
I33	71 43 "	2 22 "	2760	"	"
I34	71 27 "	2 37 в.д.	3140	"	"
I35	71 27 "	1 29 в.д.	3000	"	"
I36	71 49 "	1 08 "	2400	"	"

Обозначения:

БД - батометрия до дна,

Б2 - батометрия до 2000 м,

ЗБ - зонд-батометр,

ЗБТ - зонд-батометр для тарировок и сравнения.