

## 6.0 References

Aller, J.Y. and I. Stupakoff. 1996. The Distribution and Seasonal Characteristics of Benthic Communities on the Amazon Shelf as Indicators of Physical Processes. *Cont Shelf Res.* 16:717-751.

American Public Health Association. 1996. P450 Reporter Gene Response to Dioxin-like Organics. Method 8070. In: *Standard Methods for the Examination of Water and Wastewater, 19th Ed. Supplement.* American Public Health Association, Washington, DC. pp. 24-25.

American Society for Testing and Materials. 1997. E 1853-96 Standard Guide for Measuring the Presence of Planar Organic Compounds which Induce CYP1A, Reporter Gene Test Systems. 1997. In: *Biological Effects and Environmental Fate; Biotechnology; Pesticides, 1997 Annual Book of ASTM Standards, Volume 11.05 - Water and Environmental Technology.* American Society for Testing and Materials, West Conshohocken, PA. pp. 1392-1397.

Anderson, J.W., S.S. Rossi, R.H. Tukey, T. Vu, and L.C. Quattrochi. 1995. A biomarker, P450RGS, for assessing the potential toxicity of organic compounds in environmental samples. *Environ. Toxicol. Chem.* 14, 14:1159-1169.

Anderson, J.W., F.C. Newton, J. Hardin, R.H. Tukey, and K.E. Richter. 1997. Chemistry and Toxicity of Sediments from San Diego Bay, Including a Biomarker (P450 RGS) Response. In: D. A. Bengston and D. S. Henshel (eds.), *Environmental Toxicology and Risk Assessment: Biomarkers and Risk Assessment, 5th Volume, ASTM STP 1306.* American Society for Testing and Materials, Philadelphia.

Anderson, J.W., J.M. Jones, J. Hameedi, E. Long, and R. Tukey. 1999a. Comparative analysis of sediment extracts from NOAA's Bioeffects studies by the biomarker, P450 RGS. *Mar. Environ. Res. (In Press a).*

Anderson, J.W., J.M. Jones, S. Steinert, B. Sanders, J. Means, D. McMillin, T. Vu, and R. Tukey. 1999b. Correlation of CYP1A1 induction, as measured by the P450 RGS biomarker assay, with high molecular weight PAHs in mussels deployed at various sites in San Diego Bay in 1993 and 1995. *Mar. Environ. Res. (In Press b).*

Ankley, G.T., D.M. Di Toro, D.J. Hansen, and W.J. Berry. 1996. Technical Basis and Proposal for Deriving Sediment Quality Criteria for Metals. *Environ Toxicol Chem.* 15:2056-2066.

APHA. 1998. P450 Reporter Gene Response to Dioxin-Like Organic Compounds. Method 8070. In: *Standard Methods for the Examination of Water and Wastewater, 20th Edition,* American Public Health Association, Washington, DC, p. 8-36.

Arthur D. Little, Inc. 1995. *Cook Inlet Pilot Monitoring Study.* 1994. Final Report. Prepared for Cook Inlet Regional Citizens Advisory Council, Kenai, Alaska.

Arthur D. Little, Inc. 1997a. *Field Logistics and Sampling Plan for the 1997 Minerals Management Service Field Survey- Sediment Quality in Depositional Areas of Shelikof Strait*

*and Outermost Cook Inlet.* Prepared for MMS, Anchorage, AK. (Text and tables of this report are included in Appendix J)

Arthur D. Little, Inc. 1997b. *Cruise Report for the 1997 Minerals Management Service Field Survey - Sediment Quality in Depositional Areas of Shelikof Strait and Outermost Cook Inlet.* Prepared for MMS, Anchorage, AK. (Text and tables of this report are included in Appendix J)

Arthur D. Little, Inc. 1998a. *Field Logistics and Sampling Plan for the 1998 Minerals Management Service Field Survey- Sediment Quality in Depositional Areas of Shelikof Strait and Outermost Cook Inlet.* Prepared for MMS, Anchorage, AK. (Text and tables of this report are included in Appendix J)

Arthur D. Little, Inc. 1998b. *Cruise Report for the 1998 Minerals Management Service Field Survey - Sediment Quality in Depositional Areas of Shelikof Strait and Outermost Cook Inlet.* Prepared for MMS, Anchorage, AK. (Text and tables of this report are included in Appendix J)

Arthur D. Little, Inc. 1998c. *Sediment Quality in Depositional Areas of the Shelikof Strait and Outermost Cook Inlet. Sediment Profile Imaging Report.* Prepared by EVS Environmental Consultants under contract to Arthur D. Little, Inc. for U.S. Department of the Interior, Minerals Management Service, Anchorage, Alaska. OCS Study MMS 99-0003.

ASTM. 1999. E 1853M-98 Standard Guide for Measuring the Presence of Planar Organic Compounds which Induce CYP1A, Reporter Gene Test Systems. In: Biological Effects and Environmental Fate; Biotechnology; Pesticides, 1999 Annual Book of ASTM Standards, Volume 11.05 - Water and Environmental Technology. American Society for Testing and Materials, West Conshohocken, PA, p. 1400.

Bay Protection and Toxic Cleanup Program. 1993. *Status of the Bay Protection and Toxic Cleanup Program.* State Water Resources Control Board, Sacramento, CA. 230 p.

Bence, A.E., K.A. Kvenvolden, and M.S. Kennicutt, II. 1996. Organic Geochemistry Applied to Environmental Assessments of Prince William Sound, Alaska, after the *Exxon Valdez* Oil Spill. *Organic Geochemistry*. 24:7-42. January.

Bishop, J.K.B. (1988) The Barite-Opal-Organic Carbon Association in Oceanic Particulate Matter. *Nature*. 332:341-343.

Boehm, P.D, L. LeBlanc, J. Trefry, P. Marajh-Whittemore, J. Brown, A. Schutzberg, A. Kick, H. Costa. 1991. *Beaufort Sea Monitoring Program: Analysis of Trace Metals and Hydrocarbons from Outer Continental Shelf (OCS) Activities.* Prepared for U.S. Department of the Interior, Minerals Management Service, Anchorage, Alaska.

Boehm, P.D., J.S. Brown, J. Trefry, R. Spies, C.A. Howell, J. Gold, S. Metz, and C. Loreti. 1998. *Sediment Quality in Depositional Areas of Shelikof Strait and Outermost Cook Inlet, Final Literature Synthesis.* Prepared by Arthur D. Little, Inc. for U.S. Department of the Interior, Minerals Management Service, Anchorage, Alaska. OCS Study MMS 97-0015. 69 pp.

- Boehm, P.D., D.S. Page, W.A. Burns, A.E. Bence, P.J. Mankiewicz, and J.S. Brown. 2001. Resolving the Origin of the Petrogenic Hydrocarbon Background in Prince William Sound, Alaska. *Environ. Sci. & Technol.* Accepted November 20, 2000.
- Bogard, S.J., P.J. Stabenro, and J.D. Schumacher. 1994. A Census of Mesoscale Eddies in Shelikof Strait. *Alaska J Geophys Res* 99:18,243-18,254.
- Braddock, J.F. and K.A. McCarthy. 1996. Hydrologic and Microbiological Factors Affecting Persistence and Migration of Petroleum Hydrocarbons Spilled in a Continuous-Permafrost Region. *Environ Sci Technol.* 30:2626-2633.
- Brown, E.J. and J.F. Braddock. 1990. Sheen Screen, a Miniaturized Most-Probable-Number Method for Enumeration of Oil-Degrading Microorganisms. *Appl Environ Microbiology*. 56:3895-3896.
- Brown, J.S. and P.D. Boehm. 1993. *The Use of Double Ratio Plots of Polynuclear Aromatic Hydrocarbon (PAH) Alkyl Homologues for Petroleum Source Identification.* In Proceedings, 1993 International Oil Spill Conference (Prevention, Preparedness, Response). American Petroleum Institute, Washington, DC. pp. 799-804.
- Carlson, P.R., B.F. Molina, S.C. Kittleson and J.C. Hampson. 1977. *Map of Distribution of Bottom Sediments on the Continental Shelf, Northern Gulf of Alaska.* U.S. Geological Survey Miscellaneous Field Studies Map MF-876. 2 sheets (1:5000,000). 13 pp.
- Chapman, P.M. 1989. Current Approaches to Developing Sediment Quality Criteria. *Environ Toxicol and Chem.* 8:589-599.
- Collier, T.K., B.F. Anulacion, J.E. Stein, A. Goksoyr, and U. Varanasi. 1995. A field evaluation of cytochrome P4501A as a biomarker of contaminant exposure in three species of flatfish. *Environ. Toxicol. Chem.* 14, 143.
- Collier, T.K., C.A. Krones, M.M. Krahn, J.E. Stein, S. Chan, and U. Varanasi. 1996. Petroleum exposure and associated biochemical effects in subtidal fish after the *Exxon Valdez* oil spill. In: Rice, S.D., Spies, R.B., Wolfe, D.A., Wright, B.A. (Eds.), Proceedings of the Exxon Valdez Oil Spill Symposium. American Fisheries Society Symposium 18, Bethesda, MD, p. 671.
- Collier, T.K., B.F. Anulacion, and B.D. Bill. 1998. Hepatic CYP1A in Winter Flounder (*Pleuronectes americanus*) along the Northeast Coast: Results from the National Benthic Surveillance Project. *Marine Pollution Bulletin.* 37: Nos 1-2, 86-91.
- Di Toro, D.M., J.D. Mahony, D.J. Hansen, K.J. Scott, M.B. Hicks, S.M. Mayr, and M.S. Redmond. 1990. Toxicity of Cadmium in Sediments: The Role of Acid Volatile Sulfide. *Environ Toxicol and Chem.* 9:1487-1502.
- Eastman Kodak. 1994. *Kodak Color Separation Camera System Guide and Grey Scale (Small).* Publication No. Q-13, Catalog No. 152 7654. Rochester, NY

EPA. 1999. Method 4425: Screening Extracts of Environmental Samples for Planar Organic compounds (PAHs, PCBs, PCDDs/PCDFs) by a Reporter Gene on a Human Cell Line. Office of Solid Waste, SW 846 Methods, Update IVB, Oct. 1999.

Environmental and Natural Resources Institute and University of Alaska, Anchorage (ENRI-UAA). 1995. *Current Water Quality in Cook Inlet, Alaska*. Study for U.S. Department of the Interior, Minerals Management Service, OCS Study MMS 95-0009.

Ewald, G., P. Larson, H. Linge, L. Okla, and N.Szarzi. 1997. Biotransport of Organic Pollutants to an Inland Alaska Lake by Migrating Sockeye Salmon *Oncorhynchus nerka*. *Arctic*. 51(1):40-47.

Feder, H.M. and A.J. Paul. 1981. *Distribution and Abundance of Some Epibenthic Invertebrates of Cook Inlet, Alaska. Report R80-3*. Fairbanks, Alaska: Institute of Marine Science, University of Alaska. 154 pp.

Feder, H.M. and S.C. Jewett. 1987. The Subtidal Benthos, In: Hood, D.W. and S.T. Zimmerman (eds.). *The Gulf of Alaska; Physical Environment and Biological Resources*. Anchorage, Alaska: NOAA. pp 347-396.

Feely, R.A., G.J. Massoth, and A.J. Paulson. 1982. The Distribution and Elemental Composition of Suspended Particulate Matter in Norton Sound and the Northeastern Bering Sea Shelf: Implication for Mn and Zn Recycling in Coastal Waters. In: D.W. Hood and J.A. Calder (eds.) *The Eastern Bering Sea Shelf: Oceanography and Resources, Vol 1*. Office of Marine Pollution Assessment/NOAA. Distributed by University of Washington Press, Seattle, Wash. pp, 321-337.

Folk, R.L. 1974. *Petrology of Sedimentary Rocks*. Austin, Texas: Hemphill Publishing Co. pp. 182.

Fredette, T.J., W.F. Bohlen, D.C. Rhoads, and R.W. Morton. 1988. Erosion and Resuspension Effects of Hurricane Gloria at Long Island Sound Dredged Material Disposal Sites. In: *Proceedings of the Water Quality '88 seminar, February Meeting, Charleston, South Carolina*. U.S. Army Corps of Engineers, Hydraulic Engineering Center, Davis, CA.

Germano, J.D. 1983. *Infaunal succession in Long Island Sound: Animal-Sediment Interactions and the Effects of Predation*. Ph.D. dissertation. Yale University, New Haven, CT. 206 pp.

Germano, J.D. and D.C. Rhoads. 1984. REMOTS Sediment Profiling at the Field Verification Program (FVP) Disposal Site. In: *Dredging '84 Proceedings, ASCE, Nov. 14-16, Clearwater, FL*. pp. 536-544.

Gray, R.L. 1999. A pH-Gradient Approach to the Acid Volatile Sulfide Technique for Determining Sediment Quality for Trace Metals. M.S. Thesis, Florida Institute of Technology, 63 pp.

Hampton, M.A. 1982. *Synthesis Report: Environmental Geology of Lower Cook Inlet, Alaska*. U.S. Geological Open-File Report 82-197. 55 pp.

Hampton, M.A. 1983. Geology of the Kodiak Shelf, Alaska: Environmental Considerations for Resource Development. *Cont Shelf Res.* 1:253-281.

Hampton, M.A. 1985. Quaternary Sedimentation in Shelikof Strait, Alaska. *Marine Geology.* 62:213-253.

Hampton, M.A., P.R. Carlson, H.J. Lee, and R.A. Feely. 1987. Geomorphology, Sediment, and Sedimentary Processes. In: D.W. Hood and S.T. Zimmerman (eds.), *The Gulf of Alaska; Physical Environment and Biological Resources*. Anchorage, Alaska: National Oceanic and Atmospheric Administration. pp. 93-143.

Hanson, P.J. 1997. Response of Hepatic Trace Element Concentrations in Fish Exposed to Elemental and Organic Contaminants. *Estuaries.* 20:659-676.

Hein, J.R., D.W. Scholl, and C.E. Gutmacher. 1976. Neogene Clay Minerals of the far NW Pacific and Southern Bering Sea: Sedimentation and Diagenesis. In: *Proceedings of the International Clay Conference*. Ed. S.W. Bailey, Applied Publishers, Wilmette, IL. pp. 71-80.

Holdaway, D.A., S.E. Brennan, and J.T. Ahokas. 1995. Short Review of Selected Fish Biomarkers of Xenobiotic Exposure With An Example Using Fish Hepatic Mixed-Function Oxidase. *Australian Journal of Ecology.* 20:34-44.

Hostettler F.D., R.J. Rosenbauer, and K.A. Kvenvoldne. 1999. PAH refractory index as a source discriminant of hydrocarbon input from crude oil and coal in Prince William Sound, Alaska. *Org. Geochem.* 30:873-879.

Hyland, J.L., J.S. Brown, T.C. Sauer, Jr., S. Tate, and H.J. Tsomides. 1995. *Cook Inlet Pilot Monitoring Study, Phase I of Design and Implementation of a Prototype Environmental Sampling Program for Cook Inlet, Alaska, Final Report*. Prepared for Cook Inlet Regional Citizens Advisory Council, Kenai, Alaska. March 22.

Jewett, S.C., T.A. Dean, B.R. Woodin, M.K. Hoberg, and J.J. Stegeman. 2000. Exposure to hydrocarbons ten years after the *Exxon Valdez* oil spill: evidence from cytochrome P4501A expression and biliary FACs in nearshore demersal fishes, *Exxon Valdez* Oil Spill Restoration Project Final Report (Restoration Project 00379), University of Alaska Fairbanks, Fairbanks, Alaska.

Kennish, M.J. 1986. *Ecology of Estuaries. Vol. I: Physical and Chemical Aspects*. CRC Press, Boca Raton, FL.

Kim, G.B., J.W. Anderson, K. Bothner, J. Lee, C. Koh, and S. Tanabe. 1997. Application of P450RGS (reporter gene system) as a bioindicator of sediment PAH contamination in the vicinity of Inchon Harbor, Korea. *Biomarkers* 2,181.

Kinnetic Laboratories, Inc. 1996. *Cook Inlet Environmental Monitoring Program*. Final Report. Kinnetic Laboratories, Anchorage, Alaska. 50 pp. plus appendices.

Kinnetic Laboratories, Inc. 1997. *Cook Inlet Shelikof Strait Project*. Final Report - 1996. Prepared for Cook Inlet Regional Citizens Advisory Council, Kenai, Alaska. December. 50 pp. plus appendices.

Laird, N.M. and J.H. Ware. 1982. Random-Effects Models for Longitudinal Data. *Biometrics*. 38: 963-974.

Larsson, P., C. Backe, G. Bremle, A. Eklov, and L. Okla. 1996. Persistent Pollutants in a Salmon Population (*Salmo salar*) of the Southern Baltic Sea. *Canadian Journal of Fisheries and Aquatic Sciences*. 53(1):62-69.

Long, E. R. and L.G. Morgan. 1990. *The Potential for Biological Effects of Sediment-Sorbed Contaminants Tested in the National Status and Trends Program*. NOAA Tech. Memo NOS OMA 52. National Oceanic and Atmospheric Administration, Seattle, WA. 175 p.

Long, E.R., D.D. Macdonald, S.L. Smith, and F.D. Calder. 1995. Incidence of Adverse Biological Effects Within Ranges of Chemical Concentrations in Marine and Estuarine Sediments. *Environ Management* 19:81-97.

Los Alamos National Laboratory. 1983. *The Geochemical Atlas of Alaska*. Compiled by: The Geochemistry Group Earth and Space Sciences Division, Los Alamos National Laboratory, Los Alamos, New Mexico. 57 pp. plus overlays.

Louda, J.W. and E.W. Baker. 1984. Perylene Occurrence, Alkylation and Possible Sources in Deep-ocean Sediments. *Geochim Cosmochim Acta*. 48:1043-1058.

Manen, C.A., J.R. Price, S. Korn, and M.G. Carls. 1993. *Natural Resource Damage Assessment: Database Design and Structure*. National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Rockville, MD. NOAA Technical Memorandum NOS/ORCA (in review).

Massoth, G.J., R.A. Feely, P.Y. Appriou, and S.J. Ludwig. 1979. Anomalous Concentrations of Particulate Manganese in Shelikof Strait, Alaska: An Indicator of Sediment-Seawater Exchange Processes. EOS, Transactions of the American Geophysical Union, 60, no. 6, p. 852.

McCain, B.B., D.W. Brown, T. Hom, M.S. Meyers, S.M. Pierce, T. C. Collier, J.E. Stein, S.L. Chan, and U. Varanasi. 1996. Chemical Contaminant Exposure and Effects in Four Fish Species From Tampa Bay, Florida. *Estuaries*. 19: No 1, 86-104.

Miller, M.R., D.E. Hinton, J.J. Blair, and J.J. Stegeman. 1989. Immunohistochemical localization of Cytochrome P-450E in liver, gill and heart of scup (*Stenotomus chrysops*) and rainbow trout (*Salmo gairdneri*). *Mar. Environ. Res.* 24:37-39.

Miller, H.C., G.N. Mills, D.G. Bembo, J.A. Macdonald, and C.W. Evans. 1999. Induction of cytochrome P4501A (CYP1A) in *Trematomus bernachii* as an indicator of environmental pollution in Antarctica: assessment by quantitative RT-PCR *Aquatic Toxicology* 44:183-193.

Minerals Management Service, Alaska OCS Region. 1996. Cook Inlet Planning Area Oil and Gas Lease Sale 149. *Final Environmental Impact Statement, Vol 1.*

National Research Council. 1985. *Oil in the Sea: Inputs, Fates, and Effects.* National Academy of Science Press. Washington, D.C.

Nriagu, J.O. and J.B. Sprague. 1987. *Cadmium in the Aquatic Environment.* Advances in Environmental Science and Technology. John Wiley & Sons, New York. Vol. 19, 272 pp.

O'Clair, C.E. and S.T. Zimmerman. 1987. Biogeography and Ecology of Intertidal and Shallow Subtidal Communities. In: Hood, D.W. and S.T. Zimmerman (eds.), *The Gulf of Alaska; Physical Environment and Biological Resources.* National Oceanic and Atmospheric Administration, Anchorage, Alaska. pp. 305-344.

Oliver, B.G., and A.J. Niimi. 1988. Trophodynamic Analysis of Polychlorinated Biphenyl Congeners and Other Chlorinated Hydrocarbons in the Lake Ontario Ecosystem. *Environmental Science and Technology.* 22(4):388-397.

Page, D.S., P.D. Boehm, G.S. Douglas, A.E. Bence. 1995. Identification of Hydrocarbon Sources in the Benthic Sediments of Prince William Sound and the Gulf of Alaska Following the Exxon Valdez Oil Spill. In: P.G. Wells, J.N. Butler and J.S. Hughes (eds.), *Exxon Valdez Oil Spill: Fate and Effects in Alaskan Waters, ASTM STP 1219.* American Society for Testing and Materials.

Page, D.S., P.D. Boehm, G.S. Douglas, A.E. Bence, W.A. Burns, and P.J. Mankiewicz. 1996. The Natural Petroleum Hydrocarbon Background in Subtidal Sediments of Prince William Sound, Alaska, USA. *Environ Toxicol Chem.* 15:1266-1281.

Page, D.S., P.D. Boehm, G.S. Douglas, A.E. Bence, W.A. Burns, and P.J. Mankiewicz. 1998 (in press). *Petroleum Sources in the Western Gulf of Alaska/Shelikof Strait Area.*

Peters, K.E., and J.M. Moldowan. 1993. *The Biomarker Guide. Interpreting Molecular Fossils in Petroleum and Ancient Sediments.* Prentice Hall, Englewood Cliffs, NJ.

Pearson, T.H. and R. Rosenberg. 1978. Macrobenthic Succession in Relation to Organic Enrichment and Pollution of the Marine Environment. *Oceanogr Mar Biol Ann Rev.* 16:229-311.

Postlind, H., T. Vu, R.H. Tukey, and L.C. Quattrochi. 1993. Response of human CYP1-luciferase plasmids to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin and polycyclic aromatic hydrocarbons. *Toxicol. Appl. Pharmacol.* 118, 255.

Reimnitz, E. 1966. *Late Quaternary History and Sedimentation of the Copper River Delta and Vicinity, Alaska.* Ph.D. Dissertation. University of California, San Diego, CA. 160 pp.

Rhoads, D.C. 1974. Organism-Sediment Relations on the Muddy Seafloor. *Oceanogr Mar Biol Ann Rev.* 12:263-300.

Rhoads, D.C. and L.F. Boyer. 1982. The Effects of Marine Benthos on Physical Properties of Sediments. In: McCall, P.L. and M.J.S. Tevesz (eds), *Animal-Sediment Relations*. Plenum Press, New York, NY. pp. 3B52.

Rhoads, D.C. and J.D. Germano. 1982. Characterization of Benthic Processes Using Sediment Profile Imaging: An Efficient Method of Remote Ecological Monitoring of the Seafloor (REMOTS System). *Mar Ecol Prog Ser.* 8:115-128.

Rhoads, D.C. and J.D. Germano. 1986. Interpreting Long-Term Changes in Benthic Community Structure: A New Protocol. *Hydrobiologica.* 142:291-308.

Rogers, D.E., B.J. Rogers, and R.J. Rosenthal. 1986. The Nearshore Fishes. In: Hood, D.W. and S.T. Zimmerman (eds.), *The Gulf of Alaska; Physical Environment and Biological Resources*. National Oceanic and Atmospheric Administration, Anchorage, Alaska. pp. 399-415.

*S-Plus 4 Guide to Statistics.* 1997. Data Analysis and Products Division, MathSoft, Seattle.

Safe, S.H. 1990. Polychlorinated Biphenyls (PCBs), Dibenzo-p-dioxins (PCDDs), Dibenzofurans (PCDFs) and Related Compounds: Environmental and Mechanistic Considerations which Support the Development of Toxic Equivalency Factors (TEFs). *Crit Rev Toxicol.* 21:51-88.

Sambratto, R.N. and C.J. Lorenzen. 1987. Phytoplankton and Primary Productivity. In: Hood, D.W. and S.T. Zimmerman (eds.), *The Gulf of Alaska; Physical Environment and Biological Resources*. National Oceanic and Atmospheric Administration, Anchorage, Alaska. pp. 249-282.

Schimmel, S.C., B.D. Melzian, D.E. Cambell, C.J. Strobel, S.J. Benyi, J.S. Rosen, H.W. Buffum, and N.I. Rubenstein. 1994. *Statistical summary EMAP-Estuaries Virginian Province-1991*. EPA/620/R-94/005.

Schumacher, J.D., P.J. Stabeno, and S.J. Bogard. 1993. Characteristics of an Eddy Over a Continental Shelf: Shelikof Strait, Alaska. *J Geophys Res.* 98:8395-8404.

Schwartz, R.C., P.F. Kemp, D.W. Schults, and J.O. Lamerson. 1988. Effects of Mixtures of Sediment Contaminants on the marine infaunal amphipod, *Rhepoxynius abronius*. *Environ Toxicol Chem.* 7:1013-1020.

Schwartz, R.C., D.W. Schults, R.J. Ozretich, J.O. Lamerson, F.A. Cole, T.H. DeWitt, M.S. Redmond, and S.P. Ferraro. 1995. SPAH: A Model to Predict the Toxicity of Polynuclear Aromatic Hydrocarbon Mixtures in Field-Collected Sediments. *Environ Toxicol Chem.* 14:1-11.

Searle, H. 1971. *Linear Models*. New York: John Wiley & Sons, Inc.

SFBRMP. 1995. *Regional Monitoring Program for Trace Substances, 1995 Annual Report*. San Francisco Estuary Institute, Richmond CA. 324 p.



Sharma, G.D. and D.C. Burrell. 1970. Sedimentary Environment and Sediments of Cook Inlet, Alaska. *The American Association of Petroleum Geologists Bulletin*. 54:647-654.

Short, J.W., K.A. Kvenvoldne, P.R. Carlson, F.D. Hostettler, R.J. Rosenbauer, and B.A. Wright. 1999. Natural hydrocarbon background in benthic sediments of Prince William Sound, Alaska: Oil vs. Coal. *Environ. Sci. Technol.* 33:34-42.

Smolowitz, R.M., M.E. Hahn, and J.J. Stegeman. 1991. Immunohistochemical Localization of Cytochrome P450IA1 Induced by 3,3',4,4'-tetrachlorobiphenyl and by 2,3,7,8-tetrachlorodibenzofuran in Liver and Extrahepatic Tissues of the Teleost *Stenotomus chrysops* (Scup). *Drug Metab Dispos.* 19:113-123.

Snedecor, G.W. and W.G. Cochran. 1978. *Statistical Methods*. Sixth edition. Ames; Iowa State Univ. Press.

Sokal, R.R. and J.F. Rohlf. 1994. *Biometry: the Principles and Practice of Statistics in Biological Research*. Third Edition. W.H. Freeman, New York.

Spies, R.B., J.J. Stegeman, D.E. Hinton, B. Woodin, M. Okihiro, R. Smolowitz and D. Shea. 1996. Biomarkers of Hydrocarbon Exposure and Sublethal Effects in Embiotocid Fishes from a Natural Petroleum Seep in the Santa Barbara Channel. *Aquatic Toxicol.* 34:195-219.

Steel, G.D. and J.H. Torrie. 1980. *Principles and Procedures of Statistics*. Second Edition. New York, McGraw-Hill Book Co.

Stegeman, J.J. M. Brouwer, R.T DiGuilio, L. Forlin, B.A. Fowler, B.M. Sanders and P.A. Van Veld. 1992. Molecular Responses to Environmental Contamination: Enzyme and Protein Systems as Indicators of Chemical Exposure Effect. In: R.J. Huggett, R.A. Kimerle, P.M. Mehrle, Jr. and H.L. Bergman (eds.), *Biomarkers*. Lewis Publishers, Boca Raton, Florida.

Stegeman, J.J. and M.E. Hahn. 1994. Biochemistry and Molecular Biology of Monooxygenases: Current Perspective on forms, functions, and Regulation of Cytochrome P450 in Aquatic Species. In *Aquatic Toxicology: Molecular, Biochemical and Cellular Perspectives* (D. C. Malins and G.K Ostrander, EDS.) 87-206. Lewis Publishers, Boca Raton, FL.

Strickland, R. and T. Sibley. 1984. *Projected Effects of CO<sub>2</sub> Induced Climate Change on the Alaska Pollock Fishery in the Eastern Bering Sea and Gulf of Alaska*. Final Report to the Lawrence Berkeley Laboratory. Report FRI-UW-8411. Seattle, Washington: University of Alaska, Fisheries Research Institute. 112 pp.

Thompson, B. 1998. Personal Communication. San Francisco Estuary Institute, Richmond, CA.

Thursby, G. B. and C. E. Schlekat. 1993. *Statistical Analysis of 10-day Solid Phase Toxicity Data for Amphipods*. Abstract, 14th Annual Meeting, Society of Environmental Toxicology and Chemistry.

Trefry, J.H. and B.J. Presley. 1982. Manganese Fluxes from Mississippi Delta Sediments. *Geochim Cosmochim Acta*. 46:1715-1726.

Trefry, J.H., R.P. Trocine, K.L. Naito, and S. Metz. 1996. Assessing the Potential for Enhanced Bioaccumulation for Heavy Metals from Produced Water Discharges to the Gulf of Mexico. In: *Produced Water 2: Environmental Issues and Mitigation Technologies*, Eds. M. Reed and S. Johnsen, Plenum Press, New York, 339-354.

U.S. Environmental Protection Agency. 1991. *Method for the Determination of Metals in Environmental Samples*. Office of Research & Development, U.S. EPA, Cincinnati, OH.

U.S. Environmental Protection Agency. 1992. Guide to Environmental Analytical Methods. (eds. R.E. Wagner, W. Kotas and G.A. Yogis). Genium Publishing Corp., New York.

U.S. Environmental Protection Agency. 1994. *EPA Methods for Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Amphipods*. EPA-600/R-94/025. U.S. EPA, Env. Research Laboratory, Narragansett, RI.

U.S. Environmental Protection Agency. 1999. Mercury Update: Impact on Fish Advisories. EPA-823-F-99-016.

U.S. Geological Survey. 1998. Coal Quality Database from <http://energy.er.usgs.gov/temp/890071108.html> (3/16/98).

U.S. Geological Survey. 1998. Coal Quality Database from <http://energy.er.usgs.gov/temp/890924368.html> (3/16/98).

U.S. Geological Survey. 1998. Coal Quality Database from <http://energy.er.usgs.gov/temp/890924316.html> (3/16/98).

U.S. Geological Survey. 1999. NWIS-Water Data from <http://waterdata.usgs.gov/nwis>.

Valente, R.M., D.C. Rhoads, J.D. Germano, and V.J. Cabelli. 1992. Mapping of Benthic Enrichment Patterns in Narragansett Bay, RI. *Estuaries*. 15:1B17.

Van Veld, P.A., W.K. Vogelbein, M.K. Cochran, A. Goksøyr, and J.J. Stegeman. 1997. Route-Specific Cellular Expression of Cytochrome P4501A (CYP1A) in fish (*Fundulus heteroclitus*) Following Exposure to Aqueous and Dietary Benzo[a]pyrene. *Toxicology and Applied Pharmacology*. 142:348-359.

Varanasi, U., T.K. Collier, C.A. Krone, M.M. Krahm, L.L. Johnson, M.S. Myers, and S.L. Chan. 1995. Assessment of Oil Spill Impacts on Fishery Resources: Measurement of Hydrocarbons and their Metabolites, and Their Effects, in Important Species. NRDA Project Subtidal 7. Exxon Valdez Oil Spill State/Federal Natural Resource Damage Assessment Final Report.

Wakeham, S.G. and J.W. Farrington. 1980. Hydrocarbons in Contemporary Aquatic Sediments. In, *Contaminants and Sediments*, Volume 1. Edited by R.A. Baker. pp. 3-27.

Wakeham, S.G., C. Schaeffner, and W. Giger. 1980. Polycyclic Aromatic Hydrocarbons in Recent Lake Sediments-II, Compounds Derived from Biogenic Precursors During Early Diagenesis. *Geochim Cosmochim Acta*. 44:415-429.

Wedepohl, K.H. 1995. The Composition of the Continental Crust. *Geochim Cosmochim Acta*. 59:1217-1232.

Willie, S. 1998. Twelfth Round Intercomparison for Trace Metals in Marine Sediments and Biological Tissues. *National Research Council of Canada, NOAA/112*. 51pp. plus Appendices.

Wirgin, I. and J.R. Waldman. 1998. Altered gene expression and genetic damage in North American fish populations. *Mutation Research*. 399:193-219.

Woodin, B.R., R.M. Smolowitz, and J.J. Stegeman. 1997. Induction of Cytochrome P4501A in the intertidal fish *Anoplarchus purpureus* by Prudhoe Bay crude oil and environmental induction in fish from Prince William Sound. *Environ Sci and Technol*. 31:1198-1205.