

Sediment Geochronology

| Sample I.D. # | Sediment Interval (cm) | Sediment Mid-depth (cm) | Sample Size (g) | Weight Basis | Percent Water | Counting Date | Cs-137 (dpm/g) | Total Pb-210 (dpm/g) | Ra-226 (dpm/g) | Excess Pb-210 (dpm/g) |
|------------------|------------------------------|-------------------------------|-----------------------|-----------------|------------------|------------------|-------------------|----------------------------|-------------------|-----------------------------|
| 970F10312 | 6.0-6.5 | 6.25 | 8.634 | Dry | 44.920 | 2/16/1998 | 0.35 | 5.66 | 1.60 | 4.17 |
| 970F10318 | 9.0-9.5 | 9.25 | 8.831 | Dry | 44.130 | 2/14/1998 | 0.37 | 5.74 | 1.48 | 4.26 |
| 970F10324 | 14-15 | 14.5 | 8.616 | Dry | 42.000 | 2/12/1998 | 0.34 | 5.75 | 1.48 | 4.27 |
| 970F10332 | 22-23 | 22.5 | 8.707 | Dry | 43.580 | 2/10/1998 | 0.41 | 4.91 | 1.53 | 3.38 |
| 970F10338 | 28-29 | 28.5 | 8.420 | Dry | 42.440 | 2/9/1998 | 0.41 | 5.42 | 1.44 | 3.98 |
| 970F10344 | 34-35 | 34.5 | 8.563 | Dry | 41.770 | 2/7/1998 | 0.43 | 4.74 | 1.55 | 3.26 |
| 980F101 | 50-55 | 52.5 | 4.109 | Dry | 35.169 | 1/22/1999 | 0.67 | 4.51 | 1.87 | 2.63 |
| 980F101 | 80-85 | 82.5 | 4.531 | Dry | 38.233 | 1/23/1999 | 0.00 | 2.23 | 1.24 | 0.99 |
| 980F101 | 105-110 | 107.5 | 4.251 | Dry | 38.135 | 1/21/1999 | 0.00 | 2.41 | 1.44 | 0.71 |
| 980F101 | 175-180 | 172.5 | 8.810 | Dry | 36.223 | 11/6/1998 | 0.00 | 1.63 | 1.26 | 0.37 |
| 970F50300 | 0-0.5 | 0.25 | 10.321 | Dry | 47.400 | 10/30/1997 | 0.13 | 4.21 | 1.92 | 2.29 |
| 970F50302 | 1-1.5 | 1.25 | 11.002 | Dry | 32.680 | 11/23/1997 | 0.11 | 3.71 | 1.87 | 1.84 |
| 970F50304 | 2-2.5 | 2.25 | 10.928 | Dry | 27.880 | 11/10/1997 | 0.12 | 3.09 | 1.87 | 1.23 |
| 970F50306 | 3-3.5 | 3.25 | 10.773 | Dry | 26.510 | 11/6/1997 | 0.17 | 3.29 | 1.85 | 1.43 |
| 970F50310 | 5-5.5 | 5.25 | 10.170 | Dry | 26.690 | 11/16/1997 | 0.22 | 3.21 | 1.78 | 1.43 |
| 970F50312 | 6-6.5 | 6.25 | 10.545 | Dry | 25.500 | 11/8/1997 | 0.22 | 3.18 | 1.81 | 1.37 |
| 970F50314 | 7-7.5 | 7.25 | 10.760 | Dry | 25.420 | 11/14/1997 | 0.25 | 2.95 | 1.87 | 1.08 |
| 970F50318 | 9-9.5 | 9.25 | 10.175 | Dry | 25.470 | 11/2/1997 | 0.20 | 3.23 | 1.97 | 1.25 |
| 970F50320 | 10-11.0 | 10.5 | 10.313 | Dry | 26.120 | 11/20/1997 | 0.10 | 1.89 | 1.21 | 0.68 |
| 970F50322 | 12-13.0 | 12.5 | 9.820 | Dry | 27.090 | 11/4/1997 | 0.04 | 2.43 | 2.08 | 0.35 |
| 970F50328 | 18-19.0 | 18.5 | 10.099 | Dry | 27.100 | 10/28/1997 | 0.01 | 1.31 | 1.80 | 0.00 |
| 970F60300 | 0-0.5 | 0.25 | 10.458 | Dry | 40.800 | 4/6/1998 | 0.18 | 3.66 | 1.91 | 1.75 |
| 970F60302 | 1-1.5 | 1.25 | 11.083 | Dry | 26.930 | 4/30/1998 | 0.14 | 3.42 | 1.93 | 1.50 |
| 970F60304 | 2-2.5 | 1.25 | 10.978 | Dry | 23.090 | 4/25/1998 | 0.07 | 3.20 | 2.00 | 1.20 |
| 970F60306 | 3-3.5 | 3.25 | 11.065 | Dry | 24.700 | 5/1/1998 | 0.15 | 2.99 | 1.82 | 1.17 |
| 970F60308 | 4-4.5 | 4.25 | 11.253 | Dry | 23.490 | 4/26/1998 | 0.04 | 2.36 | 1.88 | 0.48 |
| 970F60312 | 6-6.5 | 6.25 | 11.246 | Dry | 21.780 | 5/3/1998 | 0.03 | 2.05 | 1.78 | 0.27 |
| 970F60314 | 7-7.5 | 7.25 | 11.152 | Dry | 21.870 | 4/28/1998 | 0.03 | 2.20 | 1.74 | 0.46 |

Sediment Geochronology

| Sample I.D. # | Sediment Interval (cm) | Sediment Mid-depth (cm) | Sample Size (g) | Weight Basis | Percent Water | Counting Date | Cs-137 (dpm/g) | Total Pb-210 (dpm/g) | Ra-226 (dpm/g) | Excess Pb-210 (dpm/g) |
|------------------|------------------------------|-------------------------------|-----------------------|-----------------|------------------|------------------|-------------------|----------------------------|-------------------|-----------------------------|
| 971F10300 | 0-0.5 | 0.25 | 8.057 | Dry | 46.350 | 10/14/1997 | 0.15 | 14.30 | 1.61 | 12.70 |
| 971F10302 | 1-1.5 | 1.25 | 9.228 | Dry | 40.890 | 10/25/1997 | 0.19 | 13.80 | 1.52 | 12.30 |
| 971F10306 | 3-3.5 | 3.25 | 9.656 | Dry | 39.380 | 10/10/1997 | 0.17 | 12.20 | 1.61 | 10.60 |
| 971F10308 | 4-4.5 | 4.25 | 9.957 | Dry | 38.160 | 10/23/1997 | 0.10 | 10.76 | 1.52 | 9.24 |
| 971F10310 | 5-5.5 | 5.25 | 9.710 | Dry | 37.050 | 11/25/1997 | 0.17 | 9.27 | 1.43 | 7.84 |
| 971F10312 | 6-6.5 | 6.25 | 9.791 | Dry | 35.790 | 10/19/1997 | 0.12 | 7.88 | 1.57 | 6.30 |
| 971F10314 | 7-7.5 | 7.25 | 9.234 | Dry | 35.280 | 10/21/1997 | 0.22 | 6.89 | 1.03 | 5.87 |
| 971F10316 | 8-8.5 | 8.25 | 10.000 | Dry | 34.260 | 11/1/1997 | 0.11 | 6.19 | 1.56 | 4.62 |
| 971F10320 | 10.0-11.0 | 10.5 | 9.439 | Dry | 34.550 | 10/27/1997 | | 2.84 | 1.52 | 1.32 |
| 971F10322 | 12.0-13.0 | 12.5 | 9.096 | Dry | 36.440 | 10/16/1997 | 0.01 | 3.11 | 1.76 | 1.35 |
| 971F10328 | 18.0-19.0 | 18.5 | 9.070 | Dry | 35.150 | 10/29/1997 | 0.00 | 2.27 | 1.76 | 0.51 |
| 971F10334 | 24.0-25.0 | 24.5 | 9.137 | Dry | 34.976 | 10/12/1997 | | 1.89 | 1.74 | 0.51 |
| 971F10338 | 28.0-29.0 | 28.5 | 9.354 | Dry | 35.102 | 9/27/1997 | 0.00 | 1.49 | 1.75 | 0.00 |
| 971F20300 | 0-0.5 | 0.25 | 7.138 | Dry | 58.630 | 5/1/1998 | 0.25 | 25.32 | 1.59 | 23.73 |
| 971F20302 | 1-1.5 | 1.25 | 7.836 | Dry | 52.740 | 5/2/1998 | 0.23 | 24.49 | 1.64 | 22.84 |
| 971F20306 | 3-3.5 | 3.25 | 7.739 | Dry | 49.300 | 5/4/1998 | 0.16 | 15.67 | 1.66 | 14.01 |
| 971F20308 | 4-4.5 | 4.25 | 7.967 | Dry | 45.450 | 3/2/1998 | 0.13 | 9.41 | 1.72 | 7.69 |
| 971F20310 | 5-5.5 | 5.25 | 8.023 | Dry | 43.070 | 2/28/1998 | 0.10 | 7.09 | 1.76 | 5.33 |
| 971F20314 | 7-7.5 | 7.25 | 7.796 | Dry | 41.310 | 2/26/1998 | 0.04 | 7.43 | 1.82 | 5.72 |
| 971F20318 | 9-9.5 | 9.25 | 7.451 | Dry | 41.730 | 2/25/1998 | 0.06 | 8.57 | 1.75 | 6.82 |
| 971F20320 | 10-11.0 | 10.5 | 7.920 | Dry | 40.490 | 3/5/1998 | 0.05 | 9.35 | 1.69 | 7.66 |
| 971F20322 | 12-13.0 | 12.5 | 8.073 | Dry | 40.680 | 2/23/1998 | 0.00 | 2.75 | 1.76 | 0.99 |
| 971F20326 | 16-17 | 16.5 | 7.752 | Dry | 42.900 | 2/21/1998 | 0.03 | 2.62 | 1.87 | 0.75 |
| 971F20330 | 30-31 | 30.5 | 7.256 | Dry | 43.670 | 2/17/1998 | 0.02 | 2.51 | 1.71 | 0.80 |
| 9813b0200 | 0.0-0.5 | 0.25 | 10.507 | Dry | 34.896 | 1/24/1999 | 0.05 | 6.96 | 1.41 | 5.54 |
| 9813b0204 | 2-2.5 | 2.25 | 13.815 | Dry | 32.721 | 2/2/1999 | 0.05 | 5.47 | 1.07 | 4.51 |
| 9813b0207 | 3.5-4.0 | 3.75 | 10.378 | Dry | 24.800 | 3/15/1999 | 0.05 | 9.81 | 2.16 | 7.65 |
| 9813b0210 | 5-5.5 | 5.25 | 10.775 | Dry | 26.319 | 1/29/1999 | 0.05 | 4.74 | 1.23 | 3.51 |
| 9813b0211 | 5.5-6.0 | 5.75 | 10.597 | Dry | 25.629 | 3/18/1999 | 0.03 | 4.46 | 1.36 | 3.10 |
| 9813b0212 | 6-6.5 | 6.25 | 10.688 | Dry | 28.551 | 3/17/1999 | 0.10 | 4.18 | 1.44 | 2.73 |
| 9813b0213 | 6.5-7.0 | 6.75 | 10.685 | Dry | 27.809 | 3/19/1999 | 0.07 | 4.61 | 1.50 | 3.11 |
| 9813b0214 | 7-7.5 | 7.25 | 10.782 | Dry | 27.259 | 1/18/1999 | 0.02 | 3.87 | 1.55 | 2.31 |

Sediment Geochronology

| Sample I.D. # | Sediment Interval (cm) | Sediment Mid-depth (cm) | Sample Size (g) | Weight Basis | Percent Water | Counting Date | Cs-137 (dpm/g) | Total Pb-210 (dpm/g) | Ra-226 (dpm/g) | Excess Pb-210 (dpm/g) |
|------------------|------------------------------|-------------------------------|-----------------------|-----------------|------------------|------------------|-------------------|----------------------------|-------------------|-----------------------------|
| 9813b0217 | 8.5-9.0 | 8.75 | 10.620 | Dry | 23.651 | 3/10/1999 | 0.03 | 3.53 | 1.26 | 2.27 |
| 9813b0220 | 10-11.0 | 10.5 | 9.966 | Dry | 18.511 | 1/27/1999 | 0.04 | 3.63 | 1.74 | 1.89 |
| 9813b0222 | 12-13.0 | 12.5 | 9.704 | Dry | 20.155 | 2/3/1999 | 0.02 | 4.02 | 1.62 | 2.40 |
| 9813b0224 | 14-15 | 14.5 | 10.540 | Dry | 19.357 | 1/30/1999 | 0.02 | 2.37 | 1.50 | 0.87 |
| 9813b0226 | 16-17 | 16.5 | 10.575 | Dry | 24.528 | 3/12/1999 | 0.01 | 2.12 | 1.51 | 0.61 |

Sediment Geochronology

| Sample I.D. # | Sediment Interval (cm) | Sediment Mid-depth (cm) | Sample Size (g) | Weight Basis | Percent Water | Counting Date | Cs-137 (dpm/g) | Total Pb-210 (dpm/g) | Ra-226 (dpm/g) | Excess Pb-210 (dpm/g) |
|------------------|------------------------------|-------------------------------|-----------------------|-----------------|------------------|------------------|-------------------|----------------------------|-------------------|-----------------------------|
| 972F10300 | 0-0.5 | 0.25 | 7.708 | Dry | 59.120 | 4/6/1998 | 0.38 | 15.20 | 1.86 | 13.34 |
| 972F10304 | 2-2.5 | 2.25 | 7.780 | Dry | 51.950 | 4/8/1998 | 0.19 | 14.57 | 1.83 | 12.73 |
| 972F10312 | 6-6.5 | 6.25 | 8.151 | Dry | 48.190 | 4/3/1998 | 0.27 | 14.02 | 1.75 | 12.27 |
| 972F10316 | 8-8.5 | 8.25 | 7.977 | Dry | 47.760 | 3/30/1998 | 0.30 | 13.88 | 1.68 | 12.21 |
| 972F10320 | 10-11.0 | 10.5 | 7.735 | Dry | 46.210 | 3/28/1998 | 0.28 | 14.71 | 1.71 | 13.00 |
| 972F10324 | 14-15 | 14.5 | 7.963 | Dry | 45.630 | 3/26/1998 | 0.34 | 14.09 | 1.81 | 12.27 |
| 972F10326 | 16-17 | 16.5 | 7.836 | Dry | 45.130 | 5/31/1998 | 0.39 | 11.90 | 1.98 | 9.92 |
| 972F10328 | 18-19 | 18.5 | 8.189 | Dry | 45.250 | 3/24/1998 | 0.38 | 11.59 | 1.82 | 9.77 |
| 972F10330 | 20-21 | 20.5 | 8.138 | Dry | 43.920 | 4/22/1998 | 0.24 | 8.51 | 1.63 | 6.88 |
| 972F10332 | 22-23 | 22.5 | 7.932 | Dry | 42.410 | 3/22/1998 | 0.29 | 10.25 | 1.51 | 8.75 |
| 972F10334 | 24-25 | 24.5 | 8.373 | Dry | 44.750 | 4/10/1998 | 0.40 | 11.15 | 1.69 | 9.46 |
| 972F10336 | 36-37 | 26.5 | 7.953 | Dry | 43.400 | 3/17/1998 | 0.41 | 10.75 | 1.92 | 8.83 |
| 972F10340 | 30-31 | 30.5 | 8.049 | Dry | 40.470 | 5/28/1998 | 0.44 | 8.76 | 1.76 | 7.00 |
| 972F10343 | 33-34 | 33.5 | 8.381 | Dry | 40.580 | 3/15/1998 | 0.44 | 7.51 | 1.79 | 5.72 |
| 972F20300 | 0-0.5 | 0.25 | 7.910 | Dry | 67.090 | 9/11/1997 | 0.29 | 25.06 | 1.91 | 23.15 |
| 972F20310 | 5-5.5 | 5.25 | 8.278 | Dry | 57.740 | 9/19/1997 | 0.37 | 19.77 | 1.76 | 18.01 |
| 972F20318 | 9-9.5 | 9.25 | 7.951 | Dry | 57.330 | 9/16/1997 | 0.33 | 21.56 | 1.88 | 19.68 |
| 972F20323 | 13-14 | 13.5 | 7.658 | Dry | 55.310 | 9/22/1997 | 0.35 | 21.23 | 1.85 | 19.38 |
| 972F20325 | 15-16 | 15.5 | 7.251 | Dry | 52.610 | 9/23/1997 | 0.33 | 18.62 | 1.75 | 16.87 |
| 972F20327 | 17-18 | 17.5 | 7.026 | Dry | 52.660 | 9/14/1997 | 0.35 | 17.34 | 1.89 | 15.45 |
| 972F20331 | 21-22 | 21.5 | 7.071 | Dry | 52.230 | 9/20/1997 | 0.38 | 14.65 | 1.88 | 12.77 |
| 972F20333 | 23-24 | 23.5 | 7.657 | Dry | 51.500 | 9/23/1997 | 0.47 | 9.23 | 1.79 | 7.44 |
| 972F20335 | 25-26 | 25.5 | 7.746 | Dry | 51.290 | 9/7/1997 | 0.20 | 8.00 | 1.92 | 6.08 |
| 972F20337 | 27-28 | 27.5 | 7.453 | Dry | 50.170 | 9/25/1997 | 0.15 | 7.83 | 1.79 | 6.04 |
| 982R160200 | 0.0-0.5 | 0.25 | 7.500 | Dry | 55.111 | 11/6/1998 | 0.28 | 23.47 | 1.81 | 21.66 |
| 982R160202 | 1-1.5 | 1.25 | 8.191 | Dry | 55.269 | 11/7/1998 | 0.28 | 21.80 | 1.81 | 19.99 |
| 982R160208 | 4-4.5 | 4.25 | 8.232 | Dry | 54.028 | 11/8/1998 | 0.33 | 21.86 | 1.86 | 20.00 |
| 982R160212 | 6-6.5 | 6.25 | 8.028 | Dry | 55.264 | 11/10/1998 | 0.27 | 20.77 | 1.86 | 18.91 |
| 982R160216 | 8-8.5 | 8.25 | 8.203 | Dry | 51.837 | 11/22/1998 | 0.29 | 20.20 | 1.74 | 18.46 |
| 982R160220 | 10-11.0 | 10.5 | 7.580 | Dry | 49.107 | 11/11/1998 | 0.32 | 21.35 | 1.88 | 19.47 |
| 982R160224 | 14-15 | 14.5 | 7.075 | Dry | 47.317 | 11/13/1998 | 0.34 | 18.42 | 2.03 | 16.39 |
| 982R160226 | 16-17 | 16.5 | 7.688 | Dry | 48.142 | 11/21/1998 | 0.33 | 15.87 | 1.71 | 14.16 |

Sediment Geochronology

| Sample I.D. # | Sediment Interval (cm) | Sediment Mid-depth (cm) | Sample Size (g) | Weight Basis | Percent Water | Counting Date | Cs-137 (dpm/g) | Total Pb-210 (dpm/g) | Ra-226 (dpm/g) | Excess Pb-210 (dpm/g) |
|------------------|------------------------------|-------------------------------|-----------------------|-----------------|------------------|------------------|-------------------|----------------------------|-------------------|-----------------------------|
| 982R160230 | 20-21 | 20.5 | 7.963 | Dry | 47.397 | 11/12/1998 | 0.37 | 14.50 | 1.80 | 12.70 |
| 982R160232 | 22-23 | 22.5 | 7.746 | Dry | 46.024 | 11/19/1998 | 0.35 | 12.16 | 1.65 | 10.51 |
| 982R160234 | 24-25 | 24.5 | 7.875 | Dry | 45.426 | 11/16/1998 | 0.38 | 10.84 | 1.81 | 9.03 |
| 982R160236 | 26-27 | 26.5 | 7.762 | Dry | 45.198 | 11/20/1998 | 0.39 | 10.48 | 1.72 | 8.76 |
| 982R160238 | 28-29 | 28.5 | 7.773 | Dry | 47.150 | 11/18/1998 | 0.31 | 8.77 | 1.64 | 7.14 |
| 982R160242 | 32-33 | 32.5 | 7.917 | Dry | 51.817 | 11/13/1998 | 0.31 | 7.31 | 1.93 | 5.38 |

Sediment Geochronology

| Sample I.D. # | Sediment Interval (cm) | Sediment Mid-depth (cm) | Sample Size (g) | Weight Basis | Percent Water | Counting Date | Cs-137 (dpm/g) | Total Pb-210 (dpm/g) | Ra-226 (dpm/g) | Excess Pb-210 (dpm/g) |
|------------------|------------------------------|-------------------------------|-----------------------|-----------------|------------------|------------------|-------------------|----------------------------|-------------------|-----------------------------|
| 973010300 | 0-0.5 | 0.25 | 7.096 | Dry | 70.740 | 4/6/1998 | 0.34 | 17.42 | 1.97 | 15.45 |
| 973010304 | 2-2.5 | 2.25 | 7.579 | Dry | 57.450 | 5/18/1998 | 0.36 | 15.98 | 1.73 | 14.25 |
| 973010308 | 4-4.5 | 4.25 | 7.702 | Dry | 54.810 | 5/17/1998 | 0.46 | 12.82 | 1.84 | 10.99 |
| 973010312 | 6-6.5 | 6.25 | 7.651 | Dry | 54.740 | 5/20/1998 | 0.36 | 12.52 | 1.83 | 10.69 |
| 973019316 | 8-8.5 | 8.25 | 7.589 | Dry | 53.380 | 5/16/1998 | 0.47 | 13.14 | 1.87 | 11.27 |
| 973010320 | 10-11.0 | 10.5 | 8.512 | Dry | 51.120 | 5/22/1998 | 0.42 | 11.22 | 1.77 | 9.44 |
| 973010322 | 12-13.0 | 12.5 | 7.521 | Dry | 50.920 | 5/11/1998 | 0.44 | 10.98 | 1.78 | 9.20 |
| 973010324 | 14-15 | 14.5 | 7.238 | Dry | 51.110 | 5/23/1998 | 0.42 | 11.68 | 1.88 | 9.80 |
| 973010326 | 16-17 | 16.5 | 7.147 | Dry | 50.470 | 5/10/1998 | 0.40 | 10.03 | 1.81 | 8.22 |
| 973010330 | 20-21 | 20.5 | 6.978 | Dry | 46.590 | 5/27/1998 | 0.38 | 8.53 | 1.83 | 6.70 |
| 973010332 | 32-33 | 32.5 | 7.506 | Dry | 46.980 | 5/14/1998 | 0.25 | 5.93 | 1.81 | 4.12 |
| 973010334 | 34-35 | 34.5 | 7.508 | Dry | 47.570 | 5/13/1998 | 0.22 | 5.44 | 1.84 | 3.60 |
| 973010338 | 38-39 | 38.5 | 7.208 | Dry | 50.050 | 5/25/1998 | 0.11 | 5.38 | 1.81 | 3.57 |
| 9703F20300 | 0-0.5 | 0.25 | 8.516 | Dry | 47.400 | 1/21/1998 | 0.25 | 17.20 | 1.85 | 15.30 |
| 9703F20310 | 5-5.5 | 5.25 | 8.230 | Dry | 32.680 | 1/15/1998 | 0.42 | 13.70 | 1.92 | 11.80 |
| 9703F20314 | 7-7.5 | 7.25 | 8.009 | Dry | 27.880 | 1/19/1998 | 0.36 | 12.70 | 1.82 | 10.90 |
| 9703F20320 | 10.0-11.0 | 10.5 | 7.908 | Dry | 26.510 | 1/14/1998 | 0.43 | 11.20 | 1.75 | 9.57 |
| 9703F20324 | 14.0-15.0 | 14.5 | 8.032 | Dry | 26.690 | 1/22/1998 | 0.49 | 10.40 | 1.69 | 8.74 |
| 9703F20326 | 16.0-17.0 | 16.5 | 8.012 | Dry | 25.500 | 1/2/1998 | 0.48 | 8.09 | 1.74 | 6.36 |
| 9703F20330 | 20.0-21.0 | 20.5 | 8.009 | Dry | 25.420 | 1/13/1998 | 0.36 | 6.03 | 1.88 | 4.15 |
| 9703F20334 | 24.0-25.0 | 24.5 | 7.878 | Dry | 25.470 | 2/3/1998 | 0.06 | 5.12 | 0.17 | 3.43 |
| 9703F20338 | 28.0-29.0 | 28.5 | 7.668 | Dry | 26.120 | 2/5/1998 | 0.02 | 4.56 | 1.94 | 2.62 |
| 9703F20344 | 33.0-34.0 | 33.5 | 8.560 | Dry | 27.090 | 1/11/1998 | 0.03 | 3.17 | 1.92 | 1.26 |
| 984F40302 | 1-1.5 | 1.25 | 4.358 | Dry | 78.930 | 1/12/1999 | 0.20 | 27.37 | 1.91 | 25.46 |
| 984F40310 | 5-5.5 | 5.25 | 7.383 | Dry | 58.179 | 1/16/1999 | 0.18 | 23.35 | 1.61 | 21.73 |
| 984F40319 | 9.5-10 | 9.75 | 7.070 | Dry | 56.992 | 1/15/1999 | 0.24 | 21.63 | 1.86 | 19.77 |
| 984F40325 | 15-16 | 15.5 | 6.740 | Dry | 54.593 | 1/17/1999 | 0.39 | 18.78 | 1.94 | 16.84 |
| 984F40329 | 19-20 | 19.5 | 6.914 | Dry | 58.447 | 1/13/1999 | 0.34 | 15.67 | 1.04 | 14.63 |
| 984F40335 | 25-26 | 25.5 | 7.088 | Dry | 58.977 | 1/18/1999 | 0.43 | 13.43 | 2.02 | 11.41 |
| 984F40339 | 29-30 | 29.5 | 6.991 | Dry | 57.871 | 1/19/1999 | 0.49 | 9.93 | 1.93 | 8.00 |
| 984F40345 | 35-36 | 35.5 | 7.380 | Dry | 53.169 | 1/20/1999 | 0.20 | 8.08 | 2.03 | 6.05 |
| 984F40352 | 42-43 | 42.5 | 7.067 | Dry | 53.301 | 1/14/1999 | 0.06 | 5.80 | 2.10 | 3.70 |