

97 sediment info

		SEDIMENT EXTRACT SAMPLES				
Extracts received 7/30/97						
Client I.D.	CAS #	Sample Wt (g)	% Solids	Dry Wt (g)	Final Extract Vol (mL)	
Z1F1	K5126-1	40.42	53.9	21.8	1	
Z2R22	2	40.58	41.2	16.7	1	
Z2F1	3	40.70	42.6	17.3	1	
Z1R13	4	40.75	36.5	14.9	1	
Z2R13	5	40.69	55.6	22.6	1	
Z2R14	6	40.63	43.4	17.6	1	
Z2R1	7	40.47	40.0	16.2	1	
Z1R7	8	40.46	56.4	22.8	1	
Z0F14	9	40.91	44.3	18.1	1	
Z0F1	10	40.50	46.2	18.7	1	
Z0F13	11	40.39	56.5	22.8	1	
Z1F2	12	40.49	43.8	17.7	1	
Z0F8	13	40.65	62.0	25.2	1	
Z1R4	14	40.21	50.8	20.4	1	
Z0R4	15	40.27	59.0	23.8	1	
Z0F2	16	40.52	59.5	24.1	1	
Z0F6	17	40.73	62.2	25.3	1	
Z0F5	18	40.93	57.0	23.3	1	
Z1R8	19	40.61	47.0	19.1	1	
Z3R10	20	40.81	39.1	16.0	1	
Z3F2	21	40.88	38.4	15.7	1	
Z2F2	22	40.68	38.0	15.5	1	
Z3F1	23	40.41	35.1	14.2	1	
Z3R20	24	40.96	36.6	15.0	1	
Z3R11	25	40.10	37.3	15.0	1	
Z3R08	26	40.35	36.1	14.6	1	
Z3R14	27	40.55	37.4	15.2	1	