

## 98 sediment info

Extracts of Arthur D. Little, Inc. 1998 Sediment Samples						
Extracts received 7/24/98		Extracts in DMSO/Toluene/Isopropyl Alcohol Mix				
Client I.D.	CAS #	Sample Wt (g)	% Solids	Dry Wt (g)	Final Extract Vol (mL)	
98-0-F6-01-00-RGS-S	K4382-1	20.0	71.4	14.3	0.4	
98-3-R16-01-00-RGS-S	2	20.6	42.4	8.7	0.4	
98-0-F2-01-00-RGS-S	3	20.3	64.4	13.1	0.4	
98-0-F5-01-00-RGS-S	4	20.0	55.5	11.1	0.4	
98-2-F3-01-00-RGS-S	5	20.4	36.7	7.5	0.4	
98-4-F21- 00- 450-S	6	20.8	36.8	7.7	0.4	
98-4-F1-01-00-RGS-S	7	20.3	36.6	7.4	0.4	
98-0-F4-01-00-RGS-S	8	20.9	59.1	12.4	0.4	
98-1-F2-01-00-RGS-S	9	20.7	37.9	7.8	0.4	
98-0-F13-01-00-RGS-S	10	20.7	55.6	11.5	0.4	
98-1-21-01-00-RGS-S	11	20.7	63.9	13.2	0.4	
98-3-F2-01-00-RGS-S	12	20.5	42.1	8.6	0.4	
98-1-16-01-00-RGS-S	13	20.4	44.2	9.0	0.4	
98-0-F8-01-00-RGS-S	14	20.5	68.3	14.0	0.4	
98-0-F2-01-00-RGS-S	3 Dup	20.5	64.4	13.2	0.4	
98-0-F8-01-00-RGS-S	14 Dup	20.1	68.3	13.7	0.4	
Lab Control Spike	0722-LCS	20.1	NA	NA	0.4	
Method Blank	0722-MB	20.1	NA	NA	0.4	
Extracts received 7/28/98						
Client I.D.	CAS #	Sample Wt (g)	% Solids	Dry Wt (g)	Final Extract Vol (mL)	
98-03-07-01-00-450-S	15	20.1	34.7	7.0	0.4	
98-3-R18-01-00-RGS-S	16	20.3	37.8	7.7	0.4	
98-2-F2-01-00-RGS-S	17	20.5	33.3	6.8	0.4	
98-3-F1-01-00-RGS-S	18	20.3	38.8	7.9	0.4	
98-2-16-01-00-RGS-S	19	20.2	37.0	7.5	0.4	
98-4-F4-01-00-RGS-S	20	20.0	38.1	7.6	0.4	
98-1-F1-01-00-RGS-S	21	20.4	51.3	10.5	0.4	
98-2-F1-01-00-RGS-S	22	20.2	41.9	8.5	0.4	
98-2-F4-01-00-RGS-S	23	20.6	30.8	6.3	0.4	
98-2-20-01-00-RGS-S	24	20.5	41.4	8.5	0.4	
98-2-17-01-00-RGS-S	25	20.1	38.7	7.8	0.4	
98-0-F14-01-00-RGS-S	26	20.5	40.1	8.2	0.4	
98-0-F1-01-00-RGS-S	27	20.2	46.2	9.3	0.4	
98-4-F4-01-00-RGS-S	20 Dup	20.4	38.1	7.8	0.4	
98-1-F1-01-00-RGS-S	21 Dup	20.3	51.3	10.4	0.4	
Lab Control Spike	0723-LCS	20.4	NA	NA	0.4	
Method Blank	0723-MB	20.5	NA	NA	0.4	