

C155-317032

ACCESSION
NUMBER

76-1225

DDF-B:1:15

DATA DOCUMENTATION FORM

TR0108

NOAA FORM 24-13
(4-72)U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEANOGRAPHIC DATA CENTER
RECORDS SECTION
ROCKVILLE, MARYLAND 20852FORM APPROVED
O.M.B. No. 41-R2651


F022

This form should accompany all data submissions to NODC. Section A, Originator Identification, must be completed when the data are submitted. It is highly desirable for NODC to also receive the remaining pertinent information at that time. This may be most easily accomplished by attaching reports, publications, or manuscripts which are readily available describing data collection, analysis, and format specifics. Readable, handwritten submissions are acceptable in all cases. All data shipments should be sent to the above address.

319032 C022

A. ORIGINATOR IDENTIFICATION

THIS SECTION MUST BE COMPLETED BY DONOR FOR ALL DATA TRANSMITTALS

1. NAME AND ADDRESS OF INSTITUTION, LABORATORY, OR ACTIVITY WITH WHICH SUBMITTED DATA ARE ASSOCIATED PMEL/NOAA 3711 15th NE Seattle, Washington 98105			
2. EXPEDITION, PROJECT, OR PROGRAM DURING WHICH DATA WERE COLLECTED NEGOA/Gulf. of Alaska		3. CRUISE NUMBER(S) USED BY ORIGINATOR TO IDENTIFY DATA IN THIS SHIPMENT RP-4-SU-75 File ID = SU-75	
4. PLATFORM NAME(S) NOAA Ship Surveyor	5. PLATFORM TYPE(S) (E.G., SHIP, BUOY, ETC.) Ship	6. PLATFORM AND OPERATOR NATIONALITY(IES) U.S.	7. DATES FROM: MO/DAY/YR TO: MO/DAY/YR 6/5/75 6/12/75
8. ARE DATA PROPRIETARY? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES IF YES, WHEN CAN THEY BE RELEASED FOR GENERAL USE? YEAR ____ MONTH ____		11. PLEASE DARKEN ALL MARSDEN SQUARES IN WHICH ANY DATA CONTAINED IN YOUR SUBMISSION WERE COLLECTED. GENERAL AREA	
9. ARE DATA DECLARED NATIONAL PROGRAM (DNP)? (I.E., SHOULD THEY BE INCLUDED IN WORLD DATA CENTERS HOLDINGS FOR INTERNATIONAL EXCHANGE?) <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> PART (SPECIFY BELOW)			
10. PERSON TO WHOM INQUIRIES CONCERNING DATA SHOULD BE ADDRESSED WITH TELEPHONE NUMBER (AND ADDRESS IF OTHER THAN IN ITEM-1) Pat Laird (206) 442-4580			

B. SCIENTIFIC CONTENT

Include enough information concerning manner of observation, instrumentation, analysis, and data reduction routines to make them understandable to future users. Furnish the minimum documentation considered relevant to each data type. Documentation will be retained as a permanent part of the data and will be available to future users. Equivalent information already available may be substituted for this section of the form (i.e., publications, reports, and manuscripts describing observational and analytical methods). If you do not provide equivalent information by attachment, please complete the scientific content section in a manner similar to the one shown in the following example.

EXAMPLE (HYPOTHETICAL INFORMATION)

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
Salinity	700	Nansen bottles	Inductive salinometer (Hytech model 5510)	N/A (Not applicable)
		STD Bissett-Berman Model 9006	N/A	Values averaged over 5-meter intervals
Water color	Forel scale	Visual comparison with Forel bottles	N/A	N/A
Sediment size	ϕ units and percent by weight	Ewing corer	Standard sieves. Carbonate fraction removed by acid treatment	Same as "Sedimentary Rock Manual," Folk '65

(SPACE IS PROVIDED ON THE FOLLOWING
TWO PAGES FOR THIS INFORMATION)

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
Depth	m	CTD, Plessey 9040	N/A	{ values averaged over 1 meter intervals
Temperature	°C	CTD, Plessey 9040	N/A	
Salinity	‰	CTD, Plessey 9040	Computed from conductivity	

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING

C. DATA FORMAT

COMPLETE THIS SECTION FOR PUNCHED CARDS OR TAPE, MAGNETIC TAPE, OR DISC SUBMISSIONS.

1. RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE NODC USER TAPE 76-1225
 2 METHOD OF IDENTIFYING EACH RECORD TYPE

See Originator's

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

See Originator's

3. ATTRIBUTES AS EXPRESSED IN ☐ PL-1 ☐ ALGOL ☐ COBOL
☒ FORTRAN ☐ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER N/A
 ADDRESS

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

5. RECORDING MODE <input type="checkbox"/> BCD <input type="checkbox"/> BINARY <input type="checkbox"/> ASCII <input checked="" type="checkbox"/> EBCDIC <input type="checkbox"/>	9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input type="checkbox"/> 3/4 INCH <input checked="" type="checkbox"/> .56
6. NUMBER OF TRACKS (CHANNELS) <input type="checkbox"/> SEVEN <input checked="" type="checkbox"/> NINE <input type="checkbox"/>	10. END OF FILE MARK <input type="checkbox"/> OCTAL 17 <input checked="" type="checkbox"/> EBCDIC
7. PARITY <input checked="" type="checkbox"/> ODD <input type="checkbox"/> EVEN	11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME LAY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER) Two User Tapes: VOL=SER=2096,LABEL=(5,NL) VOL=SER=2784,LABEL=(5,NL)
8. DENSITY <input type="checkbox"/> 200 BPI <input checked="" type="checkbox"/> 1600 BPI <input type="checkbox"/> 556 BPI <input type="checkbox"/> 800 BPI <input type="checkbox"/>	12. PHYSICAL BLOCK LENGTH IN BYTES 3600 (120 x 30) 13. LENGTH OF BYTES IN BITS 8

C. DATA FORMAT

COMPLETE THIS SECTION FOR PUNCHED CARDS OR TAPE, MAGNETIC TAPE, OR DISC SUBMISSIONS.

1. LIST RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
AND METHOD OF IDENTIFYING EACH RECORD TYPE

Orig 76-1225

Three (3) record types, text record (1), master record (2), and detail record (3) differentiated by byte 10.

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

3. ATTRIBUTES AS EXPRESSED IN ☐ PL-1 ☐ ALGOL ☐ COBOL
☒ FORTRAN ☐ _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER Donna Bendiner (206) 543-2007

ADDRESS Dept. of Oceanography, Univ. of Washington, Seattle, WA 98195

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input checked="" type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input checked="" type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input checked="" type="checkbox"/> SEVEN</p> <p><input type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK <input checked="" type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input type="checkbox"/> ODD</p> <p><input checked="" type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME LABEL SPECIFICATIONS)</p> <p>*** VOL=SER=9402, LABEL=(1,NL) ***</p> <p>PMEL/NOAA June 5-12, 1975</p> <p>RP-4-SU-75</p> <p>CTD Data 94 Stations</p> <p>File ID = SU-75</p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input checked="" type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p>3600 bytes</p> <p>13. LENGTH OF BYTES IN BITS</p> <p>6 bits</p>

C. DATA FORMAT

This information is requested only for data transmitted on punched cards or magnetic tape. Have one of your data processing specialists furnish answers either on the form or by attaching equivalent readily available documentation. Identify the nature and meaning of all entries and explain any codes used.

1. List the record types contained in your file transmittal (e.g., tape label record, master, detail, standard depth, etc.).
2. Describe briefly how your file is organized.
- 3-13. Self-explanatory.
14. Enter the field name as appropriate (e.g., header information, temperature, depth, salinity).
15. Enter starting position of the field.
16. Enter field length in number columns and unit of measurement (e.g., bit, byte, character, word) in unit column.
17. Enter attributes as expressed in the programming language specified in item 3 (e.g., "F 4.1," "BINARY FIXED (5.1)").
18. Describe field. If sort field, enter "SORT 1" for first, "SORT 2" for second, etc. If field is repeated, state number of times it is repeated.

RECORD NAME TEXT RECORD (OPTIONAL)

14. FIELD NAME	15. POSITION FROM - 1 MEASURED IN Bytes (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	
Record Type	10	1	Bytes	I1	Always '1'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Text	16	100	Bytes	100A1	Additional pertinent information
Sequence Number	116	5	Bytes	I5	Ascending numeric, used for sorting
MASTER RECORD (REQUIRED THRU BYTES 59)					
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	
Record Type	10	1	Bytes	I1	Always '2'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Latitude					
Degrees	16	2	Bytes	I2	
Minutes	18	2	Bytes	I2	
Hundredths of Minutes	20	2	Bytes	I2	
Hemisphere	22	1	Bytes	A1	'N' or 'S'
Longitude					
Degrees	23	3	Bytes	I3	
Minutes	26	2	Bytes	I2	
Hundredths of Minutes	28	2	Bytes	I2	
Hemisphere	30	1	Bytes	A1	'E' or 'W'
Cruise Identification	31	10	Bytes	10A1	Originator Cruise Identification
Number of Scans	41	5	Bytes	I5	Number of scans in a 'station' (There are five scans per record type '3')
Year	46	2	Bytes	I2	Last two digits of year 1-12 1-31 0-23 0-59 } GMT
Month	48	2	Bytes	I2	
Day	50	2	Bytes	I2	
Hour	52	2	Bytes	I2	
Minutes	54	2	Bytes	I2	
Depth Interval Indicator	56	1	Bytes	I1	'0' equals unequally spaced depths
Depth Interval	57	3	Bytes	I3	'1' equals equal spaced depths When above equals '1', the depth interval, to tenths of meters reported.
Barometric pressure	60	5	Bytes	I5	Millibars to tenths

RECORD FORMAT DESCRIPTION STD

2-20-76

RECORD NAME MASTER RECORD CONTINUED

14. FIELD NAME	15. POSITION FROM - 1 MEASURED IN Bytes (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
Wet bulb temperature	65	4	Bytes	I4	Degrees C to tenths
Dry bulb temperature	69	4	Bytes	I4	Degrees C to tenths
Wind direction	73	2	Bytes	I2	Tens of degrees WMO Codes 0855 and 0877
Wind speed	75	2	Bytes	I2	Whole knots
Weather Code	77	1	Bytes	I1	WMO 4501
Sea State Code	78	1	Bytes	I1	WMO 3700
Visibility Code	79	1	Bytes	I1	WMO 4300
Cloud Type Code	80	1	Bytes	A1	WMO 0500
Cloud Amount Code	81	1	Bytes	I1	WMO 2700
Instrument Information	82	20	Bytes	20A1	Type and Serial Number
Location Name	102	6	Bytes	A6	OCSEP Internal Location Code
Depth to bottom	108	5	Bytes	I5	To whole meters
Maximum depth of cast	113	4	Bytes	I4	To whole meters
Blank	117	4	Bytes	4X	
DETAIL RECORD (REQUIRED)					
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	
Record Type	10	1	Bytes	I1	Always '3'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Depth	16	5	Bytes	I5	Meters to tenths
Temperature	21	5	Bytes	I5	Degrees C to thousandths
Salinity	26	5	Bytes	I5	P.P.T. to thousandths
Sigma-t	31	4	Bytes	I4	To hundredths
Scan Condition Code	35	1	Bytes	A1	Code describing how data arrived at
SCAN DATA	36	4(20)	Bytes	4(3I5,I4,A1)	Repetition of above
Sequence Number	116	5	Bytes	I5	Ascending numeric, used for sorting
Blanks are used when significance of field indicated exceeds what is measured.					

D. INSTRUMENT CALIBRATION

This calibration information will be utilized by NOAA's National Oceanographic Instrumentation Center in their efforts to develop calibration standards for voluntary acceptance by the oceanographic community. Identify the instruments used by your organization to obtain the scientific content of the DDF (i.e., STD, temperature and pressure sensors, salinometers, oxygen meters, velocimeters, etc.) and furnish the calibration data requested by completing and/or checking ("✓") the appropriate spaces. Add the interval time (i.e., 3 months, 6 months, 9 months, etc.) if the fixed interval calibration cycle is checked.

INSTRUMENT TYPE (MFR., MODEL NO.)	DATE OF LAST CALIBRATION	INSTRUMENT WAS CALIBRATED BY		CHECK ONE: INSTRUMENT IS CALIBRATED					INSTRUMENT IS NOT CALI- BRATED (✓)
		YOUR ORGANIZATION (✓)	OTHER ORGANIZATION (GIVE NAME)	AT FIXED INTERVALS (✓)	BEFORE OR AFTER USE (✓)	BEFORE AND AFTER USE (✓)	ONLY AFTER REPAIR (✓)	ONLY WHEN NEW (✓)	
Plessey 9040 CTD S/N 5914	Dec. 75		NOIC	~ 6 mo.					

CRUISE	VESSEL	LOCATION	BEGIN-END DATES	COUNT	PARAMETER
--------	--------	----------	-----------------	-------	-----------

RP-4-SU-75

SURVEYOR

76-1225
022 SU-75

N50+ W140+
N50+ W140+
N50+ W140+
N50+ W140+
N60+ W140+
N60+ W140+

750605	750612	96	STATIONS
750605	750612	96	TEMPERATURE
750605	750612	96	SALINITY
750605	750612	96	SIGMA T

```
// EXEC IRS01CP,SC=21K,SCYL=20,SP=4K,ST=8K,OCYL=60,SR=256,SS=256,SH=100
//IRS01.CARDIN DD *
//IRS02.IRSLIB DD DSNAME=&&LODICT,DISP=(OLD,PASS)
//IRS02.IRSPSN DD UNIT=TAPE7,LABEL=(01,NL),DISP=(OLD,PASS),
//   CCB=(BLKSIZE=3600,LRECL=120,RECFM=FB,TRTCH=ET,DEN=2),DSN=FILO22,
//   VCL=SER=GF1225
//IRS02.IRSPSC DD *
//IRS03.IRSLIB DD DSNAME=&&LODICT,DISP=(OLD,PASS)
//
```

MESA

Orig. tape = 9402/1

User tape = 2096/5
2784/5

022-1

#2 001544

ANSI 013839

- 2995

2418

(c 4048)

120/4300, F022

#1 U 020660

TR 53-60, 74-75, 96, (107-112), 115-117, 119-123, 125,
127-128, 134-135, 146-153

162,089

TR 107 accession no: 76-1224
 108 accession no: 76-1225
 109 " 76-1226
 110 " 76-0747
 111-112 " 76-1228

no check run

NANSEN REF. #

319032

MULDARS TRACK #

TR0108

MONITOR: CONTACT

J. Frank

LOCATION OF F022 SOURCE

Archives

RECORD ALL ERRORS FOUND

CONSEC(S)

12

ERRORS FOUND

Remove Depth to Bottom
value

Muldars corrections made 10/4/83
12 - depth to bottom removed.

CO []

N.O.D.C. -- NAPIS RECORD

ACCESSION NO []

DATE RECEIVED: YR [] MO [] DAY []

PUB-NO []

T-CD []

N.O.D.C. -- TRACK RECORD

ACCESSION NO [7661225] REFERENCE NO [TR 0108] DNP (Y/N) []

COUNTRY CODE [] COUNTRY []

INST. CODE []

FILE-ALIAS [] FILE-NAME []

PROJ-CODE [] PROJ-NAME []

MEDIUM: CODE [] TYPE []

PLATFORM:

TYPE CODE [] TYPE []

PLAT CODE [] NAME []

CRUISE NO [] CRUISE-START [] CRUISE-END []

RCOUNT [] STATIONS-IN [] STATIONS-OUT []

STATUS REJ [] SU [] SP [] QUADI []

DATES: PROCESS [] DIP [] MEUPDT [] RETCOR [836921]

DATA TRACK: RU [] FILE-ID [] LEASE []

·Password:

accNo	fileA	refNo	proj	inst	ship	startDate	cruise	catId
7601225	F022	TR0108	0081	313F	31SU	1975/06/05	RP4SU75	299583
7601225	C022	319032	0081	313F	31SU	1975/06/05	TR0108	299584

(2 rows affected)

Password:

accNo	fileA	refNo	ship	staCnt	recCnt	startDate	endDate
7601225	F022	TR0108	31SU	96	4332	75/06/05	75/06/09
7601225	C022	319032	31SU	96	121	75/06/05	75/06/12

(2 rows affected)

;

! Password:

accNo	fileA	refNo	proj	inst	ship	startDate	cruise	catId
7601225	F022	TR0108	0081	313F	31SU	1975/06/05	RP4SU75	299583
7601225	C022	319032	0081	313F	31SU	1975/06/05	TR0108	299584

(2 rows affected)

Password:

accNo	fileA	refNo	ship	staCnt	recCnt	startDate	endDate
7601225	F022	TR0108	31SU	96	4332	75/06/05	75/06/09
7601225	C022	319032	31SU	96	121	75/06/05	75/06/12

(2 rows affected)