


DATA DOCUMENTATION FORM

NOAA FORM 24-13
(4-72)U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEANOGRAPHIC DATA CENTER
RECORDS SECTION
ROCKVILLE, MARYLAND 20852FORM APPROVED
O.M.B. No. 41-R2651

This form should accompany all data submissions to NODC. Section A, Originator Identification, must be completed when the data are submitted. It is highly desirable for NODC to also receive the remaining pertinent information at that time. This may be most easily accomplished by attaching reports, publications, or manuscripts which are readily available describing data collection, analysis, and format specifics. Readable, handwritten submissions are acceptable in all cases. All data shipments should be sent to the above address.

A. ORIGINATOR IDENTIFICATION

THIS SECTION MUST BE COMPLETED BY DONOR FOR ALL DATA TRANSMITTALS

1. NAME AND ADDRESS OF INSTITUTION, LABORATORY, OR ACTIVITY WITH WHICH SUBMITTED DATA ARE ASSOCIATED			
Pacific Marine Environmental Laboratory 3711 15th Ave. N.E. Seattle, WA 98105			
2. EXPEDITION, PROJECT, OR PROGRAM DURING WHICH DATA WERE COLLECTED		3. CRUISE NUMBER(S) USED BY ORIGINATOR TO IDENTIFY DATA IN THIS SHIPMENT	
MESA Puget Sound Project (PSERP)		761116	
4. PLATFORM NAME(S)	5. PLATFORM TYPE(S) (E.G., SHIP, BUOY, ETC.)	6. PLATFORM AND OPERATOR NATIONALITY(IES)	7. DATES
SNOW GOOSE	SHIP 3	PLATFORM	OPERATOR
		U.S.	U.S.
		FROM: MO/DAY/YR	TO: MO/DAY/YR
		11/16/76	11/24/76
8. ARE DATA PROPRIETARY? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES IF YES, WHEN CAN THEY BE RELEASED FOR GENERAL USE? YEAR ____ MONTH ____		11. PLEASE DARKEN ALL MARSDEN SQUARES IN WHICH ANY DATA CONTAINED IN YOUR SUBMISSION WERE COLLECTED.	
9. ARE DATA DECLARED NATIONAL PROGRAM (DNP)? (I.E., SHOULD THEY BE INCLUDED IN WORLD DATA CENTERS HOLDINGS FOR INTERNA- TIONAL EXCHANGE?) <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> PART (SPECIFY BELOW)		Puget Sound GENERAL AREA	
10. PERSON TO WHOM INQUIRIES CONCERNING DATA SHOULD BE ADDRESSED WITH TELE- PHONE NUMBER (AND ADDRESS IF OTHER THAN IN ITEM-1) Ed Baker PMEL/ERL/NOAA 442-4800 (commercial) 399-4800 (FTS)			

B. SCIENTIFIC CONTENT

Include enough information concerning manner of observation, instrumentation, analysis, and data reduction routines to make them understandable to future users. Furnish the minimum documentation considered relevant to each data type. Documentation will be retained as a permanent part of the data and will be available to future users. Equivalent information already available may be substituted for this section of the form (i.e., publications, reports, and manuscripts describing observational and analytical methods). If you do not provide equivalent information by attachment, please complete the scientific content section in a manner similar to the one shown in the following example.

EXAMPLE (HYPOTHETICAL INFORMATION)

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
Salinity	‰	Nansen bottles	Inductive salinometer (Hytech model S510)	N/A (Not applicable)
		STD Bissett-Berman Model 9006	N/A	Values averaged over 5-meter intervals
Water color	Forel scale	Visual comparison with Forel bottles	N/A	N/A
Sediment size	φ units and percent by weight	Ewing corer	Standard sieves. Carbonate fraction removed by acid treatment	Same as "Sedimentary Rock Manual," Folk '65

(SPACE IS PROVIDED ON THE FOLLOWING
TWO PAGES FOR THIS INFORMATION)

D. INSTRUMENT CALIBRATION

This calibration information will be utilized by NOAA's National Oceanographic Instrumentation Center in their efforts to develop calibration standards for voluntary acceptance by the oceanographic community. Identify the instruments used by your organization to obtain the scientific content of the DDF (i.e., STD, temperature and pressure sensors, salinometers, oxygen meters, velocimeters, etc.) and furnish the calibration data requested by completing and/or checking ("✓") the appropriate spaces. Add the interval time (i.e., 3 months, 6 months, 9 months, etc.) if the fixed interval calibration cycle is checked.

INSTRUMENT TYPE (MFR., MODEL NO.)	DATE OF LAST CALIBRATION	INSTRUMENT WAS CALIBRATED BY		CHECK ONE: INSTRUMENT IS CALIBRATED					INSTRUMENT IS NOT CALIBRATED
		YOUR ORGANIZATION (✓)	OTHER ORGANIZATION (GIVE NAME)	AT FIXED INTERVALS (✓)	BEFORE OR AFTER USE (✓)	BEFORE AND AFTER USE (✓)	ONLY AFTER REPAIR (✓)	ONLY WHEN NEW (✓)	
PMEL Analog Nephelometer	See attached sheet								

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
Nephels	kHx to hundredths	See attached sheet	N/A	N/A
Total sus- pended matter (tss)	$\mu\text{g}/\ell$ (micrograms per liter)	See attached sheet	Samples on 0.4 μm Nuclepore filters weighed on a Cahn 4700 automatic electrobalance	N/A

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING

C. DATA FORMAT

This information is requested only for data transmitted on punched cards or magnetic tape. Have one of your data processing specialists furnish answers either on the form or by attaching equivalent readily available documentation. Identify the nature and meaning of all entries and explain any codes used.

1. List the record types contained in your file transmittal (e.g., tape label record, master, detail, standard depth, etc.).
2. Describe briefly how your file is organized.
- 3-13. Self-explanatory.
14. Enter the field name as appropriate (e.g., header information, temperature, depth, salinity).
15. Enter starting position of the field.
16. Enter field length in number columns and unit of measurement (e.g., bit, byte, character, word) in unit column.
17. Enter attributes as expressed in the programming language specified in item 3 (e.g., "F 4.1," "BINARY FIXED (5.1)").
18. Describe field. If sort field, enter "SORT 1" for first, "SORT 2" for second, etc. If field is repeated, state number of times it is repeated.

COMPLETE THIS SECTION FOR PUNCHED CARDS OR TAPE, MAGNETIC TAPE, OR DISC SUBMISSIONS.

Record Type 5 - 5 in Col. 10

record Type 5 is a data listing card.

ADDRESS PMEL, Hangar 32, 7600 Sand Point Way N.E., Seattle, WA 98115

USCOMM-DC 44289-P72

C. DATA FORMAT

COMPLETE THIS SECTION FOR PUNCHED CARDS OR TAPE, MAGNETIC TAPE, OR DISC SUBMISSIONS.

LIST RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
GIVE METHOD OF IDENTIFYING EACH RECORD TYPE

USER TAPE

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

3. ATTRIBUTES AS EXPRESSED IN ☐ PL-1 ☐ ALGOL ☐ COBOL
☐ FORTRAN ☐ _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER _____
ADDRESS _____

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input checked="" type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input type="checkbox"/> SEVEN</p> <p><input checked="" type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK</p> <p><input type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input checked="" type="checkbox"/> ODD</p> <p><input type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p>1340 (1, NL)</p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input checked="" type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p>4800</p>
	<p>13. LENGTH OF BYTES IN BITS</p> <p>80</p>

RECORD FORMAT DESCRIPTION

RECORD NAME Trace Metals (Station/Sample Header)

14. FIELD NAME	15. POSITION FROM -1 MEASURED IN <u>Bytes</u> (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
File Type	1	3	Bytes	A3	Always '021'
File Identifier	4	6	Bytes	A6	'YYMMDD' = date of file creation or unique cruise number
Record Type	10	1	Bytes	A1	Always '1'
Sequence Number	11	3	Bytes	I3	Ascending order for sorting
Station Number	14	5	Bytes	A5	
Latitude,					
Degrees	19	2	Bytes	I2	
Minutes	21	2	Bytes	I2	
Seconds	23	2	Bytes	I2	
Hemisphere	25	1	Bytes	A1	'N' or 'S'
Longitude,					
Degrees	26	3	Bytes	I3	
Minutes	29	2	Bytes	I2	
Seconds	31	2	Bytes	I2	
Hemisphere	33	1	Bytes	A1	'E' or 'W'
Sample Collection					
Date-Time					
Year	34	1	Bytes	I2	00 to 99
Month	36	2	Bytes	I2	01 to 12
Day	38	2	Bytes	I2	01 to 31
Hour	40	2	Bytes	I2	00 to 23
Minutes	42	2	Bytes	I2	00 to 59
Depth to Bottom	44	5	Bytes	I5	Whole meters
Where Code	49	1	Bytes	A1	
Blank	50	31	Bytes	31X	

G.M.T.

RECORD FORMAT DESCRIPTION

RECORD NAME Trace Metals (Text)

14. FIELD NAME	15. POSITION FROM - 1 MEASURED IN (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
File Type	1	3	Bytes	A3	Always '021'
File Identifier	4	6	Bytes	A6	'YYMMDD' = date of file creation or unique cruise number
Record Type	10	1	Bytes	A1	Always '2'
Sequence Number	11	3	Bytes	I3	Ascending order for sorting
Station Number	14	5	Bytes	A5	
Text	19	62	Bytes	62A1	Any descriptive alpha-numeric information

RECORD FORMAT DESCRIPTION

RECORD NAME Trace Metals (Data III)

14. FIELD NAME	15. POSITION FROM - 1 MEASURED IN <u>Bytes</u> (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
File Type	1	3	Bytes	A3	Always '021'
File Identifier	4	6	Bytes	A6	'YYMMDD' = date of file creation or unique cruise number
Record Type	10	1	Bytes	A1	Always '5'
Sequence Number	11	3	Bytes	I3	Ascending order for sorting
Station Number	14	5	Bytes	A5	
Sample Depth	19	4	Bytes	I4	Whole meters
Replicate Number	23	1	Bytes	I1	
Lab Sample Number	24	4	Bytes	I4	
Nephels	28	5	Bytes	I5	kHz in hundredths
Total Suspended Matter (TSM)	33	6	Bytes	I6	Micrograms per liter

RECORD FORMAT DESCRIPTION

RECORD NAME

14. FIELD NAME	15. POSITION FROM - 1 MEASURED IN <small>(e.g., bits, bytes)</small>	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		

INSTRUMENT CALIBRATION

The analog nephelometer is calibrated empirically in the field with units of relative scattering intensity. Quantitative calibration is done in the laboratory by correlating light scattering values with TSM values (in $\mu\text{g}/\ell$).

SAMPLING METHODS

Water samples were collected in 5-liter Scott-Richards bottles and filtered under vacuum through preweighed 0.4 μm Nuclepore filters. The filters were removed from the filtration apparatus, placed into individually marked petri dishes, dried in a desiccator for 24 hours, and stored frozen for return to the laboratory.

The vertical distribution of suspended matter was determined with a continuously recording integrating nephelometer. The instrument was interfaced with a Plessey CTD System, using the sound velocity channel (14-16 kHz), to obtain real time measurements of forward light scattering.

Password:

accNo	fleA	refNo	proj	inst	ship	startDate	cruise	catId
-----	----	-----	----	----	-----	-----	-----	-----
7700488	F144	TR1540	0082	313F	32GS	1976/11/17	PSERP	304199

(1 row affected)

Password:

accNo	fileA	refNo	ship	staCnt	recCnt	startDate	endDate
-----	-----	-----	-----	-----	-----	-----	-----
7700488	F144	TR1540	32GS	35	375	76/11/17	76/11/24

(1 row affected)