

MENORCA, SP

Latitude = 39.86 N

Longitude = 4.22 E

Period of Record = 1988 To 2017

Station ID = ICAO_LEMH

Elevation = 298 Feet

Average Pressure = 29.73 inches Hg

Design Criteria Data

Dry Bulb Temperature (T)	Mean Coincident (Average) Values				
	Design Value (°F)	Wet Bulb Temperature (°F)	Humidity Ratio (gr/lb)	Wind Speed (mph)	Prevailing Direction (NSEW)
Median of Extreme Highs	93	71	83	8.5	S
0.4% Occurrence	89	72	91	9.1	S
1.0% Occurrence	86	72	94	9.8	S
2.0% Occurrence	85	71	95	9.9	S
Mean Daily Range	12	-	-	-	N
97.5% Occurrence	45	43	36	9.2	N
99.0% Occurrence	42	39	32	9.8	N
99.6% Occurrence	40	38	30	10.4	N
Median of Extreme Lows	36	34	26	9.6	N

Wet Bulb Temperature (T _{wb})	Design Value (°F)	Dry Bulb Temperature (°F)	Humidity Ratio (gr/lb)	Wind Speed (mph)	Prevailing Direction (NSEW)
Median of Extreme Highs	78	84	132	8.8	S
0.4% Occurrence	76	82	124	8.7	S
1.0% Occurrence	75	81	120	8.4	S
2.0% Occurrence	74	80	116	8.3	S

Humidity Ratio (HR)	Design Value (gr/lb)	Dry Bulb Temperature (°F)	Vapor Pressure (in. Hg)	Wind Speed (mph)	Prevailing Direction (NSEW)
Median of Extreme Highs	137	81	0.9	7.4	S
0.4% Occurrence	132	80	0.88	7.8	E
1.0% Occurrence	124	79	0.82	7.4	S
2.0% Occurrence	120	78	0.79	7.5	S

Air Conditioning/ Humid Area Criteria	Threshold	T ≥ 93 °F	T ≥ 80 °F	Twb ≥ 73 °F	Twb ≥ 67 °F
	# of Hours	7	654	401	1875


Other Site Data

Weather Region	Rain Rate 100 Year Recurrence (in./hr)	Basic Wind Speed 3 sec gust @ 33 ft 50 Year Recurrence (mph)	Ventilation Cooling Load Index (Ton-hr/cfm/yr) Base 75°F-RH 60% Latent + Sensible
8	N/A	N/A	2.6 + 0.6
Ground Water Temperature (°F) 50 Foot Depth*	Frost Depth 50 Year Recurrence (in)	Ground Snow Load 50 Year Recurrence (lb/ft ²)	Average Annual Freeze-Thaw Cycles (#)
65.6	N/A	N/A	0


*Note: Temperatures at greater depths can be estimated by adding 1.5°F per 100 feet additional depth.




Average Annual Climate



Long Term Psychrometric Summary



Psychrometric Summary of Peak Design Values



	(° F) / (gr/lb)	MCDB (° F)	MCWB (° F)	MCDP (° F)	MCHR (gr/lb)	Enthalpy (btu/lb)
1.0% Dry Bulb	86.0		72		94.0	35.4
99.0% Dry Bulb	42.0				32.0	14.9
1.0% Humidity Ratio	124.0	79.0	74.7	73.0		38.4

Dry-Bulb Temperature Hours For An Average Year

	January					February					March				
Temperature Range (° F)	01 To 08 LST	09 To 16 LST	17 to 00 LST	Total Obs	M C W B (° F)	01 To 08 LST	09 To 16 LST	17 to 00 LST	Total Obs	M C W B (° F)	01 To 08 LST	09 To 16 LST	17 to 00 LST	Total Obs	M C W B (° F)
100/104															
95/ 99															
90/ 94															
85/ 89															
80/ 84															
75/ 79												0	0	0	60.9
70/ 74												2	0	2	58.4
65/ 69		1	0	1	59		2	0	2	56.3	0	14	2	16	57.2
60/ 64	2	29	4	35	55.8	1	30	4	35	55	1	77	19	97	55
55/ 59	36	108	57	201	52.8	23	96	52	171	52.4	54	104	96	254	52.7
50/ 54	91	77	107	275	48.8	85	60	90	235	48.7	112	38	90	240	48.9
45/ 49	88	27	64	179	44.3	76	27	54	157	44	62	10	33	105	44.3
40/ 44	27	4	13	44	40.1	31	7	18	56	39.4	16	2	7	25	40.1
35/ 39	4	1	2	7	35.6	8	2	4	14	35.4	2	0	1	3	36
30/ 34	0	0	0	0	31.6	0	0	0	0	32.2	0		0	0	31

Caution: This summary reflects the typical distribtion of temperature in a typical year. It does not reflect the typical mositure distribution. Because wet bulb temperatures are averaged, this summary understates the annual moisture load. For accurate moisture load data, see the long-term humidity summary and the ventilation and infiltration load pages in this manual.

Dry-Bulb Temperature Hours For An Average Year

	April					May					June				
Temperature Range (° F)	01 To 08 LST	09 To 16 LST	17 to 00 LST	Total Obs	M C W B (° F)	01 To 08 LST	09 To 16 LST	17 to 00 LST	Total Obs	M C W B (° F)	01 To 08 LST	09 To 16 LST	17 to 00 LST	Total Obs	M C W B (° F)
100/104															
95/ 99															
90/ 94												2	0	2	67.4
85/ 89							0		0	65.4	0	16	2	18	68.7
80/ 84		0		0	61		4	1	5	65	2	48	15	65	68.2
75/ 79		1	0	1	62.5	1	26	6	33	63.7	11	83	42	136	66.7
70/ 74	0	13	2	15	59.5	4	79	25	108	62.1	57	65	83	205	65.3
65/ 69	1	51	11	63	58.4	29	86	66	181	60.5	94	20	67	181	62.8
60/ 64	16	100	54	170	56	109	39	99	247	58.7	65	5	27	97	59.3
55/ 59	106	58	113	277	53.4	83	12	43	138	54.6	11	1	3	15	55.3
50/ 54	93	14	52	159	49.5	21	2	8	31	50.5	0	0	0	0	51.2
45/ 49	22	2	8	32	45	2	0	1	3	46.2					
40/ 44	2	0	0	2	40.7										
35/ 39	0	0		0	38										
30/ 34	0			0	32										

Caution: This summary reflects the typical distribution of temperature in a typical year. It does not reflect the typical moisture distribution. Because wet bulb temperatures are averaged, this summary understates the annual moisture load. For accurate moisture load data, see the long-term humidity summary and the ventilation and infiltration load pages in this manual.

Dry-Bulb Temperature Hours For An Average Year

	July					August					September				
Temperature Range (° F)	01 To 08 LST	09 To 16 LST	17 to 00 LST	Total Obs	M C W B (° F)	01 To 08 LST	09 To 16 LST	17 to 00 LST	Total Obs	M C W B (° F)	01 To 08 LST	09 To 16 LST	17 to 00 LST	Total Obs	M C W B (° F)
100/104								0	0	80					
95/ 99		0	0	0	73.3		1	0	1	71.5					
90/ 94		7	1	8	71.9	0	12	2	14	72.1		0		0	68.8
85/ 89	0	49	11	60	71.2	0	55	11	66	72.7		6	0	6	73
80/ 84	7	106	45	158	70.5	9	119	56	184	71.7	1	52	8	61	71.2
75/ 79	55	68	96	219	69.4	95	50	114	259	70.6	24	109	64	197	69
70/ 74	130	16	78	224	67.3	112	9	56	177	67.2	92	54	97	243	66.3
65/ 69	48	2	16	66	63.2	29	2	8	39	63.1	83	14	52	149	62.5
60/ 64	8	1	2	11	59.7	4	0	1	5	59.3	36	4	16	56	58.6
55/ 59	0			0	57.5	0		0	0	56.2	5	0	2	7	54.6
50/ 54											0		0	0	50.1
45/ 49															
40/ 44															
35/ 39															
30/ 34															

Caution: This summary reflects the typical distribution of temperature in a typical year. It does not reflect the typical moisture distribution. Because wet bulb temperatures are averaged, this summary understates the annual moisture load. For accurate moisture load data, see the long-term humidity summary and the ventilation and infiltration load pages in this manual.

Dry-Bulb Temperature Hours For An Average Year

	October					November					December				
Temperature Range (° F)	01 To 08 LST	09 To 16 LST	17 to 00 LST	Total Obs	M C W B (° F)	01 To 08 LST	09 To 16 LST	17 to 00 LST	Total Obs	M C W B (° F)	01 To 08 LST	09 To 16 LST	17 to 00 LST	Total Obs	M C W B (° F)
100/104															
95/ 99															
90/ 94															
85/ 89		0		0	67										
80/ 84	0	6	0	6	69.9										
75/ 79	1	47	7	55	68.8		1		1	65.8					
70/ 74	30	99	57	186	66	0	18	1	19	64.2		0		0	62
65/ 69	85	63	91	239	62.6	13	64	22	99	61.4	0	7	0	7	59.8
60/ 64	90	26	66	182	58.4	58	81	74	213	57.7	13	69	19	101	57.3
55/ 59	34	7	22	63	53.7	91	50	85	226	53.4	59	90	82	231	53.2
50/ 54	7	1	3	11	49	55	19	41	115	48.6	95	60	88	243	48.8
45/ 49	1		0	1	45.8	19	7	15	41	44.3	62	19	47	128	44.2
40/ 44			0	0	41	4	1	3	8	40.4	17	3	10	30	40.1
35/ 39						0	0		0	37	1	0	1	2	35.9
30/ 34											0			0	30


Caution: This summary reflects the typical distribution of temperature in a typical year. It does not reflect the typical moisture distribution. Because wet bulb temperatures are averaged, this summary understates the annual moisture load. For accurate moisture load data, see the long-term humidity summary and the ventilation and infiltration load pages in this manual.

Dry-Bulb Temperature Hours For An Average Year


	Annual				
Temperature Range (°F)	01 To 08 LST	09 To 16 LST	17 to 00 LST	Total Obs	M C W B (°F)
100/104			0	0	80
95/ 99		1	0	1	71.7
90/ 94	0	21	2	23	71.6
85/ 89	0	127	25	152	71.6
80/ 84	17	335	125	477	70.7
75/ 79	187	385	331	903	69
70/ 74	425	355	399	1179	65.9
65/ 69	382	325	334	1041	61.8
60/ 64	401	460	384	1245	57.6
55/ 59	502	526	555	1583	53.2
50/ 54	560	271	481	1312	48.9
45/ 49	333	92	223	648	44.2
40/ 44	97	17	52	166	39.9
35/ 39	16	4	8	28	35.6
30/ 34	1	1	1	3	31.9

Caution: This summary reflects the typical distribution of temperature in a typical year. It does not reflect the typical moisture distribution. Because wet bulb temperatures are averaged, this summary understates the annual moisture load. For accurate moisture load data, see the long-term humidity summary and the ventilation and infiltration load pages in this manual.

Annual Summary of Temperatures




Long Term Humidity and Dry Bulb Temperature Summary



Long Term Humidity and Dry Bulb Temperature Summary


Week Ending	1.0% Temp (° F)	MCWB@ 1% Temp (° F)	Mean Max Temp (° F)	Mean Min Temp (° F)	99% Temp (° F)	1.0% HR (gr/lb)	MCDB@ 1% HR (° F)	Mean Max HR (gr/lb)	Mean Min HR (gr/lb)
7-Jan	63	57	57.6	47.2	41	70.7	59.5	54.3	39.2
14-Jan	62	57.1	57.6	47.5	40	69.3	60	54.6	40.8
21-Jan	62	55.6	56.7	46.5	41	67.2	58	52.1	38
28-Jan	62	56.5	56.4	46.6	37	65.1	58.1	52	37.8
4-Feb	61	55.2	56.4	46.2	37	65.8	57.6	52.4	37.7
11-Feb	62	54.8	56.7	45.7	37	65.1	57.5	51.4	36.4
18-Feb	63	55.7	56.8	46.3	38	67.2	60.2	51.1	36.5
25-Feb	63	54.8	57.4	46.2	37	65.1	58.5	52.4	36.9
4-Mar	64	55.4	57.9	47.2	38	65.8	58.1	53.8	38.5
11-Mar	66	57.3	58.8	47.4	40	67.9	59.4	52.8	36.6
18-Mar	66	55.7	60.7	48.7	41	67.2	59	56.9	41.3
25-Mar	69	57.6	61.5	49.5	43	70	61.3	58.1	42
1-Apr	68	58.5	61.8	49.6	45	72.8	62.9	58.9	42.5
8-Apr	69	57.2	62.5	50.5	45	70.7	61.2	60.3	43.8
15-Apr	70	59.4	63.4	51.1	45	72.8	63.5	61.8	44.1
22-Apr	70	60.2	64.5	51.8	46	77	65.7	62.9	44.2
29-Apr	73	59.2	66.2	53.5	48	80.5	66.1	67.3	48.5
6-May	74	60.5	67.5	54.7	49	86.8	67.8	69.2	50
13-May	77	62.5	69.7	56.9	51	87.5	67.3	75.3	56.5
20-May	77	63.2	70.8	57.6	51	90.3	67.9	75.9	54.7
27-May	80	64.8	72.6	59.3	54	96.6	70.5	79.4	58.4
4-Jun	82	65.2	74.7	60.8	56	97.3	71	84.3	60.8
10-Jun	84	65.2	75.8	62.2	57	103.6	72.9	87.8	63.1
17-Jun	88	67.6	78.2	64	59	110.6	75.9	91.6	63.9
24-Jun	88	68.1	79.9	65.7	59	114.8	75.4	95.2	67
1-Jul	88	69.2	81.6	67.2	62	123.9	78.1	101.7	71.3
8-Jul	89	71.2	81.9	68.6	64	123.2	78	105	75
15-Jul	89	70.1	82.1	68.7	63	124.6	78.6	103.3	74.2
22-Jul	90	72.1	84.3	70.1	66	128.1	80.7	109.7	76.8
29-Jul	90	72.8	84.6	71	66	132.3	80.4	112.4	80.4
5-Aug	91	73.2	85.1	71.4	68	137.9	81.8	114.1	82.2
12-Aug	91	71	84.6	71.3	66	137.2	80.7	112.5	80.8
19-Aug	90	72.2	84.5	71.1	65	132.3	79.7	114	83.9
26-Aug	90	72.9	84.5	71.3	65	137.2	82.2	115	85
2-Sep	89	71.6	82.3	69.7	64	137.2	80.1	107.5	79.2
9-Sep	86	73.3	80.9	68.8	64	131.6	78.2	105.7	78.7
16-Sep	84	71.8	79.4	67	61	127.4	78.1	102	76.7
23-Sep	82	72.5	77.5	65.7	60	123.9	77.6	97.1	74.7
30-Sep	80	69.4	75.7	64	57	119.7	76.5	92	70.4
7-Oct	80	70.1	74.8	63.5	55	119.7	76	92.9	70.4
14-Oct	79	70.3	73.4	62.4	55	112	73.9	89.1	67.7
21-Oct	78	70.5	72.2	61.5	54	111.3	72.9	86.7	65.7
28-Oct	77	68.6	71.1	60.3	51	110.6	73.7	84.1	63
4-Nov	74	65	69.3	58.2	52	97.3	69.5	79.6	58.7
11-Nov	71	64	65.6	54.7	49	93.1	68.3	68.9	49.4
18-Nov	70	64.5	64.1	54.3	46	89.6	67.2	68.2	50.2
25-Nov	70	65	62.3	52	42	89.6	67	65	47.3
2-Dec	67	61	60.6	51	44	80.5	64.5	60.7	44.4
9-Dec	66	60.8	60.1	49.8	43	75.6	62.1	59.8	43.6
16-Dec	64	58.8	58.8	48.5	41	78.4	62.4	56.7	41.8
23-Dec	64	59.3	58.3	48.9	41	75.6	61.9	56.7	41.7
31-Dec	64	58.9	57.8	48.1	41	75.6	61.1	55	40.2

Degree Days, Heating and Cooling (Base 65 F) & Cooling (Base 50F)



Month	Mean Cooling Degree Days (°F) Base 50	Mean Cooling Degree Days (°F) Base 65	Mean Heating Degree Days (°F) Base 65
JAN	94.7	0	410.4
FEB	84.8	0.1	384.9
MAR	153.6	1.8	334.9
APR	238.7	8.9	224.5
MAY	437.4	62.1	90
JUN	640.2	203.8	13.6
JUL	818.4	354.1	0.8
AUG	855.6	391	0.4
SEP	670.5	228	7.5
OCT	521.9	101.9	45
NOV	270.5	11.6	197.7
DEC	140	0.3	350.8
ANN	4926.3	1363.6	2060.5

Average Ventilation and Infiltration Loads (Outside Air vs 75F, 60% RH summer; 68F, 30% RH winter)



Month	Average Sensible Cooling Load (Btu/cfm)	Average Sensible Heating Load (Btu/cfm)	Average Latent Cooling Load (Btu/cfm)	Average Latent Heating Load (Btu/cfm)
JAN	0	-13048	0	-151
FEB	0	-12174	0	-265
MAR	1	-11058	0	-148
APR	2	-7988	10	-35
MAY	85	-3930	406	-3
JUN	973	-912	3155	0
JUL	2473	-101	8009	0
AUG	2966	-52	10494	0
SEP	863	-549	5897	0
OCT	124	-2279	2952	-4
NOV	0	-7232	257	-34
DEC	0	-11496	3	-99
ANN	7487	-70819	31183	-739

Station Information		Shading Geometry in Dimensionless Units	
City, State, WBAN	N/A	N/A	N/A
Lat, Lon, Elev	N/A	N/A	N/A
Press Stn Type	N/A	N/A	N/A

AVERAGE INCIDENT SOLAR RADIATION (Btu/sq.ft./day), Percentage Uncertainty = 9														
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year
HORIZ.	Global													
	Std.Dev.													
	Minimum													
	Maximum													
	Diffuse													
Clear Day	Global													
NORTH	Global													
	Diffuse													
Clear Day	Global													
EAST	Global													
	Diffuse													
Clear Day	Global													
SOUTH	Global													
	Diffuse													
Clear Day	Global													
WEST	Global													
	Diffuse													
Clear Day	Global													


Average Annual Solar Radiation - Nearest Available Site Source: National Renewable Energy Laboratory, Golden CO, 1995

AVERAGE TRANSMITTED SOLAR RADIATION (Btu/sq.ft./day) FOR DOUBLE GLAZING, Percentage Uncertainty = 9														
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year
HORIZ.	Unshaded													
NORTH	Unshaded													
	Shaded													
EAST	Unshaded													
	Shaded													
SOUTH	Unshaded													
	Shaded													
WEST	Unshaded													
	Shaded													


AVERAGE INCIDENT ILLUMINANCE (klux-hr) FOR MOSTLY CLEAR AND MOSTLY CLOUDY CONDITIONS, Percentage Uncertainty = 9												
				March						June		
		9am	11am	1pm	3pm	5pm	9am	11am	1pm	3pm	5pm	
HORIZ.	M.Clear											
	M.Cloudy											
NORTH	M.Clear											
	M.Cloudy											
EAST	M.Clear											
	M.Cloudy											
SOUTH	M.Clear											
	M.Cloudy											
WEST	M.Clear											
	M.Cloudy											
M.Clear	(% hrs)											

				Sept						Dec		
		9am	11am	1pm	3pm	5pm	9am	11am	1pm	3pm	5pm	
HORIZ.	M.Clear											
	M.Cloudy											
NORTH	M.Clear											
	M.Cloudy											
EAST	M.Clear											
	M.Cloudy											
SOUTH	M.Clear											
	M.Cloudy											
WEST	M.Clear											
	M.Cloudy											
M.Clear	(% hrs)											


Wind Summary - December, January, and February



Wind Summary - March, April, and May



Wind Summary - June, July, and August



Wind Summary - September, October, and November

