

Local Climatological Data Beta Release
Hourly Observations
January 2017
Generated on 03/30/2017

Elev: 2117 ft. Lat: 35.432° N Lon: 82.538° W
Station: ASHEVILLE AIRPORT, NC US WBAN:03812

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press. (in. Hg)	Press. Tend	Net 3-Hr Change (in. Hg)	Sea Level Press. (in. Hg)	Report Type	Precip Total (in)	Alti-meter Setting (in. Hg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
01	0054	FM-15	BKN:07 38 OVC:08 80	10.00		44	6.7	39	3.9	32	0.0	63	13	160		27.78	8		30.05	7	0.00	30.06
01	0100	FM-12	41			44	6.7	39	3.9	32	0.0	63	13	160		27.75	8	+0.02	30.05	4		
01	0154	FM-15	SCT:04 65 OVC:08 80	10.00	-RA:02 RA:61	42	5.6	39	3.7	35	1.7	76	13	180		27.78			30.06	7	T	30.06
01	0254	FM-15	BKN:07 35 OVC:08 50	10.00		42	5.6	39	4.0	36	2.2	79	13	160		27.79			30.06	7	T	30.07
01	0354	FM-15	BKN:07 48 OVC:08 60	10.00		42	5.6	40	4.4	38	3.3	85	6	180		27.79	1		30.06	7	0.00	30.07
01	0405	FM-16	SCT:04 9 BKN:07 48 OVC:08 65	10.00		43	6.1	40	4.7	38	3.3	82	5	VRB		27.79				7		30.07
01	0442	FM-16	BKN:07 9 BKN:07 43	10.00		42	5.6	40	4.4	38	3.3	85	5	140		27.78				7		30.06
01	0454	FM-15	OVC:08 9	10.00		43	6.1	40	4.7	38	3.3	82	3	180		27.79			30.06	7	0.00	30.07
01	0529	FM-16	FEW:02 9 OVC:08 40	10.00		42	5.6	40	4.4	38	3.3	85	5	180		27.79				7		30.07
01	0554	FM-15	BKN:07 40 OVC:08 47	10.00		43	6.1	40	4.7	38	3.3	82	0	000		27.80			30.08	7	0.00	30.08
01	0654	FM-15	OVC:08 41	10.00		43	6.1	40	4.7	38	3.3	82	0	000		27.82	3		30.10	7	0.00	30.10
01	0700	FM-12	41			43	6.1	40	4.7	38	3.3	82	0	000		27.79	3	-0.03	30.10	4		
01	0754	FM-15	OVC:08 43	9.00	-RA:02 RA:61	42	5.6	40	4.4	38	3.3	85	0	000		27.83			30.12	7	T	30.11
01	0854	FM-15	OVC:08 43	10.00		43	6.1	41	5.0	39	3.9	86	0	000		27.84			30.13	7	T	30.12
01	0923	FM-16	BKN:07 13 OVC:08 40	10.00		44	6.7	42	5.5	40	4.4	85	0	000		27.86				7		30.14
01	0954	FM-15	OVC:08 11	10.00		45	7.2	42	5.8	40	4.4	83	0	000		27.86	3		30.16	7	0.00	30.15
01	1023	FM-16	BKN:07 9 OVC:08 18	6.00	-RA:02 BR:1 RA:61	45	7.2	43	6.0	41	5.0	86	3	180		27.89				7	T	30.17
01	1052	FM-16	OVC:08 10	7.00		45	7.0	44	6.6	43	6.0	93	0	000		27.88				7	T	30.16
01	1054	FM-15	OVC:08 10	6.00	BR:1	45	7.2	43	6.3	42	5.6	90	3	150		27.88			30.16	7	T	30.16
01	1108	FM-16	OVC:08 9	5.00	BR:1	46	7.8	44	6.9	43	6.1	89	0	000		27.88				7		30.16
01	1143	FM-16	BKN:07 4 OVC:08 9	6.00	BR:1	47	8.3	45	7.4	44	6.7	90	0	000		27.86				7		30.15
01	1154	FM-15	OVC:08 4	5.00	BR:1	48	8.9	46	7.7	44	6.7	86	0	000		27.86			30.14	7	0.00	30.15
01	1242	FM-16	OVC:08 5	5.00	BR:1	49	9.4	47	8.5	46	7.8	90	3	100		27.86				7	T	30.14
01	1254	FM-15	OVC:08 5	5.00	BR:1	49	9.4	47	8.5	46	7.8	90	0	000		27.85	8		30.13	7	T	30.13
01	1300	FM-12	5			49	9.4	47	8.5	46	7.8	90	0	000		27.82	8	+0.03	30.13	4		
01	1305	FM-16	OVC:08 4	9.00		49	9.4	47	8.5	46	7.8	90	0	000		27.85				7		30.13
01	1314	FM-16	OVC:08 6	10.00		50	10.0	48	8.7	46	7.8	86	3	130		27.85				7		30.13
01	1330	FM-16	SCT:04 6 BKN:07 26 OVC:08 34	10.00		51	10.6	49	9.3	47	8.3	86	5	150		27.84				7		30.12
01	1349	FM-16	BKN:07 6 BKN:07 26 OVC:08 33	10.00		52	11.0	50	9.8	48	9.0	88	3	150		27.84				7		30.12
01	1354	FM-15	BKN:07 6 OVC:08 26	10.00		52	11.1	50	9.8	48	8.9	86	3	120		27.83			30.11	7	0.00	30.11

01	1454	FM-15	OVC:08 7	10.00		53	11.7	51	10.4	49	9.4	86	5	170		27.83			30.10	7	T	30.11
01	1554	FM-15	OVC:08 9	10.00		53	11.7	51	10.7	50	10.0	89	8	170		27.84	3		30.11	7	T	30.12
01	1654	FM-15	BKN:07 9	10.00		53	11.7	51	10.7	50	10.0	89	10	160		27.85			30.12	7	0.00	30.13
01	1752	FM-16	BKN:07 3 OVC:08 8	10.00		50	10.0	49	9.3	48	9.0	94	9	120		27.86				6		30.14
01	1754	FM-15	BKN:07 3 OVC:08 8	10.00		50	10.0	49	9.3	48	8.9	93	7	130		27.86			30.14	7	0.00	30.15
01	1841	FM-16	OVC:08 2	7.00		49	9.4	47	8.5	46	7.8	90	6	VRB		27.86				7		30.15
01	1854	FM-15	OVC:08 2	8.00		49	9.4	47	8.5	46	7.8	90	6	VRB		27.88	2		30.15	7	0.00	30.16
01	1900	FM-12	2			49	9.4	47	8.5	46	7.8	90	6			27.85	2	-0.03	30.15	4		
01	1901	FM-16	OVC:08 3	10.00		49	9.4	47	8.5	46	7.8	90	6	VRB		27.86				7		30.15
01	1954	FM-15	OVC:08 4	10.00		47	8.3	45	7.4	44	6.7	90	10	180		27.89			30.18	7	0.00	30.18
01	2008	FM-16	OVC:08 5	10.00		47	8.3	45	7.4	44	6.7	90	7	190		27.90				7		30.19
01	2024	FM-16	OVC:08 4	10.00		46	7.8	44	6.9	43	6.1	89	8	170		27.90				7		30.19
01	2054	FM-15	OVC:08 3	7.00		46	7.8	44	6.9	43	6.1	89	9	160		27.90			30.19	7	T	30.19
01	2112	FM-16	OVC:08 2	6.00	BR:1	45	7.2	44	6.6	43	6.1	93	9	160		27.91				7	T	30.20
01	2140	FM-16	OVC:08 3	8.00		45	7.2	44	6.6	43	6.1	93	8	170		27.91				7	T	30.20
01	2154	FM-15	OVC:08 3	8.00		45	7.2	44	6.6	43	6.1	93	8	180		27.91	1		30.20	7	T	30.20
01	2254	FM-15	OVC:08 3	7.00		45	7.2	44	6.6	43	6.1	93	5	210		27.93			30.22	7	0.00	30.22
01	2354	FM-15	OVC:08 3	7.00	-RA:02 RA:61	45	7.2	44	6.6	43	6.1	93	5	180		27.93			30.21	7	0.02	30.22

Local Climatological Data Beta Release
Hourly Observations
January 2017
Generated on 03/30/2017

Elev: 2117 ft. Lat: 35.432° N Lon: 82.538° W
Station: ASHEVILLE AIRPORT, NC US WBAN:03812

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press. (in. Hg)	Press. Tend	Net 3-Hr Change (in. Hg)	Sea Level Press. (in. Hg)	Report Type	Precip Total (in)	Alti-meter Setting (in. Hg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
02	0054	FM-15	OVC:08 3	10.00	-RA:02 RA:61	46	7.8	44	6.9	43	6.1	89	0	000		27.91	0		30.19	7	0.01	30.20
02	0100	FM-12	2		RA:61	46	7.8	44	6.9	43	6.1	89	0	000		27.88		0.00	30.19	4		
02	0154	FM-15	OVC:08 3	7.00	-RA:02 RA:61	46	7.8	44	6.9	43	6.1	89	0	000		27.90			30.18	7	0.04	30.19
02	0254	FM-15	OVC:08 4	5.00	RA:02 BR:1 RA:62	46	7.8	44	6.9	43	6.1	89	0	000		27.90			30.18	7	0.09	30.19
02	0306	FM-16	BKN:07 6 OVC:08 15	7.00	RA:02 RA:62	46	7.8	45	7.1	44	6.7	93	3	170		27.91				7	0.02	30.20
02	0315	FM-16	FEW:02 6 SCT:04 9 OVC:08 17	5.00	RA:02 BR:1 RA:62	46	7.8	45	7.1	44	6.7	93	0	000		27.91				7	0.03	30.20
02	0338	FM-16	SCT:04 20 OVC:08 80	7.00	-RA:02 RA:61	46	7.8	45	7.1	44	6.7	93	3	190		27.90				7	0.09	30.19
02	0346	FM-16	FEW:02 6 SCT:04 39 OVC:08 80	7.00	-RA:02 RA:61	46	7.8	45	7.1	44	6.7	93	5	170		27.89				7	0.09	30.18
02	0354	FM-15	SCT:04 5 OVC:08 85	7.00	-RA:02 RA:61	46	7.8	45	7.1	44	6.7	93	3	170		27.89	6		30.17	7	0.10	30.18
02	0419	FM-16	BKN:07 5 OVC:08 85	8.00	-RA:02 RA:61	46	7.8	45	7.1	44	6.7	93	0	000		27.89				7	0.03	30.18
02	0454	FM-15	OVC:08 5	10.00	-RA:02 RA:61	47	8.3	45	7.4	44	6.7	90	3	110		27.89			30.17	7	0.02	30.18
02	0539	FM-16	SCT:04 7 OVC:08 20	10.00	-RA:02 RA:61	47	8.3	45	7.4	44	6.7	90	0	000		27.89				7	0.01	30.18
02	0554	FM-15	FEW:02 7 BKN:07 19 OVC:08 32	5.00	RA:02 BR:1 RA:62	47	8.3	45	7.4	44	6.7	90	0	000		27.89			30.16	7	0.03	30.18
02	0654	FM-15	SCT:04 5 BKN:07 21 OVC:08 38	6.00	-RA:02 BR:1 RA:61	47	8.3	46	7.7	45	7.2	93	3	160		27.90	3		30.18	7	0.03	30.19
02	0700	FM-12	5		RA:61	47	8.3	46	7.7	45	7.2	93	3	160		27.87	3	-0.00	30.18	4		
02	0717	FM-16	BKN:07 4 OVC:08 21	9.00		47	8.3	46	7.7	45	7.2	93	3	200		27.89				7	T	30.18
02	0743	FM-16	OVC:08 6	9.00		47	8.3	46	7.7	45	7.2	93	3	200		27.91				7	T	30.20
02	0754	FM-15	OVC:08 6	4.00	-RA:02 BR:1 RA:61	47	8.3	46	7.7	45	7.2	93	6	170		27.91			30.19	7	0.01	30.20
02	0809	FM-16	BKN:07 4 BKN:07 10 OVC:08 21	8.00	-RA:02 RA:61	47	8.3	46	7.7	45	7.2	93	8	160		27.91				7	0.01	30.20
02	0822	FM-16	SCT:04 4 BKN:07 8 OVC:08 20	9.00		47	8.3	46	7.7	45	7.2	93	7	160		27.92				7	0.01	30.21
02	0854	FM-15	BKN:07 4 OVC:08 8	9.00		48	8.9	46	7.9	45	7.2	89	5	180		27.92			30.21	7	0.01	30.21
02	0954	FM-15	OVC:08 4	10.00		49	9.4	47	8.5	46	7.8	90	5	160		27.94	3		30.23	7	0.00	30.23
02	1002	FM-16	OVC:08 4	2.00	BR:1	49	9.4	47	8.5	46	7.8	90	3	180		27.94				7		30.23
02	1032	FM-16	OVC:08 5	2.00	BR:1	50	10.0	48	8.7	46	7.8	86	3	190		27.94				7		30.23
02	1054	FM-15	BKN:07 5 OVC:08 11	2.00	BR:1	50	10.0	48	9.0	47	8.3	89	0	000		27.94			30.22	7	0.00	30.23
02	1101	FM-16	BKN:07 5 OVC:08 11	3.00	BR:1	51	10.6	49	9.3	47	8.3	86	0	000		27.93				7		30.22
02	1154	FM-15	OVC:08 8	3.00	HZ:7 FU:05 HZ:05	52	11.1	49	9.5	47	8.3	83	0	000		27.91			30.19	7	0.00	30.20

02	1254	FM-15	OVC:08 8	10.00		53	11.7	51	10.4	49	9.4	86	6	180		27.89	8		30.16	7	0.00	30.18
02	1300	FM-12	8			53	11.7	51	10.4	49	9.4	86	6	180		27.86	8	+0.06	30.16	4		
02	1354	FM-15	OVC:08 9	10.00		54	12.2	51	10.6	49	9.4	83	6	150		27.88			30.15	7	0.00	30.16
02	1419	FM-16	OVC:08 10	10.00		54	12.2	51	10.6	49	9.4	83	6	160		27.86				7		30.15
02	1427	FM-16	OVC:08 9	10.00		54	12.2	51	10.6	49	9.4	83	5	140		27.86				7		30.15
02	1454	FM-15	OVC:08 9	10.00		54	12.2	51	10.6	49	9.4	83	5	140		27.86			30.13	7	0.00	30.15
02	1554	FM-15	OVC:08 6	10.00		53	11.7	51	10.4	49	9.4	86	6	150		27.84	8		30.10	7	0.00	30.12
02	1654	FM-15	OVC:08 6	10.00		53	11.7	51	10.4	49	9.4	86	6	170		27.83			30.09	7	0.00	30.11
02	1754	FM-15	OVC:08 5	10.00		51	10.6	49	9.6	48	8.9	89	8	150		27.81			30.07	7	0.00	30.09
02	1803	FM-16	OVC:08 4	10.00		51	10.6	49	9.6	48	8.9	89	7	VRB		27.81				7		30.09
02	1852	FM-16	OVC:08 3	2.50	BR:1	50	10.0	49	9.3	48	9.0	94	8	160		27.83				6		30.11
02	1854	FM-15	OVC:08 3	2.50	BR:1	50	10.0	49	9.3	48	8.9	93	9	170		27.83	5		30.09	7	T	30.11
02	1900	FM-12	2			50	10.0	49	9.3	48	8.9	93	9	170		27.80	5	+0.01	30.09	4		
02	1931	FM-16	OVC:08 3	4.00	-RA:02 BR:1 RA:61	50	10.0	48	9.0	47	8.3	89	11	170		27.84				7	T	30.12
02	1952	FM-16	OVC:08 3	2.50	-RA:02 BR:1 RA:61	48	9.0	47	8.2	46	8.0	94	10	160		27.84				6		30.12
02	1954	FM-15	OVC:08 3	2.00	-RA:02 BR:1 RA:61	49	9.4	48	8.8	47	8.3	93	11	160		27.84			30.11	7	0.01	30.12
02	2005	FM-16	OVC:08 2	2.50	-RA:02 BR:1 RA:61	49	9.4	48	8.8	47	8.3	93	10	160		27.84				7	0.01	30.12
02	2017	FM-16	OVC:08 2	3.00	-RA:02 BR:1 RA:61	49	9.4	48	8.8	47	8.3	93	9	160		27.84				7	0.01	30.12
02	2031	FM-16	OVC:08 3	7.00		49	9.4	48	8.8	47	8.3	93	10	170		27.84				7	0.01	30.12
02	2054	FM-15	OVC:08 4	9.00		49	9.4	47	8.5	46	7.8	90	10	160		27.83			30.09	7	0.01	30.11
02	2152	FM-16	OVC:08 2	3.00	-RA:02 BR:1 RA:61	48	9.0	47	8.2	46	8.0	94	6	170		27.79				6		30.07
02	2154	FM-15	OVC:08 2	3.00	-RA:02 BR:1 RA:61	49	9.4	48	8.8	47	8.3	93	7	180		27.79	8		30.06	7	0.01	30.07
02	2215	FM-16	OVC:08 3	10.00	-RA:02 RA:61	49	9.4	48	8.8	47	8.3	93	8	180		27.80				7	T	30.08
02	2254	FM-15	BKN:07 3 OVC:08 9	6.00	RA:02 BR:1 RA:62	49	9.4	48	8.8	47	8.3	93	8	160		27.79			30.05	7	0.05	30.07
02	2337	FM-16	SCT:04 4 OVC:08 9	9.00	-RA:02 RA:61	49	9.4	48	8.8	47	8.3	93	3	160		27.75				7	0.08	30.03
02	2344	FM-16	SCT:04 4 OVC:08 10	7.00	RA:02 RA:62	49	9.4	48	8.8	47	8.3	93	0	000		27.74				7	0.08	30.02
02	2354	FM-15	SCT:04 4 OVC:08 10	7.00	-RA:02 RA:61	49	9.4	47	8.5	46	7.8	90	7	190		27.74			30.00	7	0.09	30.02

Local Climatological Data Beta Release
Hourly Observations
January 2017
Generated on 03/30/2017

Elev: 2117 ft. Lat: 35.432° N Lon: 82.538° W
Station: ASHEVILLE AIRPORT, NC US WBAN:03812

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press. (in. Hg)	Press. Tend	Net 3-Hr Change (in. Hg)	Sea Level Press. (in. Hg)	Report Type	Precip Total (in)	Alti-meter Setting (in. Hg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
03	0002	FM-16	BKN:07 4 OVC:08 10	6.00	RA:02 BR:1 RA:62	49	9.4	47	8.5	46	7.8	90	3	120		27.73				7	0.02	30.00
03	0038	FM-16	OVC:08 2	6.00	RA:02 BR:1 RA:62	49	9.4	48	8.8	47	8.3	93	6	180		27.70				7	0.07	29.97
03	0050	FM-16	OVC:08 3	5.00	+RA:02 BR:1 RA:63	48	9.0	47	8.2	46	8.0	94	7	170		27.68				7	0.10	29.95
03	0054	FM-15	OVC:08 3	5.00	RA:02 BR:1 RA:62	49	9.4	47	8.5	46	7.8	90	5	210		27.68	6		29.93	7	0.11	29.95
03	0100	FM-12	2		RA:62	49	9.4	47	8.5	46	7.8	90	5	210		27.65	6	+0.11	29.93	4		
03	0147	FM-16	BKN:07 5 OVC:08 15	6.00	RA:02 BR:1 RA:62	48	8.9	47	8.2	46	7.8	93	10	200		27.70				7	0.14	29.97
03	0152	FM-16	SCT:04 5 OVC:08 15	6.00	RA:02 BR:1 RA:62	48	9.0	46	7.9	45	7.0	87	8	190		27.70				6		29.97
03	0154	FM-15	SCT:04 5 OVC:08 15	6.00	-RA:02 BR:1 RA:61	48	8.9	47	8.2	46	7.8	93	8	170		27.70			29.94	7	0.15	29.97
03	0254	FM-15	BKN:07 18 OVC:08 23	5.00	-RA:02 BR:1 RA:61	48	8.9	46	7.9	45	7.2	89	6	170		27.66			29.91	7	0.01	29.93
03	0304	FM-16	SCT:04 2 BKN:07 16 OVC:08 25	6.00	-RA:02 BR:1 RA:61	48	8.9	47	8.2	46	7.8	93	6	180		27.66				7	0.01	29.93
03	0313	FM-16	BKN:07 2 BKN:07 16 OVC:08 24	7.00	-RA:02 RA:61	48	8.9	47	8.2	46	7.8	93	7	180		27.66				7	0.01	29.93
03	0321	FM-16	BKN:07 3 OVC:08 14	5.00	-RA:02 BR:1 RA:61	48	8.9	46	7.9	45	7.2	89	6	190		27.66				7	0.01	29.93
03	0354	FM-15	OVC:08 3	5.00	-RA:02 BR:1 RA:61	48	8.9	47	8.2	46	7.8	93	5	190		27.64	8		29.89	7	0.02	29.91
03	0454	FM-15	OVC:08 3	5.00	BR:1	47	8.3	46	7.7	45	7.2	93	5	170		27.62			29.87	7	0.04	29.89
03	0503	FM-16	OVC:08 2	4.00	BR:1	47	8.3	46	7.7	45	7.2	93	5	170		27.61				7		29.88
03	0554	FM-15	OVC:08 2	7.00		48	8.9	46	7.9	45	7.2	89	6	210		27.61			29.86	7	0.00	29.88
03	0612	FM-16	OVC:08 3	5.00	-RA:02 BR:1 RA:61	47	8.3	46	7.7	45	7.2	93	3	140		27.60				7	T	29.87
03	0654	FM-15	OVC:08 3	10.00		47	8.3	46	7.7	45	7.2	93	6	170		27.58	6		29.83	7	0.01	29.85
03	0700	FM-12	2			47	8.3	46	7.7	45	7.2	93	6	170		27.55	6	+0.06	29.83	4		
03	0732	FM-16	BKN:07 2 OVC:08 8	9.00		47	8.3	45	7.4	44	6.7	90	8	170		27.58				7		29.85
03	0754	FM-15	FEW:02 2 OVC:08 9	8.00		47	8.3	46	7.7	45	7.2	93	6	160		27.58			29.83	7	0.00	29.84
03	0833	FM-16	OVC:08 4	2.00	BR:1	47	8.3	46	7.7	45	7.2	93	6	140		27.58				7		29.84
03	0852	FM-16	OVC:08 2	2.00	BR:1	48	9.0	47	8.2	46	8.0	94	5	150		27.58				7		29.85
03	0854	FM-15	OVC:08 2	2.00	BR:1	48	8.9	47	8.2	46	7.8	93	5	150		27.58			29.83	7	0.00	29.85
03	0954	FM-15	OVC:08 2	2.00	BR:1	50	10.0	48	9.0	47	8.3	89	5	130		27.59	1		29.84	7	0.00	29.86
03	1020	FM-16	OVC:08 3	2.00	BR:1	50	10.0	49	9.3	48	8.9	93	7	140		27.58				7		29.85
03	1054	FM-15	OVC:08 3	2.50	BR:1	51	10.6	49	9.6	48	8.9	89	8	150		27.58			29.83	7	0.00	29.85
03	1114	FM-16	BKN:07 8	3.00	BR:1	52	11.1	50	10.1	49	9.4	89	8	150		27.58				7		29.85
03	1137	FM-16	FEW:02 6 BKN:07 13 OVC:08 55	4.00	BR:1	54	12.2	52	10.9	50	10.0	87	6	150		27.58				7		29.84
03	1145	FM-16	FEW:02 9 BKN:07 48 OVC:08 60	4.00	HZ:7 FU:05 HZ:05	55	12.8	52	11.1	50	10.0	83	7	160		27.57				7		29.83

03	1154	FM-15	FEW:02 9 BKN:07 48 OVC:08 55	4.00	HZ:7 FU:05 HZ:05	55	12.8	52	11.1	50	10.0	83	6	160		27.55			29.79	7	0.00	29.81
03	1254	FM-15	FEW:02 44	10.00		57	13.9	53	11.9	51	10.6	81	8	190		27.53	8		29.76	7	0.00	29.79
03	1300	FM-12	41			57	13.9	53	11.9	51	10.6	81	8	190		27.50	8	+0.06	29.76	4		
03	1354	FM-15	BKN:07 42	10.00		59	15.0	54	12.4	51	10.6	75	5	170		27.51			29.73	7	0.00	29.77
03	1454	FM-15	FEW:02 45	10.00		61	16.1	55	13.0	51	10.6	70	5	220		27.50			29.72	7	0.00	29.76
03	1554	FM-15	BKN:07 55	10.00		62	16.7	56	13.3	51	10.6	67	6	180		27.48	6		29.70	7	0.00	29.74
03	1654	FM-15	FEW:02 24 OVC:08 60	10.00		57	13.9	53	11.6	50	10.0	78	3	140		27.49			29.72	7	0.00	29.75
03	1754	FM-15	BKN:07 42 BKN:07 55	10.00		55	12.8	52	11.1	50	10.0	83	3	180		27.49			29.73	7	0.00	29.75
03	1854	FM-15	CLR:00	10.00		53	11.7	51	10.3	49	9.4	86	3	160		27.50	1		29.74	7	0.00	29.76
03	1900	FM-12				53	11.7	51	10.3	49	9.4	86	3	160		27.47	1	-0.01	29.74	4		
03	1954	FM-15	FEW:02 49	10.00		52	11.1	50	9.8	48	8.9	86	0	000		27.48			29.72	7	0.00	29.74
03	2054	FM-15	FEW:02 43	10.00		50	10.0	48	9.0	47	8.3	89	0	000		27.49			29.73	7	0.00	29.75
03	2154	FM-15	OVC:08 50	10.00		52	11.1	50	10.1	49	9.4	89	7	360		27.48	6		29.71	7	0.00	29.74
03	2254	FM-15	CLR:00	10.00		54	12.2	51	10.3	48	8.9	80	15	320		27.47			29.70	7	0.00	29.73
03	2354	FM-15	CLR:00	10.00		53	11.7	49	9.3	45	7.2	74	0	000		27.47			29.70	7	0.00	29.73